Product Note

Cash Mobile — Notification Management CMS

Change Request | CR-CM-2026-001 | Draft v1.3

Prepared by:

_____

Signature: _____ Date: _____

Verified by:

_____

Signature: _____ Date: _____

Name	Designation	Date	Signature
	Business Owner		
	Authorized Reviewer		

Issue date: 27 October 2026

Scope: push notifications, campaigns and notification-performance analytics for Cash Mobile.

Analytics scope: notifications and campaigns only. General user activity inside the mobile app is excluded.

Copyright © MTN Syria 2021

Table of contents:

1. Purpose of Document.....3

2. Specific Objectives.....4

3. Technical Requirements.....5

4. Document History.....16

Document scope

This CR covers the Cash Mobile notification CMS. It does not cover the later telecom application or corporate website content-management scope. The five chapters removed in Draft v1.1 remain excluded.

This is a proposed requirements draft; listed capabilities are not a declaration of completed implementation.

Language: English. Customer-facing field labels are also shown in Arabic where relevant.

Copyright © MTN Syria 2021

1. PURPOSE OF DOCUMENT

Provide a controlled CMS for Cash Mobile communications: compose and schedule push campaigns, target verified customers, manage automatic notifications for confirmed financial events, and review campaign outcomes and notification-performance analytics only.

The payment system remains responsible for customer authentication, account ownership, balances and financial execution. This CMS does not execute or edit financial transactions.

SCOPE AND BOUNDARIES

Provide a controlled CMS for Cash Mobile communications: send and schedule campaigns, target customer phone numbers or uploaded lists, automatically notify customers of confirmed financial events, and measure notification and campaign outcomes only.

In scope	Release expectation
Campaign messaging	All eligible accounts, selected phone numbers, CSV/XLSX audience upload, scheduling, approvals, cancellation and controlled resend.
Transactional notifications	Incoming transfers as the primary use case; configurable catalogue for payments, top-ups, failures, refunds and reminders.
CMS interface	Dashboard, campaigns, automated notifications, customers, notification analytics, users/roles, audit logs and settings; English/Arabic and RTL.
Reporting	Notification and campaign counts, provider outcomes, notification errors and observed receipt/open evidence where available. No app sessions, page visits, time spent or generic action tracking.
Integration	Existing payment-system identity, registered devices, backend event interface, reliable event persistence and monitoring.
Out of scope unless separately approved	Reason / boundary
SMS, email, USSD and message inbox chat	This CR concerns mobile push notifications.
Financial execution or balance editing in CMS	The payment backend remains the financial system of record.
Replacing Cash Mobile login / customer registration	Existing company authentication remains authoritative.
General in-app activity and user-behavior tracking	App sessions, screen/page visits, time spent, generic button clicks, navigation journeys, screen recording and keystroke/input collection are outside this CR.
Guaranteed push delivery or exact-once network transport	Delivery depends on devices, permissions, connectivity and provider behavior.
iOS, non-GMS Android and new paid infrastructure	Require explicit technical and commercial scope decisions.

NOTE: Budget assumption: begin with existing infrastructure and free service tiers where practical. Free-tier capacity must be measured against expected load; this CR does not assume unlimited free events, storage or campaigns.

Copyright © MTN Syria 2021

2. SPECIFIC OBJECTIVES

• Allow authorized staff to send immediate or scheduled notifications to all eligible customers, selected numbers, segments or imported lists.

• Notify the correct subscriber automatically after a confirmed incoming transfer or another approved payment-system event.

• Provide clear visibility of provider acceptance, failures, unknown outcomes and observed receipt/open activity where available.

• Support controlled approvals and linked resends while preserving campaign history.

• Provide scoped subscriber/device views, notification-performance reports and staff-role management. General in-app user-behavior tracking is outside scope.

Android is the initial mobile target. iOS and non-GMS Android require separate scope confirmation. SMS, email and USSD are outside this push-notification CR.

Copyright © MTN Syria 2021

3. TECHNICAL REQUIREMENTS

CMS navigation: Dashboard → Campaigns → Automated Notifications → Customers → Notification Analytics → CMS Users & Roles → Audit Logs → Settings.

3.1 ACTORS, IDENTITY & CUSTOMER/DEVICE RULES

Actor	Responsibility
Cash Mobile customer	Uses the payment app; receives notifications and manages permitted preferences.
CMS operator	Creates audiences, composes campaigns and monitors results within assigned permissions.
CMS approver	Independently reviews and approves or rejects campaigns when policy requires approval.
Payment backend	Authenticates customers, confirms financial events and resolves the true event recipient.
Notification service	Persists events, selects eligible devices, sends through FCM and records outcomes.
Mobile application	Registers tokens; receives, displays and opens notifications; acknowledges notification-specific receipt/open evidence where supported; no app-wide usage tracking.

REQUIRED IDENTITY AND DEVICE BEHAVIOR

FR-ID-01 — AUTHORITATIVE IDENTITY

Use an immutable customer ID from the payment backend. Phone number and name are display/search attributes; changes to phone number must not create a new customer or transfer another customer's history.

FR-ID-02 — AUTOMATIC DEVICE BINDING

After successful app login, register the installation ID and FCM token against the authenticated customer. The backend derives customer identity from its verified session, not a client-selected customer ID.

FR-ID-03 — TOKEN AND PERMISSION LIFECYCLE

Update rotated tokens; record last-seen, app version, platform, permission state and preferences. Denying notification permission must not block login or payment.

FR-ID-04 — MULTIPLE DEVICES AND LOGOUT

Support multiple active devices per account. Confirmed logout deactivates that device binding, while other devices remain active. Clear customer-specific local data when switching accounts.

FR-ID-05 — ELIGIBILITY AND PREFERENCES

Select active devices compatible with the audience and notification category. Keep marketing consent separate from transaction categories; respect OS permission restrictions.

FR-ID-06 — OWNERSHIP AT SEND/OPEN TIME

Recheck device ownership before dispatch. On open, authenticate and authorize access to transaction details. An in-flight OS notification may not be retractable; keep lock-screen content appropriately limited.

Copyright © MTN Syria 2021

3.2 CMS INTERFACE & NAVIGATION

The visual direction follows the Cash Mobile reference: a dark navy sidebar, yellow primary actions, white cards and tables on a light background, and the original transparent Cash Mobile logo.

Area	Required interface
Sidebar	Dashboard; Campaigns; Automated Notifications; Customers; Notification Analytics; CMS Users & Roles; Audit Logs; Settings. Hide inaccessible functions according to role.
Top bar	Page title and breadcrumb; contextual search; operational alerts; language selector; administrator profile and logout.
Dashboard	Date/customer/type filters, key statistics, recent campaigns, delivery chart, status/type breakdown, recent activity and quick actions.
Tables	Search, sorting, status/date filters, pagination, visible total count, clear empty states and permitted CSV/XLSX export.
Forms	Required-field validation, previews, explicit save/submit states, loading indicators and actionable error messages.
Responsive layout	Desktop sidebar and grids; compact mobile navigation; readable forms; table scrolling contained within the table area.
Languages / accessibility	English LTR and Arabic RTL, consistent terminology, keyboard navigation, focus indicators, readable contrast and text labels alongside status colors.
Data integrity	Use actual records. Show N/A when a metric is not instrumented, and zero only when a supported metric has no results.

ILLUSTRATIVE DASHBOARD LAYOUT

3.3 DASHBOARD, FILTERS & METRIC DEFINITIONS

Every metric MUST display its date range, unit and definition. Distinguish customers, logical notifications and per-device delivery attempts. Store timestamps in UTC and display the configured IANA timezone.

Metric	Definition / date basis
Total customers	Accounts synchronized from the payment system; current snapshot, shown separately from date-period activity.
Eligible audience	Distinct customers with at least one active device satisfying the category, audience and consent rules; current snapshot at validation or dispatch.
Campaign count by status	Campaigns created in the selected period, grouped by current draft/approval/scheduled/sending/completed/cancelled status.
Device delivery outcomes	Distinct delivery IDs created in the selected cohort; queued, sending, accepted, failed, unknown, expired or cancelled. Show the cohort basis in the UI.
Confirmed acceptance rate	Accepted / (accepted + failed + unknown), excluding queued/sending/cancelled/expired records. Unknown must be displayed separately and must not be labelled a confirmed failure.
Potential customer reach	Distinct customers with at least one FCM-accepted device delivery; not proof that the user saw the notification.
Observed receipts / opens	Distinct accepted device delivery IDs with authenticated received/opened events; attribute late events to the original delivery cohort.
Observed receipt / open rate	Observed distinct delivery receipts or opens / accepted device deliveries. Label measurement coverage and N/A if application tracking is unavailable.

Copyright © MTN Syria 2021

Metric	Definition / date basis
Operational health	Queue depth, oldest pending age, dispatch latency, failures by reason, unknown outcomes and invalid-token count.

REQUIRED FILTERS AND CHART BEHAVIOR

• Date range and display timezone; campaign, notification category/type, status, audience and platform.

• Customer ID, phone/name search and app version where supported; mask identifiers for restricted roles.

• Charts for delivery trends, event types, campaign states and failure reasons; campaign and transaction datasets remain distinguishable.

• Use the same cohort for a rate numerator and denominator. Explain whether a date filter uses campaign creation, delivery creation or notification-specific acknowledgement time.

• Comparison against the previous equivalent period is optional; display N/A when comparable data is unavailable.

• Export must preserve the applied filters, metric definitions and timezone, and be audited.

3.4 CAMPAIGN CREATION & AUDIENCE TARGETING

ID	Requirement
FR-CMP-01	Create/edit a draft with internal campaign name, category, language, notification title/body and an approved destination screen. Show a device-style preview and validate length/encoding before submission.
FR-CMP-02	Choose all eligible customers, manually entered phone numbers, a selected customer list, or a CSV/XLSX upload. These modes select existing accounts; importing a number must not create a customer account.
FR-CMP-03	Normalize and validate recipient numbers, resolve them to immutable customer IDs, remove duplicates and calculate distinct eligible customers and device deliveries.
FR-CMP-04	Show included/excluded counts and reasons, including invalid number, unmatched account, no active device, permission/consent exclusion and duplicate.
FR-CMP-05	Require a final review of title/body, destination, audience counts, category and delivery time before approval/send. Never substitute all users for an empty or invalid audience.
FR-CMP-06	Freeze the approved content and customer-ID audience snapshot. Re-evaluate device eligibility and account status at dispatch; expose changes between reviewed and actual eligible counts.
FR-CMP-07	For all-customer campaigns, snapshot eligible customer IDs at final approval. Newly created accounts after that point are excluded; an explicit audience refresh requires reapproval.
FR-CMP-08	Record the creator, reviewer, source list, template/content version and all lifecycle changes. Internal notes must not appear in the delivered notification.

ILLUSTRATIVE CAMPAIGN COMPOSER

Audience validation and final confirmation are required workflow stages, regardless of whether the final UI uses tabs, panels or a stepper.

Copyright © MTN Syria 2021

3.5 RECIPIENT FILE IMPORT & VALIDATION

SUPPORTED FORMATS AND TEMPLATE

FR-IMP-01: support UTF-8 CSV and XLSX. Provide downloadable templates. A phone_number column is mandatory; optional customer_id and name columns may be supported. XLS, XLSM, macros and executable content are not supported.

phone_number,customer_id,name

<international phone>,<optional stable customer ID>,<optional display name>

Phone cells must be read as strings to preserve + and leading zeroes. Support Arabic digit normalization and common whitespace/separators. Use the configured country rule only when an unambiguous local number can be normalized; otherwise report it as invalid. Never silently guess the country.

Stage	Required result
Upload	Validate extension, content format and configured size/row limits. Use bounded parsing and avoid storing unnecessary source-file data.
Column mapping	Recognize or let the operator map the phone column; reject missing required columns with a clear message.
Normalization	Convert to canonical international format, preserving the original row reference for feedback.
Resolution	Match the normalized number to the authoritative customer directory. If customer_id is supplied, it must identify the same account as the phone; reject mismatches.
Deduplication	Deduplicate by resolved immutable customer ID, not only raw phone text; do not send twice when the same account appears multiple times.
Eligibility	Evaluate active devices, notification permissions, category preferences, platform and environment.
Preview	Show original row count, invalid rows, duplicate rows, unresolved unique accounts, excluded unique accounts, and eligible customers/device deliveries. Clearly label row-based vs customer-based counts.
Operator decision	Permit sending to the validated eligible subset only after explicit acknowledgement of exclusions, or allow correction/re-upload. Block an empty result.
Error report	Download rejected rows with row number and reason. Escape spreadsheet-formula prefixes in exports. Customer data must be visible only to authorized staff.

NOTE: Proposed first-release limits: 10,000 rows and 5 MB per file, configurable and subject to load testing on the selected hosting plan. These are proposed product limits, not confirmed platform capacity.

STORED AUDIENCE BEHAVIOR

Retain the normalized customer-ID snapshot and import summary for audit. Remove the original file according to retention policy. If a customer changes phone number later, the approved campaign continues to refer to the same customer ID; devices are revalidated before sending.

3.6 SCHEDULING, APPROVALS, SENDING & RESENDING

ID	Requirement
FR-SCH-01	Support Send Now and Schedule. Capture local date/time and an explicit IANA timezone, show the UTC equivalent, and reject a past schedule. Handle ambiguous/nonexistent daylight-saving times explicitly.

Copyright © MTN Syria 2021

ID	Requirement
FR-SCH-02	Only valid, approved campaigns may enter the scheduled queue when approval is enabled. Pending approvals are not dispatchable.
FR-SCH-03	Allow permitted editing/cancellation before dispatch. A change to content, audience, destination or delivery time invalidates approval and requires review again.
FR-SCH-04	Show estimated recipient/device counts and processing status. Do not describe scheduled time as a guaranteed device-receipt time.
FR-SND-01	Claim each delivery atomically, process bounded batches, persist results and recover interrupted work without indiscriminate re-sending.
FR-SND-02	Cancellation during sending stops only unsent work. Already submitted/in-flight notifications cannot be guaranteed to be recalled; show submitted and cancelled counts separately.
FR-SND-03	Resend creates a new campaign/attempt linked to the original and preserves the selected customer IDs. Default to a new draft and approval; never overwrite historical outcomes.
FR-SND-04	Offer clearly defined resend audiences, such as original selected customers or confirmed failed deliveries. Unknown outcomes require explicit operator acknowledgement before a repeat.
FR-APR-01	Approval is configurable by campaign category, audience size or operator role. Proposed production default: campaign approval enabled with author self-approval blocked.
FR-APR-02	Approvers see the full preview, resolved audience summary, scheduling/timezone, exclusions and prior revisions before approving or rejecting with a reason.

CAMPAIGN LIFECYCLE

Draft -> Pending Approval -> Approved -> Scheduled / Ready

-> Sending -> Completed

Rejected -> Draft revision

Scheduled / Ready -> Cancelled

Sending -> Completed with cancelled unsent work

Interrupted processing -> Recoverable state / Operator review

Completed means no dispatchable work remains; it does not mean every device received or opened the message. Outcome counters must communicate partial acceptance, failures, unknown results and cancellations.

3.7 AUTOMATED NOTIFICATIONS & EVENT CATALOGUE

FR-AUTO-01: automatic notifications originate from trusted backend events after the underlying business state is confirmed. They are not triggered by a mobile screen claiming that a payment succeeded.

Event type	Recipient and trigger	Requirement
transfer_received	Recipient of a confirmed, posted incoming transfer	Mandatory primary use case. Resolve the actual recipient, not the initiating user.
invoice_paid	Payer after final bill-payment confirmation	Include safe transaction reference/destination; do not notify on a merely pending status.
balance_topup	Account owner after confirmed top-up	Backend-confirmed credit event.

Copyright © MTN Syria 2021

Event type	Recipient and trigger	Requirement
operation_failed	Affected customer after a confirmed final rejection/failure	An unknown payment result is not a confirmed failure.
payment_refunded	Customer after an actual completed refund	New event linked to the original transaction, not reuse of the original success event.
invoice_reminder	Customer with a due invoice at a configured reminder time	Scheduled backend rule; prevent repeated reminders for the same rule occurrence.
security_alert	Affected account after an approved security event	Optional catalogue item; content and preferences require business policy.

TEMPLATE AND RULE MANAGEMENT

• FR-AUTO-02: Manage type key, display name, description, category, language variants, title/body templates, allowed variables, destination screen and enabled state.

• FR-AUTO-03: Validate variables against a type-specific schema, reject unknown placeholders, and provide a sample preview without using real customer secrets.

• FR-AUTO-04: Version templates. Save the resolved/versioned content for a queued event so later edits cannot silently change a previously approved or queued message.

• FR-AUTO-05: Apply role-controlled template changes and an auditable activation process. Critical financial/security template changes SHOULD require independent review.

• FR-AUTO-06: Automatic financial events do not wait for manual campaign approval. Apply the already approved event rule/template and dispatch eligibility rules.

• FR-AUTO-07: Provide a test-only mode restricted to explicit test accounts/devices and environment. A test event must not execute any real financial operation.

3.8 INCOMING TRANSFER — END-TO-END FLOW

[Vector flow: confirmed transfer to authenticated detail view]

REQUIRED PROCESSING RULES

• 1. Payment backend verifies the provider/ledger result and identifies the recipient’s immutable customer ID.

• 2. Persist the final transfer state and a unique notification Outbox event in the same database transaction.

• 3. An Outbox worker sends the event to the notification service through authenticated server-to-server integration, retrying delivery with the same event ID.

• 4. CMS validates the source, schema and event identity, stores the event durably, and acknowledges the stored event. Duplicate matching events return their existing result.

• 5. Resolve the recipient’s current active devices and the approved template. If none exist, record no_devices; do not broadcast to other accounts.

• 6. Create per-device delivery records and send through FCM. Track accepted/failed/unknown separately from app-reported receipt/open events.

Copyright © MTN Syria 2021

• 7. On notification tap, require valid login and transaction ownership before opening details fetched from the payment API.

• 8. If notification processing fails, retain recoverable work or a failure record; do not roll back or repeat the financial transfer.

NOTE: Customer-facing example: Title: “Transfer received”. Message: “You have received a transfer. Open Cash Mobile for details.” Showing amount or sender identity on the lock screen is a separate, configurable privacy decision.

3.9 RELIABILITY, RETRY & DELIVERY-STATE MODEL

State	Meaning / handling
queued	Event/delivery durably stored and awaiting processing.
sending	Work is claimed/in progress; use a lease and atomic claim to prevent simultaneous dispatch by multiple workers.
accepted	FCM accepted the request. Not a device delivery receipt.
failed	Known unsuccessful outcome; distinguish permanent vs eligible temporary errors.
unknown	Provider outcome cannot be confirmed after timeout/interruption. Do not label it accepted or confirmed failed, and do not blindly replay it.
no_devices	No eligible customer device. Record the reason and apply an explicitly approved wait-until-TTL or terminal policy.
expired	The configured notification TTL expired before a valid attempt.
cancelled	Unsent work was cancelled. Already submitted work is reported separately.
received / opened	Independent authenticated client observations attached to delivery IDs, not replacement financial statuses.

• FR-REL-01: Use an immutable event ID for a business occurrence. Repeated identical requests return the existing event; the same ID with conflicting customer/type/entity/payload returns a conflict.

• FR-REL-02: Deduplicate delivery work per event/recipient/device and app inbox items using stable notification/delivery IDs. A retry is not a new financial transaction.

• FR-REL-03: Retry eligible temporary errors with bounded exponential backoff, jitter and Retry-After. Respect TTL and configured attempt limits.

• FR-REL-04: Disable unregistered/expired tokens. Diagnose payload errors before treating a token as invalid.

• FR-REL-05: A timeout after submitting to FCM may follow actual acceptance. Record unknown; provide a controlled review/retry policy and audit explicit repeats.

• FR-REL-06: Ensure campaign batches cannot indefinitely starve transaction notifications. Monitor queue depth, oldest pending work and retry backlog.

The product targets reliable event persistence and duplicate-resistant processing. It does not promise exactly-once transport or guaranteed push visibility on every device. Device connectivity, OS policy and permissions affect receipt.

Copyright © MTN Syria 2021

3.10 CUSTOMER DIRECTORY & NOTIFICATION HISTORY

ID	Requirement
FR-CUS-01	Search/filter customers by immutable customer ID, phone number, name, status, app version and active-device availability. Customer identity is synchronized from the payment system.
FR-CUS-02	Customer detail shows profile reference, linked devices, platform/app version, last-seen, permission/preference state and notification eligibility. Never display full device tokens to normal operators.
FR-CUS-03	Show campaign and automatic-event history with category/type, transaction reference, time, provider outcome, and observed receipt/open records where available.
FR-CUS-04	Support targeted campaign selection from customer lists. Selection counts must be distinct customers; show the associated eligible device count separately.
FR-CUS-05	Provide a permitted device-deactivation action with confirmation and reason. Device deactivation must not modify the customer's financial account or balance.
FR-CUS-06	Honor field masking, export permission and record access restrictions. Support should not automatically receive unrestricted bulk customer exports.

CUSTOMER DETAIL LAYOUT

Header: customer name, masked/full phone according to permission, immutable customer ID and account/notification status.Tabs: Overview; Devices; Notification History; Preferences.History table: source campaign/event, type, time, device count, accepted/failed/unknown outcomes, observed opens and detail link.

MARKETING AND TRANSACTION PREFERENCES

Preferences are category-aware. Marketing opt-out removes marketing eligibility; transactional/security behavior follows the approved business policy and available OS permission. The interface must explain why a selected account is not eligible. A blocked or inactive account is handled according to an explicit synchronization rule.

3.11 NOTIFICATION ANALYTICS & REPORTING

Analytics is limited to notifications and campaigns. It measures notification processing outcomes and notification-specific interactions only. General app activity and user-behavior tracking are outside this CR.

FR-NAN-01 — SCOPE AND EXCLUSIONS

Do not collect or report app sessions, visited screens/pages, screen duration, foreground/background usage time, generic button clicks, navigation journeys, funnels, session replay, or other in-app user actions. No general behavioral event SDK or app-wide instrumentation is required by this change request.

FR-NAN-02 — NOTIFICATION STATUS AND COUNTS

Report campaigns by status, distinct targeted and eligible customers, eligible devices and per-device notification outcomes: queued, sending, provider-accepted, failed, unknown, expired and cancelled. Campaigns and automatic transaction notifications must remain distinguishable.

Copyright © MTN Syria 2021

FR-NAN-03 — RECEIPT AND OPEN EVIDENCE

A provider acceptance is not proof of delivery. Observed receipt, display or notification-open counts may be reported only when the notification-specific evidence is available on the relevant platform. Show N/A when unavailable. Tapping a notification may generate a notification_opened acknowledgement linked to its notification/delivery ID; do not track subsequent screens or actions.

FR-NAN-04 — RATES AND COHORTS

Use the same delivery cohort for counts and rates. Provider acceptance rate = accepted / (accepted + failed + unknown), excluding queued, sending, cancelled and expired. Observed receipt/open rates = distinct accepted delivery IDs with corresponding evidence / accepted delivery IDs. State coverage and show undefined rates as N/A.

FR-NAN-05 — FILTERS, REPORTS AND EXPORTS

Filter by date range and timezone, campaign or automatic-notification type, category, outcome, platform and approved customer/device scope. Exports preserve the applied filters and metric definitions. Do not provide general user-session or app-behavior drill-down.

FR-NAN-06 — NOTIFICATION-SPECIFIC EVIDENCE

Store stable acknowledgement IDs, notification/delivery IDs, acknowledgement type, timestamps and verified device/customer ownership as needed for deduplication and attribution. Allow only notification-specific evidence; exclude screen names, route histories, input values and generic action events. Authentication-session handling for login/device ownership is not usage analytics.

FR-NAN-07 — OPERATIONAL HEALTH

Display notification queue depth, pending age, dispatch latency, failure reasons, invalid-token counts and unknown outcomes. These are notification-service metrics, not measurements of customer activity inside the app.

3.12 CMS USERS, ROLES & PERMISSION MATRIX

CMS staff accounts are separate from Cash Mobile customer accounts. Each staff user has an individual identity, active/suspended state and assigned roles. No shared administrator login is acceptable for production auditability.

Role	Purpose
Super Admin	Manage CMS configuration, integrations, roles and staff accounts; all authorized CMS operations, but no financial ledger/balance editing.
Campaign Manager	Create/edit campaigns, import audiences, schedule/submit for approval and monitor permitted results. Sending requires explicit permission and applicable approval.
Approver	Review, approve or reject campaigns under policy. Cannot approve their own campaign when separation of duties is enabled.
Customer Support	Search permitted customers and inspect notification/device history; identifiers masked as configured. No default bulk send or export.
Analyst	Read approved notification and campaign dashboards and reports. Identifiable recipient results and raw notification-data exports require separate grants. No app-session or behavioral drill-down.

Copyright © MTN Syria 2021

DEFAULT PERMISSION MATRIX — CONFIGURABLE

Permission	Super Admin	Campaign Manager	Approver	Support	Analyst
View aggregate dashboards	Yes	Yes	Yes	Scoped	Yes
Create/edit own drafts	Yes	Yes	No	No	No
Import recipient files	Yes	Yes	No	No	No
Submit/schedule approved work	Yes	Yes	No	No	No
Approve/reject campaigns	Yes*	No	Yes*	No	No
Send/cancel/resend	Yes*	Granted*	No	No	No
View identifiable customers	Yes	Scoped	Scoped	Masked	No
Deactivate a device	Yes	No	No	Granted	No
Edit automated templates/rules	Yes*	Granted*	Review*	No	No
Export customer/event data	Yes	Granted	No	No	Granted
Manage users/roles/integrations	Yes	No	No	No	No
View audit records	Yes	Own work	Review work	Own work	Granted

Scoped: constrained to permitted records/fields. Granted: an explicit additional permission, not a default. *: subject to approval and separation-of-duties policies; Super Admin must not silently bypass the configured author self-approval rule.

3.13 NON-FUNCTIONAL REQUIREMENTS & RETENTION

ID / area	Requirement and proposed target
NFR-01 — Responsiveness	CMS lists use server-side pagination and scoped filters. Proposed target: common filtered views p95 <= 2 seconds at an agreed representative load; confirm by performance testing.
NFR-02 — Event acknowledgement	Acknowledge a new event only after durable persistence. Proposed p95 target <= 2 seconds at agreed load; financial processing must not block on FCM delivery.
NFR-03 — Dispatch latency	Proposed start-of-dispatch p95 <= 10 seconds for normal transactional workload, excluding upstream outages. Requires measured worker/queue design; no device-receipt SLA is implied.
NFR-04 — Scheduling	Dispatch becomes eligible at the stored UTC schedule. Report queue delay separately; missed starts are monitored and recovered according to TTL/policy.
NFR-05 — Scale	Agree customers, devices/customer, events/day, peak events/second, campaign audience size, upload limits and retention before sizing. Respect host/FCM quotas and isolate transaction priority.
NFR-06 — Reliability	Use durable events, atomic claims, idempotency, bounded retries, lease recovery and explicit unknown outcomes. Test restart/network interruption scenarios.
NFR-07 — Observability	Correlate event, campaign, notification, delivery and entity IDs. Alert on queue age, failure/unknown spikes, invalid tokens, ingestion rejection and resource limits.
NFR-08 — Localization/accessibility	English and Arabic/RTL, clear timezone display, keyboard-accessible controls and accessible contrast/status labels.
NFR-09 — Data retention	Proposed starting policy: 90 days aggregate notification analytics and 180 days notification operational/audit records. No raw app-usage events are collected under this scope. Business owner must approve final periods and verify storage/cost feasibility.
NFR-10 — Cleanup and portability	Automated expiry/deletion with documented handling of customer removal, backups and export access. Do not retain uploaded files longer than necessary.

Copyright © MTN Syria 2021

ID / area	Requirement and proposed target
NFR-11 — Service constraints	FCM/OS/network behavior can delay or suppress notifications. Free service tiers are a budget assumption, not a capacity guarantee.

Targets and retention above are planning proposals, not a contractual SLA or confirmation of existing performance. Record approved values and workload assumptions before implementation sign-off.

3.14 CMS FORM FIELDS AND LABELS

Path: CMS → Campaigns → Create Campaign. The following table defines the core campaign controls and their Arabic/English labels. These are interface fields, not backend API specifications.

No.	Lan	Field Name	Description	Type
1	English	Campaign Name	Internal campaign name; not displayed to recipients.	Text
1	Arabic	اسم الحملة	Internal campaign name; not displayed to recipients.	Text
2	English	Notification Title	Localized notification heading shown in the preview.	Text
2	Arabic	عنوان الإشعار	Localized notification heading shown in the preview.	Text
3	English	Notification Body	Localized message; validate provider and product limits.	Text Area
3	Arabic	نص الإشعار	Localized message; validate provider and product limits.	Text Area
4	English	Category	Approved notification category used for eligibility/preferences.	List
4	Arabic	فئة الإشعار	Approved notification category used for eligibility/preferences.	List
5	English	Audience	All eligible accounts, selected numbers, a segment or file import.	Selection
5	Arabic	الجمهور المستهدف	All eligible accounts, selected numbers, a segment or file import.	Selection
6	English	Recipient File	CSV/XLSX upload with mapping, validation and deduplication.	Upload
6	Arabic	ملف المستهدفين	CSV/XLSX upload with mapping, validation and deduplication.	Upload
7	English	Destination	Approved in-app destination; access is checked when opened.	List
7	Arabic	وجهة الإشعار	Approved in-app destination; access is checked when opened.	List
8	English	Send Time	Send now or an explicit future date/time and timezone.	Date/Time
8	Arabic	موعد الإرسال	Send now or an explicit future date/time and timezone.	Date/Time
9	English	Save Draft	Save without dispatching.	Button
9	Arabic	حفظ مسودة	Save without dispatching.	Button
10	English	Submit for Approval	Submit the reviewed content and target audience.	Button
10	Arabic	إرسال للموافقة	Submit the reviewed content and target audience.	Button
11	English	Resend as New Campaign	Create a linked campaign and apply current approval rules.	Button
11	Arabic	إعادة إرسال كحملة جديدة	Create a linked campaign and apply current approval rules.	Button

Copyright © MTN Syria 2021

4. DOCUMENT HISTORY

Version	Date	Author	Modification / Validation
1.0	20 October 2026	Product / Engineering draft	Initial Cash Mobile notification CMS change request.
1.1	26 October 2026	Product / Engineering draft	Removed the five requested chapters and renumbered retained scope.
1.2	27 October 2026	Product / Engineering draft	Reformatted using the supplied Product Note design; retained notification-only scope and added bilingual campaign field labels.
1.3	27 October 2026	Product / Engineering draft	Clarified analytics as notification/campaign reporting only; removed general app sessions, screens, duration and action tracking from scope, dashboards and permissions.

Review status: Draft. Signature fields are intentionally blank. No historical reviewer names, signatures or approvals from the reference document have been reused.

Copyright © MTN Syria 2021