Responsible division :	Responsible unit :	Document type :	Confidentiality status :	
PGR	MLN/ENG	Requirement specification	Internal	BOMBARDIER
Prepared : 2018-05-16 G. Parisi		Title : **System Functions Req Spec Wheelchair Lifts V300ZEFIRO**	Document state : Released	
Checked : 2018-05-17 F. Brughera			**3EST000225-7887**	
Approved : 2018-05-18 M. Brusco		File name : 3EST000225-7887__en.docx	Revision : __ Language : en Pages : 1/6	
		External Revision Date: External Approver:	Customer External Identity:	
		Saved: 2018-05-18 18:00	Sequence index : 1	

Wheelchair Lifts-VF.CONCEPT

SFRS for Zefiro-Europe

Generated from DOORS module /Platform.-.Zefiro-Europe/01.-.Requirements Breakdown Structure.-.Zefiro-Europe/2F.-.Vehicle-Functional Integration Areas.-.Zefiro-Europe/2F_08.-.Interiors and Passenger Comfort-VF.-.Zefiro-Europe/2F_08.05.-.Wheelchair Lifts-VF.-.Zefiro-Europe/Wheelchair Lifts-VF.CONCEPT, baseline 0.2

This document and its contents are the property of Bombardier Inc. or its subsidiaries. This document contains confidential proprietary information. The reproduction, distribution, utilization or the communication of this document or any part thereof, without express authorization is strictly prohibited. Offenders will be held liable for the payment of damages.

©2018, Bombardier Inc. or its subsidiaries. All rights reserved.

Content

1 Introduction 3

1.1 Train Configuration 3

1.2 Definitions and abbreviations 3

2 System Overview 4

2.1 System Configuration 4

3 Functional requirements 5

3.1 Events 5

3.1.1 Function Design 5

3.1.2 Requirements 5

4 Signal Interface 6

4.1 I/O Interface 6

4.1.1 Supplier system 6

4.1.2 TCMS SW 6

4.2 Bus Interface 6

This document and its contents are the property of Bombardier Inc. or its subsidiaries. This document contains confidential proprietary information. The reproduction, distribution, utilization or the communication of this document or any part thereof, without express authorization is strictly prohibited. Offenders will be held liable for the payment of damages.

©2018, Bombardier Inc. or its subsidiaries. All rights reserved.

1 Introduction

This document is a function specification for the control of the *XXX* system for V300ZEFIRO for customer Trenitalia.

1.1 Train Configuration

Each V300ZEFIRO train consists of eight cars in a fixed formation including a driver's cab at each end:



- DM = End driving motor car with driver's cab
- TT = Intermediate trailer car with transformer
- M = Intermediate driving motor car
- T = Intermediate trailer car

1.2 Definitions and abbreviations

CD	Circuit Diagram
EVENT	Diagnostics that will be stored in the Event database within TCMS SW.
HW HMI	Hardware Human Machine Interface, e.g. buttons, switches and indication lamps.
IDU	Interface Display Unit
TCMS	Train Control and Management System

This document and its contents are the property of Bombardier Inc. or its subsidiaries. This document contains confidential proprietary information. The reproduction, distribution, utilization or the communication of this document or any part thereof, without express authorization is strictly prohibited. Offenders will be held liable for the payment of damages.

©2018, Bombardier Inc. or its subsidiaries. All rights reserved.

2 System Overview

2.1 System Configuration

This document and its contents are the property of Bombardier Inc. or its subsidiaries. This document contains confidential proprietary information. The reproduction, distribution, utilization or the communication of this document or any part thereof, without express authorization is strictly prohibited. Offenders will be held liable for the payment of damages.

©2018, Bombardier Inc. or its subsidiaries. All rights reserved.

3 Functional requirements

3.1 Events

3.1.1 Function Design

3.1.2 Requirements

ID	2F_08.05.Zefiro-Europe.TRS.17
Description	Diagnostics from the supplier shall be stored in the train diagnostic system.
Safety level	

Nr	Description	Type	Derived to	User Interface	SIL
2F_08.05.Zefiro-Europe.CONCEPT.43	Diagnostics from the supplier shall be stored in the train diagnostic system.	Derived Requirement	4S_09.03.05.-.TCMS Software	EVENT	

This document and its contents are the property of Bombardier Inc. or its subsidiaries. This document contains confidential proprietary information. The reproduction, distribution, utilization or the communication of this document or any part thereof, without express authorization is strictly prohibited. Offenders will be held liable for the payment of damages.

©2018, Bombardier Inc. or its subsidiaries. All rights reserved.

4 Signal Interface

4.1 I/O Interface

4.1.1 Supplier system

Inputs:

Nr	Functional name	Type	Linked to requirement
2F_08.05.Zefiro-Europe.CONCEPT.28			

Outputs:

Nr	Functional name	Type	Linked to requirement
2F_08.05.Zefiro-Europe.CONCEPT.29			

4.1.2 TCMS SW

Inputs:

Nr	Functional name	Type	Linked to requirement
2F_08.05.Zefiro-Europe.CONCEPT.30			

Outputs:

Nr	Functional name	Type	Linked to requirement
2F_08.05.Zefiro-Europe.CONCEPT.31			

4.2 Bus Interface

Supplier to TCMS SW:

Nr	Functional name	Type	Linked to requirement
2F_08.05.Zefiro-Europe.CONCEPT.32			

TCMS SW to Supplier:

Nr	Functional name	Type	Linked to requirement
2F_08.05.Zefiro-Europe.CONCEPT.33			

This document and its contents are the property of Bombardier Inc. or its subsidiaries. This document contains confidential proprietary information. The reproduction, distribution, utilization or the communication of this document or any part thereof, without express authorization is strictly prohibited. Offenders will be held liable for the payment of damages.

©2018, Bombardier Inc. or its subsidiaries. All rights reserved.