

# h1 Heading 8-)

---

## h2 Heading

---

### h3 Heading

#### h4 Heading

##### h5 Heading

###### h6 Heading

## Horizontal Rules

---

---

---

---

## Typographic replacements

---

Enable typographer option to see result.

(c) (C) (r) (R) (tm) (TM) (p) (P) +-

test.. test... test..... test?..... test!.....

!!!!!! ????? ,. -- ---

"Smartyants, double quotes" and 'single quotes'

## Emphasis

---

**This is bold text**

**This is bold text**

*This is italic text*

*This is italic text*

~~Strikethrough~~

## Blockquotes

---

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other...

...or with spaces between arrows.

## Lists

---

### Unordered

- Create a list by starting a line with +, -, or \*
- Sub-lists are made by indenting 2 spaces:
  - Marker character change forces new list start:
    - Ac tristique libero volutpat at
    - Facilisis in pretium nisl aliquet
    - Nulla volutpat aliquam velit
- Very easy!

### Ordered

1. Lorem ipsum dolor sit amet
2. Consectetur adipiscing elit
3. Integer molestie lorem at massa
4. You can use sequential numbers...
5. ...or keep all the numbers as 1 .

Start numbering with offset:

57. foo

58. bar

## Code

---

Inline code

Indented code

```
// Some comments  
line 1 of code  
line 2 of code  
line 3 of code
```

Block code "fences"

```
Sample text here...
```

Syntax highlighting

```
var foo = function (bar) {  
  return bar++;  
};  
  
console.log(foo(5));
```

## Math

---

You can use latex syntax to get math displayed

$$\begin{aligned}\int_0^1 10x^2 + 4x \, dx &= \left[ 3\frac{1}{3}x^3 + 2x^2 \right]_0^1 \\ &= 3\frac{1}{3} + 2 \\ &= 5\frac{1}{3}\end{aligned}$$

## Tables

---

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

Right aligned columns

Option	Description
data	path to data files to supply the data that will be passed into templates.
engine	engine to be used for processing templates. Handlebars is the default.
ext	extension to be used for dest files.

## Links

---


[link text](#)


[link with title](#)

Autoconverted link <https://github.com/nodeca/pica> (enable linkify to see)

## Images

---





Like links, Images also have a footnote style syntax



With a reference later in the document defining the URL location:

What is deze deze us geeeeeeeeeeeeeeeeeeeeeele |||||are dingete