### ng6-o2-chart Chart Library for Angular6 by TypeScript2

license MIT (LICENSE)

ng6-o2-chart is a chart library using d3.js (version 4) for Angular6 written by TypeScript2.

://github.com/Ohtsu/Ng6O2ChartTest/ (https://github.com/Ohtsu/Ng6O2ChartTest/)

Video Explanation (Japanese),

https://www.youtube.com/watch?v=PsLDZFqXTGw (https://www.youtube.com/watch?v=PsLDZFqXTGw)

Video Explanation (English).

https://www.youtube.com/watch?v=uf5ipN2LJ78 (https://www.youtube.com/watch?v=uf5ipN2LJ78)

#### Overview

- ng6-o2-chart is a wrapper library of d3.js (version 4) for Angular6
- 12 main charts are supported

(Line, Bar, Pie, ScatterPlot, Histogram, Stack Bar, Geo Map, Geo Orthographic, Tree, Pack Layout, Choropleth, Force)

You can include axis automatically by the configuration file.

You can include legend automatically by the configuration file.

You can animate such charts as Bar, Pie, Histogram, Stack Bar, Geo Orthographic and Pack Layout charts by the configuration file.

### Prerequisite

- node.is
- Typescript2Angular6

#### Installation

To install this consumer project, run simply:

\$ npm install

### Start project

If you start local server as follows, you can get many kinds of charts in your browser by accessing http://localhost:4200

### Version

- ng6-o2-chart-test: 0.3
- Angular6: 6.0.0
- TypeScript : 2.7.2 d3.is: 4.3.0

### Reference

 "Angular 5, Angular 6 Custom Library: Step-by-step guide",  $\underline{https://www.udemy.com/angular5-custom-library-the-definitive-step-by-step-guide/(https://www.udemy.com/angular5-custom-library-the-definitive-step-by-step-guide/)}$ 

• "Discount Coupon Code (until 2018.7.12)",

https://www.udemy.com/angular5-custom-library-the-definitive-step-by-step-guide/?couponCode=CUSTLIB-EN-20180713 (https://www.udemy.com/angular5-custom-library-the-definitive-step-byguide/?couponCode=CUSTLIB-EN-20180713)

- "Angular 5, Angular 6用 カスタムライブラリの作成: 完全ステップ・バイ・ステップ・ガイド", https://www.udemy.com/angular5-l/ (https://www.udemy.com/angular5-l/)
- "ディスカウント・クーポン(2018.7.12まで)",

https://www.udemy.com/angular5-I/?couponCode=NG5-CUSLIB-JA-0712 (https://www.udemy.com/angular5-I/?couponCode=NG5-CUSLIB-JA-0712)

"データビジュアライゼーションのためのD3.is徹底入門 Webで魅せるグラフ&チャートの作り方",2014/6/6,by 古籏一浩,

"D3.js by Example",2015/12/29,by Michael Heydt

http://www.amazon.co.jp/s/ref=nb\_sb\_noss? \_mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%BF%E3%82%AB%E3%83%8A&url=search-alias%3Daps&field-keywords=ISBN978-1-78528-008-5&m=i%3Aaps%2Ck%3AISBN978-1-78528-008-5 (http://www.amazon.co.jp/s/ref=nb\_sb\_noss? \_mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%AB%E3%83%8A&url=search-alias%253Daps&field-keywords=ISBN978-1-78528-008-5&m=i%253Aaps%252Ck%253AISBN978-1-78528-008-5

• "Mastering D3.js",2014/8/25,by Pablo Navarro,

http://www.amazon.co.jp/s/ref=nb\_sb\_noss? mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%BB%E3%83%8A&url=search-alias%3Daps&field-keywords=ISBN978-1-78328-627-0 0&rh=i%3Aaps%2Ck%3AISBN978-1-78328-627-0 (http://www.amazon.co.jp/s/ref=nb\_sb\_noss? mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%AB%E3%83%8A&url=search-alias%253Daps&field-keywords=ISBN978-1-78328-627-0 (http://www.amazon.co.jp/s/ref=nb\_sb\_noss? mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%AB%E3%83%8A&url=search-alias%253Daps&field-keywords=ISBN978-1-78328-627-0 (http://www.amazon.co.jp/s/ref=nb\_sb\_noss? mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%AB%E3%AB%E3%82%AB%E3%82%AB%E3%82%AB%E3%82%AB%E3%82%AB%E3

"Data Visualization With D3 and Angularjs",2015/4/27,by Christoph Komer,

• "Mastering TypeScript",2015/4/23,by Nathan Rozentals

http://www.amazon.co.jp/s/ref=nb\_sb\_noss?\_\_mk\_ja\_JP=%E3%82%AB%E3%82%BF%E3%82%AB%E3%83%8A&url=search-alias%3Daps&field-keywords=ISBN978-1-78439-966-1-78439-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-966-1-78439-1-78439-966-1-78439-1-7889-1-78439-1-78439-1-78439-1-78439-1-78439-1-78439-1-78439-1-78489-1-78489-1-7889-1-7889-1-5&m=i%3Aaps%2Ck%3AlSBN978-1-78439-966-5 (http://www.amazon.co.jp/s/ref=nb sb noss? mk ja JP=%E3%82%AB%E3%82%AB%E3%82%AB%E3%83%8A&url=search alias%253Daps&field-keywords=ISBN978-1-78439-966-5&m=i%253Aaps%252Ck%253AlSBN978-1-78439-966-5)

 "D3 Tips and Tricks v4.x", by Malcolm Maclean, Leanpub, https://leanpub.com/d3-t-and-t-v4/read (https://leanpub.com/d3-t-and-t-v4/read)

### Change Log

2018.6.20 version 0.3 uploaded

### Copyright

copyright 2018 by Shuichi Ohtsu (DigiPub Japan)

#### License

MIT © Shuichi Ohtsu (ohtsu@digipub-net.com)

### Step by Step Intallation of ng6-o2-chart

Video Explanation (Japanese), https://www.youtube.com/watch?v=PsLDZFqXTGw (https://www.youtube.com/watch?v=PsLDZFqXTGw)

Video Explanation (English),

https://www.youtube.com/watch?v=uf5ipN2LJ78 (https://www.youtube.com/watch?v=uf5ipN2LJ78)

\$ npm install -g @angular/cli

### Create New Project

ng new sample-chart (Your project name) \$ **cd** sample-chart

#### Check Your Program

If you start local server as follows, you can get the first page in your browser by accessing http://localhost:4200.

First Page



# Welcome to app!



### Here are some links to help you start:

- Tour of Heroes
- CLI Documentation
- Angular blog

Input Ctrl+C and y+Return to stop the local server.

### Install d3.js and ng6-o2-chart

\$ npm install d3@4.3.0 --save
\$ npm install ng6-o2-chart --save

### Modify app.module.ts

\$ cd src/app

Change directory to "src/app", you will find app.module.ts.

Modify this file as follows.

```
import { BrowserModule } from '@angular/platform-browser';
import { NgModule } from '@angular/core';
import { AppComponent } from './app.component';
import { Ng602ChartModule } from 'ng6-o2-chart'; // <= Add

@NgModule({
    declarations: [
        AppComponent
    ],
    imports: [
        BrowserModule,
        Ng602ChartModule // <= Add
    ],
    providers: [],
    bootstrap: [AppComponent]
})
export class AppModule { }</pre>
```

#### Modify app.component.ts

In the same directory, modify app.component.ts as follows.

```
import { Ng6O2ChartModule } from 'ng6-o2-chart'; // <= Add
import { Component } from '@angular/core';</pre>
import * as ChartConst from 'ng6-o2-chart';
  selector: 'app-root',
templateUrl: './app.component.html',
styleUrls: ['./app.component.css']
 export class AppComponent {
   title = 'app';
   // Add Start -----
   chartType:string;
   configData:any;
   barDataJson:any;
   geoMapDataJson:any;
   geoOrthographicDataJson:any;
   choroplethDataJson:any;
   scatterPlotDataJson:any;
   lineDataJson:any;
   histogramDataJson:any;
   pieDataJson:any;
   packLayoutDataJson:any;
   treeMapDataJson:any;
   stackBarDataJson:anv:
   treeDataJson:any;
   forceDataJson:anv
   DataSetJson:string;
   lineTypeName:string;
   barTypeName: string;
   pieTypeName:string;
   scatterPlotTypeName:string;
histogramTypeName:string;
   stackBarTypeName:string;
   geoMapTypeName:string;
   geoOrthographicTypeName:string;
   treeMapTypeName:string;
   packLavoutTvpeName:string:
   choroplethTypeName:string;
   treeTypeName:string;
   forceTypeName:string;
   constructor() {
                                       = ChartConst.LINE CHART TYPE NAME;
      this.barTypeName
     this.lineTypeName = ChartConst.LINE_CHART_TYPE_NAME;
this.lineTypeName = ChartConst.LINE_CHART_TYPE_NAME;
this.barTypeName = ChartConst.BAR_CHART_TYPE_NAME;
this.scatterPlotTypeName = ChartConst.PIE_CHART_TYPE_NAME;
this.histogramTypeName = ChartConst.SCATTER_PLOT_CHART_TYPE_NAME;
this.stackBarTypeName = ChartConst.STACK_BAR_CHART_TYPE_NAME;
      this.geoMapTypeName = ChartConst.GEO MAP CHART TYPE NAME;
this.geoOrthographicTypeName= ChartConst.GEO ORTHOGRAPHIC CHART TYPE NAME;
     this.treeMapTypeName = ChartConst.TREE_MAP_CHART_TYPE_NAME;
this.packLayoutTypeName = ChartConst.TREE_MAP_CHART_TYPE_NAME;
this.choroplethTypeName = ChartConst.CHOROPLETH_CHART_TYPE_NAME;
this.treeTypeName = ChartConst.TREE_CHART_TYPE_NAME;
      this.forceTypeName
                                         = ChartConst.FORCE_CHART_TYPE_NAME;
     this.initilizeData();
  private initilizeData() {
             onfigData = this.httpClient.get('assets/json/ConfigData.json');
      this.configData = {
         "className": {
  'axis': 'axis',
            'axisXBorder': 'axis_x',
'axisXText': 'axis-x-text',
```

```
'bar': 'bar',
'barValue': 'bar-value',
'line': 'line',
'multiLinePrefix': 'line-',
    'multiLinePrefix': 'line-',
'grid': 'grid',
'pie': 'pie',
'pieInnerTitle': 'pie-inner-title',
'pieInnerRadius': 'total',
'histogram': 'histogram',
'histogramBar': 'histogram-bar',
'treemap': 'treemap,
'treemaplabel': 'treemap-label',
'packlayout': 'packlayout-label',
},
'label': {
   'display': true,
 },
'title': {
    tttle': {
  'display': true,
  'name': 'Title',
  'className': 'chart-title',
  'height': 30,
    'leftMargin': -20,
'bottomMargin': 10
 'maxValue': {
    'auto': true,
'x': 100,
     'y': 100,
},
'legend': {
  'display': true,
  'position':
  'totalWidth': 80,
                                                   'right',
    'initXPos': 5,
'initYPos': 10,
'rectWidth': 10,
'rectHeight': 10,
    'xSpacing': 2,
},
'color': {
    'auto': true, //
'defaultColorNumber': 10,
     'opacity': 1.0,
'userColors': [
        userColors': [
'blue',
'red',
'green',
'yellow',
'PaleGoldenrod',
'Khaki',
'DarkKhaki',
         'Gold',
'Cornsilk',
         'BlanchedAlmond',
         'Bisque',
'NavajoWhite',
         'Wheat',
'BurlyWood',
'Tan',
'RosyBrown',
         'SandyBrown',
'Goldenrod',
         'DarkGoldenrod',
         'Peru',
'Chocolate'
    ],
'focusColor': 'red',
 'pie': {
     'innerRadius': {
        'percent': 20,
'title': 'Total'
   'value': {
  'display': true,
     'percent':{
         'display': false,
 },
'line': {
     'legend': 'lineEnd',
     'interpolate' : 'linear',
 'grid': {
    'x': {
   'display': true,
   },
'y':{
  'display': true,
 },
'margin': {
    margin': {
  'top': 30,
  'left': 30,
  'right': 10,
  'bottom': 20,
  'between': 5
},
'axis': {
     'rotation': 0,
```

```
'borderLineWidth': 1,
'xLabel': {
  'leftMargin': 0,
  'bottomMargin': 5
     },
'yLabel':{
       'leftMargin': 0,
'bottomMargin': 0
     },
   'animation':{
     'enable':true,
'duration':4000,
};
this.barDataJson =
{
   'series':[
     'English',
'Math'
  ],
'data':[
  'data {
    'x': 'suzuki',
    'y': [92,73],
},
     'x': 'inoue',
'69.45],
     'y': [69,45],
     {
    'x': 'sato',
    'y': [70,100],
},
     {
   'x': 'tanaka',
   'y': [43,66],
},
     'x': 'ida',
    'x': 'ida',

'y': [60,70],

},

{

'x': 'kato',

'y': [55,63],

},
  1,
};
this.lineDataJson = {
  'series':[
 'year',
 'sell',
  ],
'data':[
        'name': 'software',
'value':[
         {
  'x':'2010',
          'y':18
          'x':'2011',
              'y':22
           },
              'x':'2012',
           'y':30
           {
    'x':'2013',
    'y':31
},
        'name': 'hardware',
'value':[
         'va... {
    'x':'2010',
          'y':15
          'x':'2011',
'y':16
           },
          'x':'2012',
           'y':10
           'x':'2013',
             'y':21
           },
         'name': 'device',
        'value':[
         'x':'2010',
'y':25
```

```
},
{
            'x':'2011',
            'x':'2012',
            'y':30
          },
{
            'x':'2013',
            'y':31
          },
     },
        'name': 'others',
        'value':[
            'x':'2010',
            'y':100
          'x':'2011',
'y':16
},
          'x':'2012',
'y':20
            'x':'2013',
            'y':41
          },
1,
 this.geoOrthographicDataJson =
 'map':{
        'baseGeoDataUrl': 'https://raw.githubusercontent.com/Ohtsu/data/master/o2-chart/world.geojson', 'keyDataName':'features',
       'targetPropertyName':'properties.name',
'scale':160,
       'colorNumber':10,
'rotate':{
  'horizontal':210,
          'vertical':5
       },
'clipAngle':90,
       'oceanColor':'navy',
'antarcticaColor':'white',
     },
'data':[
        'name':'Australia',
       'color':'red'
        'name':'Antarctica',
       'color':'white'
        'name':'Japan',
       'color':'teal'
 this.geoMapDataJson =
        'baseGeoDataUrl':'https://raw.githubusercontent.com/Ohtsu/data/master/o2-chart/world.geojson',
       'scale':75,
'keyDataName':'features',
        'targetPropertyName':'properties.name',
       'name':'Australia',
'color':'red'
       'name':'Antarctica',
'color':'white'
        'name':'Japan',
       'color':'blue'
};
 this.stackBarDataJson =
     'config':{
     'timeFormat':'%Y',
     },
'series':[
     'year',
```

```
'sell',
     ],
'data':[
     'name': 'software',
'value':[
'
         'x':'2010',
          'y':18
        'x':'2011',
'y':22
},
          'x':'2012',
'y':30
},
          {
    'x':'2013',
    'y':31
},
       ]
       'name': 'hardware',
'value':[
        'vail.'
{
    'x':'2010',
         'y':15
         'x':'2011',
          'y':16
          'x':'2012',
          'y':10
         'x':'2013',
   'y':21
},
     },
       'name': 'device',
'value':[
        {
   'x':'2010',
           'y':25
         'y':25
},
{
'x':'2011',
'y':26
},
            'x':'2012',
'y':30
          },
          'x':'2013',
            'y':31
          },
       'name': 'others',
'value':[
         {
    'x':'2010',
    'y':5
         'x':'2011',
           'y':16
         },
{
   'x':'2012',
   'y':20
},
{
   'x':'2013',
   'y':41
}
};
this.scatterPlotDataJson =
     'series':[
'seriesA',
'seriesB',
'seriesC'
     ],
'data':[
```

```
{'x':120,'y':115,'r':10},
               {'x':120, 'y':115, 'r':10],
('x':125, 'y':90, 'r':2),
{'x':150, 'y':160, 'r':1),
('x':150, 'y':160, 'r':1),
('x':128, 'y':215, 'r':5),
('x':128, 'y':15, 'r':5),
('x':220, 'y':115, 'r':25),
        },
{
            'name': 'inoue'.
           'value':[
{'x':130,'y':140,'r':5},
               {\x':130,\y':140,\r':15},

{\x':20,\y':15,\r':10},

{\x':25,\y':190,\r':2},

{\x':250,\y':60,\r':1},

{\x':50,\y':60,\r':1},

{\x':50,\y':60,\r':15,

{\x':230,\y':15,\r':5},

{\x':230,\y':140,\r':15},

{\x':20,\y':215,\r':25},
this.histogramDataJson =
       'range':[0,100],
'bins': [0,10,20,30,40,50,60,70,80,90,100],
        'data':[
        50,95,60,44,60,50,35,20,10,8,
       50,95,60,44,60,50,35,20,10,8,

56,70,65,42,22,33,40,53,52,89,

90,55,50,55,65,72,45,35,15,45,

50,95,60,44,60,50,35,20,10,8,

56,70,65,42,22,33,40,53,52,89,

90,55,50,55,65,72,45,35,15,45,

50,95,60,44,60,50,35,20,10,8,

56,70,65,42,22,33,40,53,52,89,

90,55,50,55,65,72,45,35,15,45,
};
this.packLayoutDataJson = {
    'name':'United States', 'value' :281421906,
        'children' : [
{'name':'California', 'value' :33871648},
        {'name':'Pennsylvania', 'value' :12281054}, 
{'name':'Ohio', 'value' :11353140},
}
        this.treeDataJson =
                'name': 'Eve',
                'children': [
     { 'name': 'Cain'
     },
                               'name': 'Seth'.
                               { 'name': 'Abel'
                               'name': 'Awan',
                             'children': [
      { 'name': 'Enoch' }
]
                       { 'name': 'Azura'
             ]
this.treeMapDataJson = {
   'name': 'Root',
        'children': [
{ 'name': 'Dirl', 'children': [
              1
```

```
}
 this.choroplethDataJson = {
      'map':{
'baseGeoDataUrl':'https://raw.githubusercontent.com/Ohtsu/data/master/o2-chart/japan.geojson',
     baseGeoDataUrl':https://raw.githubu
'scale':900,
'center':[137.571,37.500],
'startColor':'blue',
'endColor':'red',
'colorNumber':10,
'keyDataName':'features',
'targetPropertyName':'properties.id'
      'data':
        'id':1,
       'value':7.12
      },
{
'id':2,
        'value':8.97
        'id':3,
        'value':7.07
      },
        'id':4,
'value':7.78
      },
     'id':5,
        'value':6.97
      },
{
 'id':6,
        'value':5.79
        'id':7,
'value':7.14
      },
        'value':6.68
        'id':9,
        'value':6.28
        'id':10,
'value':6.32
        'value':6.29
        'value':6.14
        'value':5.87
     'id':14,
        'value':5.75
        'id':15,
        'value':5.50
        'value':5.21
       'id':17,
'value':5.37
     'id':18,
        'value':5.23
        'id':19,
        'value':6.18
        'id':20,
'value':5.44
     'id':21,
        'value':5.57
        'id':22,
        'value':5.81
```

```
},
{
 'id':23,
 'value':5.09
  'id':24,
'value':5.08
     'id':25,
'value':5.07
   },
     'id':26,
'value':6.21
  'id':27,
'value':7.97
  },
{
  'id':28,
  'value':6.54
     'id':29,
'value':7.41
   },

'id':30,
'value':6.74

'id':30,
'value':6.74
  'id':31,
'value':5.90
  },
{
  'id':32,
  'value':4.55
     'id':33,
'value':7.24
   },
  'id':34,
     'value':5.35
  },
{
  'id':35,
  'value':5.93
  },
{
  'id':36,
  'value':7.62
  ( 'id':37,
     'value':6.25
      'id':38,
     'value':7.26
    'id':39,
'value':7.70
   {
'id':40,
     'value':7.84
      'id':41,
     'value':6.32
     'id':42,
'value':6.64
    'id':43,
'value':6.67
   {
'id':44,
      'value':7.07
     'id':45,
'value':7.01
     'id':46,
'value':6.84
  'id':47,
'value':11.0
```

```
this.pieDataJson =
             'data':[
                   'name': 'software'.
                 'value':30,
                   'name': 'hardware',
                 'value':25
                   'name': 'device',
                 'value':16
             },
                   'name': 'others',
};
this.forceDataJson =
             {'id': 1, 'name': 'Hokkaido'},
             {'id': 2, 'name': 'Tohoku'},
{'id': 3, 'name': 'Kanto'},
             {'id': 4, 'name': 'Chubu'},
{'id': 5, 'name': 'kinki'},
             {'id': 6, 'name': 'Chugoku'},
{'id': 7, 'name': 'Shikoku'},
              {'id': 8, 'name': 'Kyushu'},
              'nodes': [
             {'id': 'Sapporo', 'group': 1},
             {'id': 'Sendai', 'group': 2},
{'id': 'Morioka', 'group': 2},
{'id': 'Akita', 'group': 2},
{'id': 'Fukushima', 'group': 2},
             {'id': 'Mito', 'group': 3},
{'id': 'Utsunomiya', 'group': 3},
             {'id': 'Saitama', 'group': 3},
{'id': 'Chiba', 'group': 3},
             ('id: 'Chiba', 'group': 3),
('id': 'Tokyo', 'group': 4),
('id': 'Kofu', 'group': 4),
('id': 'Niigata', 'group': 4),
('id': 'Toyama', 'group': 4),
('id': 'Kanazawa', 'group': 4),
('id': 'Kanazawa', 'group': 4),
             {'id': 'Kanazawa', 'group': 4},
{'id': 'Fukui', 'group': 4},
{'id': 'Shizuoka', 'group': 4},
{'id': 'Nagoya', 'group': 4},
{'id': 'Gifu', 'group': 4},
{'id': 'Otsu', 'group': 5},
{'id': 'Kyoto', 'group': 5},
{'id': 'Saka', 'group': 5},
{'id': 'Nobe', 'group': 5},
             {'id': 'Nara', 'group': 5},
{'id': 'Kyoto', 'group': 5},
{'id': 'Tottori', 'group': 6},
{'id': 'Hiroshima', 'group': 6},
              {'id': 'Matsue', 'group': 6},
{'id': 'Matsuyama', 'group': 7},
{'id': 'Tokushima', 'group': 7},
              ('id': 'Tokushima', 'group': 7)
('id': 'Kochi', 'group': 7),
('id': 'Pukuoka', 'group': 8),
('id': 'Nagasaki', 'group': 8),
('id': 'Kumamoto', 'group': 8),
('id': 'Naha', 'group': 8),
                         {'source': 'Sendai', 'target': 'Sapporo', 'value': 1},
                         ('source': 'Sendai', 'target': 'Sapporo', 'value': 1},
('source': 'Morioka', 'target': 'Sapporo', 'value': 1),
('source': 'Akita', 'target': 'Sapporo', 'value': 1),
('source': 'Fukushima', 'target': 'Sapporo', 'value': 10},
('source': 'Morioka', 'target': 'Sendai', 'value': 10},
('source': 'Akita', 'target': 'Sendai', 'value': 10},
('source': 'Akita', 'target': 'Sendai', 'value': 10},
                         \ source: 'Axita', 'target': 'Sendai', 'value': 10),
\{'source': 'Fukushima', 'target': 'Sendai', 'value': 10),
\{'source': 'Chiba', 'target': 'Tokyo', 'value': 20),
\{'source': 'Utsunomiya', 'target': 'Tokyo', 'value': 20),
\{'source': 'Mito', 'target': 'Tokyo', 'value': 30),
\{'source': 'Saitama', 'target': 'Tokyo', 'value': 30},
\]
                            ['source': 'Kofu', 'target': 'Tokyo', 'value': 30},
                         {\source': \Kofu', \target': \Tokyo', \value': 30),
{\source': \Nagano', \target': \Tokyo', \value': 30},
{\source': \Nagano', \target': \Tokyo', \value': 30},
{\source': \Naha', \target': \Tokyo', \value': 40},
{\source': \Sendai', \target': \Tokyo', \value': 40},
{\source': \Sendai', \target': \Tokyo', \value': 20},
{\source': \Shizuoka', \target': \Nagoya', \value': 10},
{\source': \Shizuoka', \target': \Nagoya', \value': 10},
{\source': \Tokyo', \Target': \Nagoya', \value': 10},
}
                         ('source': 'Fukil', 'target': 'Kanazawa', 'value': 10),
('source': 'Niigata', 'target': 'Kanazawa', 'value': 10),
('source': 'Tottori', 'target': 'Kobe', 'value': 10),
('source': 'Tottori', 'target': 'Hiroshima', 'value': 10),
('source': 'Matsue', 'target': 'Hiroshima', 'value': 10),
                         {'source': 'Matsuyama', 'target': 'Hiroshima', 'value': 10}, {'source': 'Tokushima', 'target': 'Kochi', 'value': 10},
```

#### Modify app.component.html

In the same directory, modify app.component.html as follows.

```
<hr>
  <h2>GeoOrthographic</h2>
  <1ib-Ng602Chart [chartType]="geoOrthographicTypeName" [configData]="configData] (graphData]="geoOrthographicDataJson" [svgWidth]="'600'" [svgHeight]="'400'"</pre>
/lib-Ng602Chart>
  <hr>
  <h2>Bar</h2>
  <1ib-Ng602Chart [chartType]="barTypeName" [configData]="configData" [graphData]="barDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart>
  <h2>Pie</h2>
  <1ib-Ng602Chart [chartType]="pieTypeName" [configData]="configData" [graphData]="pieDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart>
  <hr>
  <h2>ScatterPlot</h2>
  <1ib-Ng602Chart [chartType]="scatterPlotTypeName" [configData]="configData" [graphData]="scatterPlotDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="scatterPlotTypeName" [configData]="configData"]</pre>
g602Chart>
  <hr>
  <h2>Histogram</h2>
  < lib-Ng602Chart [chartType]="histogramTypeName" [configData]="configData]="histogramDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="histogramDataJson" [svgWidth]="'600'" [svgWidth]="'
 g602Chart>
  <hr>
  <h2>PackLayout</h2>
  dib-Ng60Chart [chartType]="packLayoutTypeName" [configData]="configData" [graphData]="packLayoutDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng60Chart [chartType]="packLayoutTypeName" [configData]="configData" [graphData]="packLayoutDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng60Chart [chartType]="packLayoutTypeName" [configData]="configData" [graphData]="packLayoutDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng60Chart [chartType]="packLayoutTypeName" [svgHeight]="'400'"></lib-Ng60Chart [svgHeight]="'400'"</li>
 g602Chart>
  <hr>
  <h2>Tree</h2>
  <h2>Line</h2>
  <1ib-Ng602Chart [chartType]="lineTypeName" [configData]="configData" [graphData]="lineDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart>
  <h2>GeoMap</h2>
  </ib-Ng602Chart [chartType]="geoMapTypeName" [configData]="configData" [graphData]="geoMapDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart>
  <hr>
  <h2>StackBar</h2>
  <1ib-Nq602Chart [chartType]="stackBarTypeName" [configData]="configData" [graphData]="stackBarDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-</pre>
 g602Chart>
  <hr>
  <h2>Choropleth</h2>
  <1ib-Ng602Chart [chartType]="choroplethTypeName" [configData]="configData] [graphData]="choroplethDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="choroplethTypeName" [configData]="choroplethDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="choroplethTypeName" [configData]="choroplethDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="choroplethTypeName" [configData]="choroplethDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="choroplethTypeName" [configData]="choroplethDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart [chartType]="choroplethDataJson" [svgWidth]="'600'" [svgHeight]="'600'" [svgHeight]="
 q602Chart>
 <hr>
  <h2>Force</h2>
  <1ib-Ng602Chart [chartType]="forceTypeName" [configData]="configData" [graphData]="forceDataJson" [svgWidth]="'600'" [svgHeight]="'400'"></lib-Ng602Chart>
/div>
```

### Modify styles.css

Change to the parent directory, you will find styles.css. Modify the file as follows.

\$ cd ..

```
line {fill:none; stroke:black;stroke-width: 1.5;}
.line-0 {fill:none; stroke:#1f77b4;stroke-width: 1.5;stroke-dasharray:4,10;}.line-1 {fill:none; stroke:#ff7f0e;stroke-width: 1.5;stroke-dasharray:2,5.10;}
line-2 {fill:none; stroke:#2ca02c;stroke-width: 1.5;}
line-3 {fill:none; stroke:#d62728;stroke-width: 1.5;}
.line-4 {fill:none; stroke:#9467bd;stroke-width: 1.5;}.line-5 {fill:none; stroke:#8c564b;stroke-width: 1.5;}
.line-6 (fill:none; stroke:#e377c2;stroke-width: 1.5;)
.line-7 (fill:none; stroke:#7f7f7f;stroke-width: 1.5;)
.line-8 (fill:none; stroke:#bcbd22;stroke-width: 1.5;)
.line-9 {fill:none; stroke:b#17becf;stroke-width: 1.5;}
.bar { fill:#aaa; stroke:white;stroke-width: 1;}
.bar-value { fill:black;font-size: 8pt;}
.name { font-size: 10pt;text-anchor: middle}
path {fill:white;stroke:black;stroke-width:0.5;}
.axis text {
    font-family: sans-serif;
font-size: 11px;
.axis path,
.axis line {
fill: none;
    stroke: black:
.axis x line {
   fill: none;
    stroke: black;
.chart-title { fill:red;font-size: 18pt;text-anchor: middle;}
.histogram-bar{fill:blue; stroke:white;stroke-width: 1;}
.axis-x-text{ fill:blue;font-size: 12pt;}
 treemap { stroke:black;fill:#777}
treemap-label { font-size: 10pt;text-anchor: middle}
packlayout{ stroke:black;}
.packlayout-label{ font-size: lopt;text-anchor: middle}
.pie-inner-title {font-size:9pt;text-anchor:middle;}
.pieNum {font-size:10pt;text-anchor:middle;}
.grid {stroke:gray;stroke-dasharray: 4,2;shape-rendering:crispEdges}
   fill: #fff;
    stroke-width: 3px;
.tree-node text {
    font: 12px sans-serif;
tree-node-internal text {
   text-shadow: 0 lpx 0 #fff, 0 -lpx 0 #fff, lpx 0 0 #fff, -lpx 0 0 #fff;
.tree-node-link {
    fill: none;
    stroke: #ccc;
    stroke-width: 2px;
.force-links line {
stroke: #999;
stroke-opacity: 0.6;
.force-nodes circle {
stroke: #fff;
stroke-width: 1.5px;
```

### Restart local server


Restart the local server as follows.

\$ ng serve -o

And you will get many charts in your browser.

• First Chart (GeoOrthographic)

### GeoOrthographic



### **Chart Data**

There are two types of data:configData,graphData.

### configData

This is a common setting data of all charts. In this file, you can set info as follows.

-Class name defined by "html" file

-Title Name

-Legend (display or not, position, size)


-Color (Auto color number: 10 or 20, Opacity)

-Line (interpolate)

-Grid (display or not, position, size)

-Animation (enable or not, duration)

-Margin (top, left, right,bottom,between)
-Axis (left margin, bottom mergin)



### Sample configData

```
configData ={
    "className":{
        "axis*: "axis",
        "axisxBorder": "axis_x",
        "axisxText": "axis_x-text",
        "bar": "bar",
        "bar": "bar",
        "barvalue": bar-value",
        "line": "line",
        "multiLinePrefix": "line-",
        "grid": "grid",
        "pie!": "pie",
        "pieInnerTitle": "pie-inner-title",
        "pieInnerRadius": "total",
        "histogram": "histogram",
        "histogramsar": "histogram-bar",
        "treemap!: "treemap.label": "treemap-label",
        "packlayout!": "packlayout",
        "packlayoutLabel": "packlayout-label",
},
        "label": {
```

```
"display":true,
    "title": {
    "display": true,
    "name": "Title",
    "className": "chart-title",
    "height": 30,
    "leftMargin": -20,
    "bottomMargin": 10
                  "auto":true,
"x":100,
"y":100,
      },
"legend": {
   "display": true,
   "position": "right",
   "totalWidth":80,
   "'sitXPos":5,
                  "totalWidth":80,
"initXPos":5,
"initYPos":10,
"rectWidth":10,
"rectHeight":10,
                  "xSpacing":2,
"ySpacing":2
         },
"color":{
                  "auto":true, //
"defaultColorNumber":10,
                  "opacity":1.0,
"userColors":[
                          erColors":[

"blue",
"red",
"green",
"yellow",
"PaleGoldenrod",
"Khaki",
"Gold",
"Cornsilk",
"BlanchedAlmond",
"Bisme",
                           "Bisque",
"NavajoWhite",
"Wheat",
"BurlyWood",
                           "Tan",
"RosyBrown",
"SandyBrown",
"Goldenrod",
                            "DarkGoldenrod".
                           "Peru",
"Chocolate"
                  ],
"focusColor":"red",
          },
"pie":{
                  "innerRadius": {
    "percent":20,
    "title":"Total"
                  },
"value":{
                           "display":true,
                   "percent":{
                            "display":false,
         },
"line": {
                  "legend":"lineEnd",
"interpolate" :"linear",
         },
"grid":{
                  id":{
   "x":{
     "display":true,
                },
"y":{
    "display":true,
         },
"margin":{
                  rgin":{
    "top":30,
    "left":30,
    "right":10,
    "bottom":20,
    "between":5
        },
"axis":{
    "rot
                  "rotation":0,
                  "borderLineWidth":1,
"xLabel":{
    "leftMargin":0,
                           "bottomMargin":5
                  },
"yLabel":{
                           "leftMargin":0,
"bottomMargin":0
          "animation":{
                  "enable":true,
"duration":4000,
};
```


#### graphData

Each chart needs its own data in Json format.

#### Sample GraphData for Line

```
lineDataJson =
     "series":[
    "year",
    "sell",
    ],
"data":[
        {
    "name": "software",
    "value":[
                 "x":"2010",
                    "y":18
                      "x":"2011",
                       "y":22
                      "x":"2012",
                      "y":30
                  },
{
                     "x":"2013",
"y":31
         },
              "name": "hardware",
"value":[
                 ( "x":"2010",
                  },
{
                      "x":"2011",
                       "y":16
                      "x":"2012",
                  },
{
                      "x":"2013",
"y":21
                  },
             ]
         },
{
              "name": "device",
"value":[
                "x":"2010",
"y":25
                  "x":"2011",
                       "y":26
                      "x":"2012",
                      "y":30
                      "x":"2013",
"y":31
             ]
              "name": "others",
"value":[
                /aruc
{
    "x":"2010",
                       "y":100
                   },
                      "x":"2011",
"y":16
                   },
                      "x":"2012",
                      "y":20
                       "x":"2013",
),
1,
1,
                      "y":41
```

### Line



Sample GraphData for Bar


```
barbataJson =

{
    "series":{
        "English",
        "Watch"
}

},
    "data":{
        """: "suzuki",
        """: [92,73],
},
{
        """: "inoue",
        "y": [69,45],
},
{
        """: "sato",
        "y": [70,100],
},
{
        """: "tanaka",
        "y": [43,66],
},
{
        """: "ida",
        """: [60,70],
},
{
        """: "kato",
        """: "ksto",
        "y": [85,63],
},
},
},
],
},
],
},
```

Sample for Bar


### Bar



Sample GraphData for Pie

Sample for Pie


### Pie



Sample GraphData for ScatterPlot

Sample for ScatterPlot

### ScatterPlot




Sample GraphData for Histogram

```
histogramDataJson =

{
    "range":[0,100],
    "bins": [0,10,20,30,40,50,60,70,80,90,100],
    "data":[
        50,95,60,44,60,50,35,20,10,8,
        56,70,65,42,22,33,40,53,52,89,
        90,55,50,55,65,72,45,35,15,45,
        50,95,60,44,60,50,35,20,10,8,
        56,70,65,42,22,33,40,53,52,89,
        90,55,50,55,65,72,45,35,15,45,
        50,95,60,44,60,50,35,20,10,8,
        56,70,65,42,22,33,40,53,52,89,
        90,55,50,55,65,72,45,35,15,45,
        50,95,60,44,60,50,35,20,10,8,
        56,70,65,42,22,33,40,53,52,89,
        90,55,50,55,65,72,45,35,15,45,
    ],
};
```

Sample for Histogram


# Histogram



Sample GraphData for StackBar

```
stackBarDataJson =
      "config":{
      "timeFormat":"%Y",
       "series":[
    "year",
    "sell",
       ],
"data":[
          {
    "name": "software",
    "value":[
                  'value ... {
    "x":"2010",
    "y":18
                      },
                     "x":"2011",
                           "y":22
                     },
{
    "x":"2012",
    "--":30
                     },
{
    "x":"2013",
    "v":31
                    "x":"20
"y":31
},
                ]
           },
{
                 "name": "hardware",
"value":[
                    "x":"2010",
"y":15
},
{
"x":"2011",
                     },
{
    "x":"2012",
    "--":10
             "x":"2012",
"y":10
),
(
"x":"2013",
"y":21
),
           },
{
                 "name": "device",
"value":[
                    "x":"2010",
"y":25
                          "x":"2011",
"y":26
                     "x":"2012",
                           "y":30
                    "x":"2013",
"y":31
},
                ]
           },
                 "name": "others",
"value":[
                    alue ...
{
    "x":"2010",
    "y":5
},
                     "x":"2011",
                          "y":16
                           "x":"2012",
"y":20
                      },
{
"x":"20
"y":41
},
]
,
];
                           "x":"2013",
```


### StackBar



Sample GraphData for GeoMap

Sample for GeoMap


### GeoMap



Sample GraphData for GeoOrthographic

Sample for GeoOrthographic


### GeoOrthographic



Sample GraphData for Tree

Sample for Tree


### Tree



### Sample GraphData for PackLayout

Sample for PackLayout

## **PackLayout**




Sample GraphData for Choropleth

```
choroplethDataJson = {
    "map":{
        "baseGeoDataUrl":"https://raw.githubusercontent.com/Ohtsu/data/master/o2-chart/japan.geojson",
        "scale":900,
        "center":[137.571,37.500],
        "startColor":"blue",
```

```
"endColor":"red",
      "colorNumber":10,
"keyDataName":"features",
"targetPropertyName":"properties.id"
},
"data":
            "id":1,
"value":7.12
            "id":2,
"value":8.97
            "id":3,
"value":7.07
            "id":4,
"value":7.78
            "id":5,
"value":6.97
            "id":6,
"value":5.79
            "id":7,
"value":7.14
            "id":8,
"value":6.68
            "id":9,
"value":6.28
            "id":10,
"value":6.32
            "id":11,
"value":6.29
            "id":12,
"value":6.14
            "id":13,
"value":5.87
            "id":14,
"value":5.75
            "id":15,
"value":5.50
      },
            "id":16,
"value":5.21
      },
{
            "id":17,
"value":5.37
            "id":18,
            "value":5.23
            "id":19,
            "value":6.18
      },
            "id":20,
"value":5.44
      },
{
            "id":21,
            "id":22,
            "value":5.81
      },
{
            "id":23,
"value":5.09
            "id":24,
"value":5.08
```

```
"id":25,
                 "value":5.07
                 "id":26,
"value":6.21
                 "id":27,
"value":7.97
                 "id":28,
                  "value":6.54
                 "id":29,
"value":7.41
                 "id":30,
"value":6.74
                 "id":31,
"value":5.90
                 "id":32,
"value":4.55
                 "id":33,
"value":7.24
                 "id":34,
"value":5.35
                 "id":35,
"value":5.93
                 "id":36,
"value":7.62
                 "id":37,
"value":6.25
                 "id":38,
"value":7.26
                 "id":39,
"value":7.70
                 "id":40,
"value":7.84
                 "id":41,
"value":6.32
           },
{
                 "id":42,
"value":6.64
           },
{
                 "id":43,
                 "value":6.67
                  "id":44,
                  "value":7.07
           },
{
                 "id":45,
"value":7.01
            },
                 "id":46,
"value":6.84
           },
{
                 "id":47,
"value":11.0
};
```

# Choropleth



```
forceDataJson =
                               {"id": 2, "name": "Tohoku"},
                                                 {"id": 3, "name": "Kanto"}, {"id": 4, "name": "Chubu"},
                                                  {"id": 5, "name": "kinki"},
                                                 {"id": 6, "name": "Chugoku"},
{"id": 7, "name": "Shikoku"},
                                                  {"id": 8, "name": "Kyushu"},
                                               des": [
{"id": "Sapporo", "group": 1},
{"id": "Sendai", "group": 2},
{"id": "Morioka", "group": 2},
{"id": "Akita", "group": 2},
                                                 {"id": "Fukushima", "group": 2},
{"id": "Mito", "group": 3},
                                                {"id": "Mito", "group": 3},
{"id": "Utsunomiya", "group": 3},
{"id": "Saitama", "group": 3},
{"id": "Chiba", "group": 3},
{"id": "Tokyo", "group": 3},
{"id": "Kofu", "group": 4},
{"id": "Nagano", "group": 4},
{"id": "Niigata", "group": 4},
{"id": "Toyama", "group": 4},
{"id": "Groyama", "group": 4},
                                               {"id": "Toyama", "group": 4},
("id": "Kanazawa", "group": 4},
("id": "Fukui", "group": 4},
("id": "Shizuoka", "group": 4},
("id": "Nagoya", "group": 4},
("id": "Gifu", "group": 5},
("id": "Kyoto", "group": 5},
("id": "Kyoto", "group": 5},
("id": "Kobe", "group": 5},
("id": "Kyoto", "group": 5},
("id": "Kyoto", "group": 5},
("id": "Tottori", "group": 6},
("id": "Hiroshima", "group": 6},
("id": "Matsue", "group": 6},
("id": "Matsue", "group": 6},
                                                 {"id": "Matsue", "group": 6},
{"id": "Matsuyama", "group": 7),
{"id": "Tokushima", "group": 7),
                                                  {"id": "Kochi", "group": 7},
                                                 {"id": "Fukuoka", "group": 8},
{"id": "Nagasaki", "group": 8},
{"id": "Kumamoto", "group": 8},
                                                 {"id": "Naha", "group": 8},
                               ],
"links": [
~~e":
                                "Inks: [
"source": "Sendai", "target": "Sapporo", "value": 1),

"source": "Morioka", "target": "Sapporo", "value": 1),

"source": "Akita", "target": "Sapporo", "value": 1),

"source": "Fukushima", "target": "Sapporo", "value": 1),

"source": "Morioka", "target": "Sendai", "value": 10),

"source": "Akita", "target": "Sendai", "value": 10),
                                {"source": "Fukushima", "target": "Sendai", "value": 10}, {"source": "Chiba", "target": "Tokyo", "value": 20},
                                {"source": "Utsunomiya", "target": "Tokyo", "value": 20}, {"source": "Mito", "target": "Tokyo", "value": 20},
                                ("source": "Mato", "target": "Tokyo", "value": 20),
("source": "Saitama", "target": "Tokyo", "value": 30),
("source": "Kofu", "target": "Tokyo", "value": 30),
("source": "Naham, "target": "Tokyo", "value": 30),
("source": "Naham, "target": "Tokyo", "value": 30),
("source": "Osakam, "target": "Tokyo", "value": 40),
("source": "Sendaim, "target": "Tokyo", "value": 40),
                                 {"source": "Hiroshima", "target": "Tokyo", "value": 20}, ("source": "Shizuoka", "target": "Nagoya", "value": 10},
                                ("source": "Shizuoka", "target": "Nagoya", "value": 1
("source": "Tokyo", "target": "Nagoya", "value": 40),
("source": "Osaka", "target": "Nagoya", "value": 40),
("source": "Kyoto", "target": "Nagoya", "value": 30),
                              {"source": "Kyoto", "target": "Osaka", "value": 30},

{"source": "Hiroshima", "target": "Osaka", "value": 20},

{"source": "Toyama", "target": "Kanazawa", "value": 10},

{"source": "Pukuin, "target": "Kanazawa", "value": 10},

{"source": "Niigata", "target": "Kanazawa", "value": 10},

{"source": "Tottori", "target": "Kobe", "value": 10},

{"source": "Tottori", "target": "Hiroshima", "value": 10},

{"source": "Matsuyama", "target": "Hiroshima", "value": 10},

{"source": "Matsuyama", "target": "Kochi", "value": 10},

{"source": "Nagasaki", "target": "Fukuoka", "value": 10},

{"source": "Nammoto", "target": "Fukuoka", "value": 10},

{"source": "Naha", "target": "Fukuoka", "value": 10},

{"source": "Naha", "target": "Fukuoka", "value": 10},

{"source": "Naha", "target": "Fukuoka", "value": 10},

}
```

### Force

