

LandLinq

www.landlingq.ai

Make.com Integration

Complete Setup Guide

Step-by-step instructions for connecting Make.com automations to the LandLinq Lead Submission API (v1). Covers Gmail, Outlook, form submissions, PDF attachments, and status polling.

API VERSION

v1

PUBLISHED

July 2026

Before You Begin — Get Your API Key

1 Log into LandLinq

Go to your LandLinq app and navigate to /api-keys in the URL bar. You must be logged in as an analyst.

2 Generate a Test Key First

Click "Generate New Key". Name it "Make.com Test", choose the Test environment. Copy the key immediately — it starts with llq_test_... and is only shown once.

3 Paste into Make.com

In every HTTP module header, add: X-API-Key = llq_test_XXXXXXXXXX

4 Verify with Ping

In Make.com, create a quick HTTP GET to <https://www.landlinq.ai/api/v1/ping> — you should get { "ok": true }

5 Switch to Live Key for Production

When everything tests correctly, generate a Live key (llq_live_...) and swap it in. Test keys prefix all addresses with [SANDBOX TEST] so they're easy to spot and won't trigger real workflows.

KEY FORMATS

Test: llq_test_<48 hex characters> !' Prefixes address with [SANDBOX TEST]

Production: llq_live_<48 hex characters> !' Creates real deal records, triggers AI analysis

BASE URL

<https://www.landlinq.ai>

Core Module — POST /api/v1/leads

Every Make.com scenario that submits a lead to LandLinq uses this one HTTP module. Configure it exactly as shown below, then map your data source fields into the JSON body.

SETTING	VALUE
Module	HTTP !' Make a request
Method	POST
URL	https://www.landlinq.ai/api/v1/leads
Header Name	X-API-Key
Header Value	llq_live_XXXXXXXXXXXXXXXXXXXX
Body type	Raw
Content type	application/json

JSON Body

```
{
  "sender_name":      "{{broker full name}}",
  "sender_email":     "{{broker email}}",
  "sender_phone":     "{{broker phone}}",
  "property_address": "{{full street address, city, state zip}}",
  "size_acres":       {{acreage – number, no quotes}},
  "asking_price":     {{price – number, no quotes, no $ sign}},
  "property_type":    "land",
  "zoning_notes":     "{{zoning, unit count, entitlements}}",
  "notes":            "{{full original email body}}"
}
```

REQUIRED FIELDS

property_address (cannot be blank) + sender_email OR sender_phone (at least one)

PRO TIP

Paste the full email body into the "notes" field — LandLinq's AI will extract the address, acreage, price, and broker info automatically, even if your other fields are blank.

Scenario A — Gmail Watch !' LandLinq Lead

Best for: Inbound broker emails landing in a shared inbox or labeled folder

STEP 1 — TRIGGER

Gmail — Watch Emails

- Folder: Inbox (or a label like "Deal Submissions")
- Limit: 5–10 emails per run
- Run schedule: Every 15 minutes

STEP 2 — FILTER

Filter (Recommended)

- Condition: Subject contains "land" OR "acres" OR "deal"
- OR: Sender domain is in your trusted broker domain list
- This prevents spam from creating junk leads.

STEP 3 — ACTION

HTTP — Make a request (Core Module)

- Use the configuration from Page 3. Field mappings:

<code>sender_name</code>	<code>!' {{1.from.name}}</code>
<code>sender_email</code>	<code>!' {{1.from.email}}</code>
<code>sender_phone</code>	<code>!' (leave blank – AI extracts from body)</code>
<code>property_address</code>	<code>!' (leave blank – AI extracts from body)</code>
<code>notes</code>	<code>!' {{1.textContent}}</code> !• full email body

STEP 4 — OPTIONAL

Gmail — Mark as Read (Optional)

- Message ID: `{{1.id}}` — keeps your inbox tidy

SAVE THIS FROM THE RESPONSE

```
{{3.lead.id}}      !' use in Step 6 attachment upload URL
{{3.lead.deal_number}} !' for logging / Slack notifications
```


Scenario B — Gmail + PDF Attachments

Best for: Brokers who email OM / flyer / survey PDFs alongside deal info

Run Scenario A first (Steps 1–3) to create the lead, then chain these additional modules:

STEP 4 — LOOP

Iterator — Iterate over Gmail Attachments
Array: {{1.attachments}} (this loops once per attachment file)

STEP 5 — FILTER

Filter — PDFs Only
Condition: {{4.mimeType}} = application/pdf
OR: {{4.name}} ends with .pdf

STEP 6 — ACTION

HTTP — Upload File to LandLinq
Method: POST
URL: https://www.landlinq.ai/api/v1/leads/{{3.lead.id}}/attachments
Header: X-API-Key = llq_live_xxx
Body type: Multipart/form-data
Field name: files
Data: {{4.data}} (file binary)
File name: {{4.name}}

Attachment Limits

Max file size per file	25 MB
Max files per request	10 files
Accepted types	PDF, DOCX, JPG, PNG, XLSX (any MIME type accepted)
Storage	Saved to LandLinq Object Storage — accessible from deal detail panel

More Scenarios

SCENARIO C — Outlook / Office 365 !' LandLinq Lead

Trigger module: Microsoft 365 Email — Watch Emails

Field mappings:

```
sender_name    !' {{1.from.emailAddress.name}}
sender_email   !' {{1.from.emailAddress.address}}
notes          !' {{1.body.content}} (full HTML body — LandLinq strips tags automatically)
```

SCENARIO D — JotForm / Typeform / Website Form !' LandLinq Lead

Trigger module: JotForm — Watch Submissions (or Typeform — Watch Responses)

Map your form question IDs directly to the JSON fields:

```
sender_name    !' {{1.q3_fullName}} (use your actual field IDs)
sender_email    !' {{1.q4_email}}
sender_phone    !' {{1.q5_phone}}
property_address !' {{1.q6_propertyAddress}}
```

SCENARIO E — Poll for Classification Result

```
size_bytes     !' {{1.q7_sizeBytes}} (must be a number, not text)
```

Use this AFTER lead creation to check what the AI decided.

Step 1 — Sleep module: Wait 5 minutes (gives the AI time to run analysis)

Step 2 — HTTP GET:

```
URL: https://www.landlinq.ai/api/v1/leads/{{lead_id}}
Header: X-API-Key = llq_live_xxx
```

Step 3 — Router based on {{2.lead.classification}}:

```
"high_priority" !' Send Slack alert / SMS to acquisition team
"potential"     !' Add row to Google Sheets tracking list
"clear_no"      !' Archive / no action needed
(empty/null)    !' Analysis still running — retry after another 5 min
```


Field Reference & Error Handling

All Fields — POST /api/v1/leads

FIELD	TYPE	REQUIRED	NOTES
sender_name	string	No	Full name — split into first/last automatically
sender_email	string	One of these	Required if no phone number provided
sender_phone	string	One of these	E.164 preferred: +17045551234
property_address	string	YES	Full address with city, state, zip
size_acres	number	No	12.5 — no quotes around the value
asking_price	number	No	850000 — no quotes, no \$ sign
property_type	string	No	"land" or "commercial" — defaults to land
zoning_notes	string	No	Zoning, unit count, entitlement status
notes	string	No	Paste full email body here — AI reads everything

HTTP Error Codes

STATUS	MEANING	HOW TO FIX IN MAKE.COM
200/201	Success	No action needed — map the response fields
401	Bad or missing API key	Check X-API-Key header value; key may be revoked in /api-keys
400	Missing required field	Ensure property_address and at least one of email/phone are manned
404	Lead ID not found	Wait — may still be creating. Add Sleep module before GET
500	Server error	Set Error Handler to "Retry" with 2 retries, 60-second interval

MAKE.COM ERROR HANDLER SETTING

On the HTTP module, click the error icon (bottom left of module) !' Add error handler !' Resume or Retry. Set retries = 2, interval = 60 seconds. This handles transient 500 errors gracefully.

Testing Checklist & Quick Reference

Go-Live Checklist

- ☐ Generate a TEST key (llq_test_...) in LandLinq /api-keys
- ☐ Add X-API-Key header to every HTTP module in Make.com
- ☐ Run your scenario — confirm lead appears in LandLinq analyst dashboard with [SANDBOX TEST] prefix
- ☐ Verify {{lead.id}} flows correctly to the attachment upload module (Scenario B)
- ☐ Test a PDF upload — confirm file count increments on the deal detail panel
- ☐ Trigger a GET /api/v1/leads/:id after 5 min — confirm classification field is populated
- ☐ Set up Make.com error handlers on all HTTP modules (Retry x2)
- ☐ Generate a LIVE key (llq_live_...) — paste it in, remove the test key
- ☐ Run one live deal end-to-end — confirm it appears without [SANDBOX TEST] prefix
- ☐ Delete or deactivate the test key from /api-keys once live

QUICK REFERENCE — ALL ENDPOINTS

GET	/api/v1/ping	Health check — no auth required
POST	/api/v1/leads	Create a lead
GET	/api/v1/leads/:id	Get lead status + classification
POST	/api/v1/leads/:id/attachments	Upload files (multipart/form-data, field: files)

Need Help?

Website: www.landlinq.ai

Email: help@landlinq.ai

Phone: (704) 610-1549 • Charlotte, NC 28203

