

INTERNAL TECHNICAL SPECIFICATION · REV 3

Galileo API Endpoints & Types

Complete specification of all required backend endpoints and TypeScript data types for the Galileo autonomous procurement dashboard. Includes updated company architecture separating global supplier data from enterprise-specific analytics derived from linked events.

VERSION	DATE	ENDPOINTS	TYPES
3.0	April 4, 2026	14	23

TERMINOLOGY KEY

Enterprise	The corporate client using Galileo (e.g. a Fortune 500 company procuring travel).
Company / Supplier	A hotel chain or airline. Global entity — not owned by any single enterprise.
Location	A specific property or hub of a Company (e.g. "Chicago River North" branch of Hilton). General info only.
Agent	An autonomous Galileo negotiation agent executing a single call/email thread with one Supplier on behalf of an Event.
Event	A corporate travel or meeting program requiring hotel and/or airline procurement.
Linked Event	An event tied to a company because it has an agent targeting that company with a status of "Negotiating" or an accepted offer.
Enterprise Company View	The analytics overlay for a specific enterprise's relationship with a company — derived entirely from that enterprise's linked events.

COMPANY ARCHITECTURE

Companies are global entities. A Company (hotel chain, airline) exists independently of any enterprise. Its general profile — name, locations, addresses, contact info — is shared and accessible to all enterprises without authentication scoping.

Enterprise-specific data is always derived from linked events. A company is "linked" to an enterprise when the enterprise has an agent targeting that company whose offer was accepted, or whose status is currently

"Negotiating". All enterprise-specific metrics — total savings, pricing trends, booking window scores, avg delta, bookings — are computed from these linked events, not stored directly on the Company.

The **Companies screen** was simplified to a full directory with a search bar. No filters. All companies are shown regardless of whether the viewing enterprise has a relationship with them.

Endpoints

GET /enterprises/{enterpriseId}

Get Enterprise

Returns the authenticated enterprise's profile and aggregate procurement performance. Root data call for all savings totals.

USED ON

- DashboardPage — "Total Saved This Year", hotel/airline breakdown, YoY%
- SettingsPage — enterprise identity

RESPONSE → ENTERPRISE

GET /enterprises/{enterpriseId}/agents

Get All Agents

Returns all negotiation agents belonging to the enterprise across all events and suppliers. Supports status filtering.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
status	AgentStatus	—	Filter by agent status
eventId	string	—	Filter agents for a specific event
limit	number	—	Max results (default 50)

USED ON

- DashboardPage — agent negotiations table (first 3)
- AllAgentsPage — full table + status stat cards

RESPONSE → AGENT[]

GET /agents/{agentId}

Get Agent Detail

Returns a single agent with full negotiation history, price path, activity stream snapshot, and transcript. Primary data source for the live negotiation view.

USED ON

NegotiationAgentPage — all price data, status chip, price path chart, action card

RESPONSE → AGENT (FULL, WITH PRICEPATH, PREVIOUSNEGOTIATIONS, ACTIVITYSTREAM, TRANSCRIPT)

GET

/enterprises/{enterpriseId}/events

Get All Events

Returns all events for the enterprise. EventsPage splits results into Active and Completed sections, renders per-agent status badges and accept buttons inline.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
status	EventStatus	—	"Active" "Completed"

USED ON

EventsPage — Active and Past event lists, per-agent status, inline Accept Offer

DashboardPage — event name links in agent rows

RESPONSE → GALILEOEVENT[]

GET

/events/{eventId}

Get Event Detail

Returns a single event with full agent list. For completed events also includes transcript and price path of the winning agent.

USED ON

EventDetailPage — event metadata, agent cards, accept-offer logic, winner display, transcript

RESPONSE → GALILEOEVENT (FULL)

GET

/companies

Get All Companies

Returns the global directory of all supplier companies (hotels and airlines). **Not enterprise-scoped.** The Companies screen shows every company in the system with a client-side search bar — no filters, no enterprise context required. The q param enables server-side search for future scale.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
q	string	—	Search query — matches against company name
limit	number	—	Max results (default 100)

USED ON

CompaniesPage — full company grid with search bar

RESPONSE → COMPANY[] (GENERAL FIELDS ONLY — NO ENTERPRISE-SPECIFIC ANALYTICS)

Architecture note: This endpoint returns no enterprise-specific data. Savings, bookings, pricing trends, and booking window are not included here. Those come from GET /enterprises/{id}/companies/{companyId}.

GET

/companies/{companyId}

Get Company General Info

Returns the general, non-enterprise-specific profile of a company. Includes identity fields, location list with addresses and contact info, but **no enterprise analytics** — no savings figures, pricing trends, or booking window. This data is the same regardless of which enterprise is viewing.

USED ON

CompanyDetailPage — company header (name, initials, description, phone, website, location chips)

RESPONSE → COMPANY (GENERAL, WITH LOCATIONS[] CONTAINING ONLY ID, NAME, ADDRESS, PHONE)

GET

/enterprises/{enterpriseId}/companies/{companyId}

Get Enterprise Company View

Returns the enterprise-specific analytics overlay for a given company, computed from all events where this enterprise has an agent targeting this company with status "Negotiating" or an accepted offer. This is the data that populates the CompanyDetailPage analytics section — savings KPIs, pricing trends chart, booking window scores, and the linked events table.

The backend derives all values dynamically from linked events — no separate analytics store is needed.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
locationId	string	—	Scope analytics to a specific location. If omitted, returns portfolio-wide aggregates.

USED ON

CompanyDetailPage — "Total Lifetime Savings" KPI, savings delta, agreements summary

CompanyDetailPage — Pricing Trends chart (1Y and ALL ranges)

CompanyDetailPage — Booking Window widget (month scores)

CompanyDetailPage — Current And Past Events table

RESPONSE → ENTERPRISECOMPANYVIEW

Linked event criteria: An event is linked to a company for an enterprise when that enterprise has an agent on the event where `agent.companyId === companyId` AND (`agent.isAccepted === true` OR `agent.status === "Negotiating"`).

POST

/events/{eventId}/agents/{agentId}/accept

Accept Offer

Marks the specified agent's offer as accepted. Backend atomically: sets `isAccepted` to `true`, `DealClosed` to `true`, cancels all other agents of the same service type on this event, increments enterprise savings totals, and transitions the event to `Completed` if all required service types now have an accepted offer. Because this creates a new linked event for the company, the enterprise company view for that company will update on next fetch.

REQUEST BODY → ACCEPTOFFERREQUEST

USED ON

EventsPage — inline Accept Offer buttons

EventDetailPage — agent card Accept Offer button

NegotiationAgentPage — primary CTA when status is "Completed"

RESPONSE → GALILEOEVENT (UPDATED)

Side effects: competing same-type agents set to `Cancelled`; enterprise `totalSaved` incremented; event may flip to `"Completed"`; `EnterpriseCompanyView` for the accepted company is now updated (new linked event).

POST

/agents/{agentId}/intervene

Intervene Manually

Pauses the autonomous agent and reroutes the live call or email thread to a human rep. Only available when agent status is `"Negotiating"`.

USED ON

NegotiationAgentPage — "Talk to Hotel/Airline Rep" button

SupportPage — escalation routing

RESPONSE → INTERVENTIONRESULT

SSE

/agents/{agentId}/activity-stream

Live Stream — Agent Activity

Server-Sent Events stream pushing `ActivityStreamItem` events in real time as the agent progresses through negotiation rounds. Rendered as a live timeline on `NegotiationAgentPage`.

USED ON

NegotiationAgentPage — live activity timeline

STREAM EVENT → ACTIVITYSTREAMITEM

SSE

/agents/{agentId}/transcript

Live Stream — Negotiation Transcript

Server-Sent Events stream pushing `Message` objects as the negotiation conversation progresses. Galileo messages render on the left, supplier Rep messages on the right.

USED ON

- NegotiationAgentPage — live transcript (last 2 + expand)
- EventDetailPage — full transcript for completed events

STREAM EVENT → MESSAGE

POST

/market/pricing

Get Market Rate & Expected Negotiated Price

Given service type, location, date range, and attendee count, returns the current market rate and Galileo's predicted win price. Populates the market analysis cards on `NegotiationShellPage` before the user sets guardrails.

REQUEST BODY

FIELD	TYPE	REQUIRED	DESCRIPTION
service	ServiceType	✓	"Hotel" "Airline" "Both"
location	string	✓	City or airport code
startDate	string (ISO)	✓	Event start date
endDate	string (ISO)	✓	Event end date
attendees	number	✓	Number of attendees

USED ON

- NegotiationShellPage — market analysis cards, predicted win price

RESPONSE → MARKETPRICINGRESULT

POST

/negotiations/launch

Launch Negotiations

Creates a new Event, resolves all matching hotels and/or airlines in the target area, and enqueues or immediately launches autonomous agents for each. Returns the newly created event with all queued agents.

REQUEST BODY → LAUNCHNEGOTIATIONREQUEST

FIELD	TYPE	REQUIRED	DESCRIPTION
-------	------	----------	-------------

enterpriseId	string	✓	Owning enterprise
eventName	string	✓	Display name for the event
service	ServiceType	✓	"Hotel" "Airline" "Both"
startDate	string (ISO)	✓	
endDate	string (ISO)	✓	
location	string	✓	City or venue
attendees	number	✓	
budgetPerPerson	number	—	Optional per-person budget
requirements	string	—	Free-text procurement requirements
guardrails.hotel.idealPrice	number	—	Anchor target per night
guardrails.hotel.ceilingPrice	number	—	Max acceptable per night
guardrails.airline.idealPrice	number	—	Anchor target per seat
guardrails.airline.ceilingPrice	number	—	Max acceptable per seat

USED ON

- NegotiationShellPage — "Launch Agent" button
- MarketInsightsResultsPage — "Launch Negotiation" buttons

RESPONSE → GALILEOEVENT (NEWLY CREATED, AGENTS IN "QUEUED" OR "NEGOTIATING" STATUS)

POST

/market/event-window

Find Best Event Window

Queries historical rate compression data to identify optimal time windows for an event. Returns 3 ranked recommendation windows (Best Overall, Backup, Budget) each with expected pricing and a negotiation confidence score.

REQUEST BODY

FIELD	TYPE	REQUIRED	DESCRIPTION
location	string	✓	Target city or region
eventType	string	✓	e.g. "Company Retreat", "Sales Kickoff"
preferredTiming	string	✓	e.g. "Q4 2026"
attendees	number	✓	
nights	number	✓	Duration in nights
eventDetails	string	—	Free-text requirements

USED ON

MarketInsightsPage — "Run Timing Analysis" button

MarketInsightsResultsPage — 3 recommendation window cards

RESPONSE → EVENTWINDOWRESULT[] (ARRAY OF 3)

Types

Enums & Union Types

AgentStatus ENUM		
VALUE	MEANING	WHERE SHOWN
"Negotiating"	Agent is actively in a live call/email exchange	DashboardPage, AllAgentsPage, NegotiationAgentPage; also makes this event a linked event for the company
"Reaching"	Agent reached a counter-offer awaiting review	DashboardPage, AllAgentsPage
"Optimized"	Contract locked at target price	DashboardPage, AllAgentsPage
"Completed"	Negotiation finished; offer ready to accept or reject	EventDetailPage, NegotiationAgentPage — enables Accept Offer button
"Cancelled"	Cancelled after a competing offer was accepted	EventDetailPage agent cards
"Queued"	Created but not yet started	Immediately after Launch Negotiations

ServiceType ENUM		
VALUE	MEANING	WHERE USED
"Hotel"	Hotel room block procurement only	ConfigureNegotiationPage toggle, Agent type badge, Event.service
"Airline"	Airline seat procurement only	Same as above
"Both"	Launches hotel and airline agents	ConfigureNegotiationPage, NegotiationShellPage (shows two guardrail inputs)

EventStatus ENUM		
VALUE	MEANING	WHERE USED
"Active"	Has agents negotiating or pending acceptance	EventsPage "Active Events" section, live ping dot

"Completed"	All required service types have an accepted offer	EventsPage "Past Events", EventDetailPage winner display
-------------	---	--

PricePointType ENUM		
VALUE	CHART COLOR	MEANING
"offer"	Orange	Supplier's counter-offer price
"negotiated"	Blue	Galileo's negotiated bid
"current"	Green	Most recent / current price

BookingWindowStatus ENUM		
VALUE	SCORE RANGE	MEANING
"Best Deal"	75 – 100	Historically lowest rates, highest compression
"Good"	45 – 74	Below-market rates achievable
"Peak"	0 – 44	High demand, limited negotiation leverage

Core Types

Enterprise CORE		
FIELD	TYPE	DESCRIPTION
id	string	Unique enterprise identifier
name	string	Enterprise display name
description	string	Brief company description
totalSavedHotels	number	Lifetime hotel savings — DashboardPage "Hotels" breakdown
totalSavedAirlines	number	Lifetime airline savings — DashboardPage "Flights" breakdown
totalSaved	number	Sum total — DashboardPage hero metric
yoyChange	number	Year-over-year savings % — DashboardPage YoY badge
hotelContractCount	number	Active hotel contracts — DashboardPage label
airlineContractCount	number	Active airline contracts — DashboardPage label

Company

CORE

Global — not enterprise-scoped

FIELD	TYPE	DESCRIPTION
id	string	Unique company ID — used in route /companies/:id and as agent.companyId
displayName	string string	Display name — CompaniesPage card, CompanyDetailPage header, search matches against this
initials	string	1–2 letter avatar label — AvatarMark on company cards and detail page
description	string	Company bio — CompanyDetailPage header paragraph
phone	string	Primary contact — CompanyDetailPage header
website	string	Website — CompanyDetailPage header
industry	string	"Hospitality" "Aviation" "Logistics"
badge	string	"Strategic Partner" "Preferred Supplier" "Standard" — CompaniesPage card badge
locations	Location[]	All supplier properties — drives location chips on CompanyDetailPage. General info only (name, address, phone).

No enterprise-specific fields.

totalSavings, yoyChange, avgDelta, totalBookings, pricingTrends, and bookingWindow are NOT on this type. They live on EnterpriseCompanyView, derived from linked events.

EnterpriseCompanyView DERIVED			Computed from linked events — enterprise-scoped
FIELD	TYPE	DESCRIPTION	
companyId	string	Reference to the base Company	
enterpriseId	string	The enterprise this view belongs to	
locationId	string?	If scoped to one location; null means portfolio-wide	
lifetimeSavings	number	Total savings across all accepted offers with this company — CompanyDetailPage "Total Lifetime Savings" KPI	
savingsDelta	number	YoY change in savings % — CompanyDetailPage savings delta badge	
bookingsCount	number	Number of accepted-offer events with this company	
agreementsSummary	string	Human-readable description — CompanyDetailPage savings card text	
avgDelta	number	Average negotiation delta % across linked events — CompaniesPage card stat	
totalBookings	number	Total bookings across linked events — CompaniesPage card stat	
totalSavings	number	Aggregate savings — CompaniesPage card "Total Savings Realized"	
yoyChange	number	YoY savings % — CompaniesPage card YoY badge	

pricingTrends	PricingTrend[]	Historical negotiated vs market prices derived from linked event agent prices — CompanyDetailPage chart
bookingWindow	BookingWindowEntry[]	12-month booking quality scores derived from historical linked event timing — CompanyDetailPage widget
linkedEvents	GalileoEvent[]	Events with accepted or currently-negotiating agents for this company — CompanyDetailPage events table

Location CORE A property or hub — general info only		
FIELD	TYPE	DESCRIPTION
id	string	Unique location ID — used as the location chip key and as the <code>locationId</code> query param for <code>GET /enterprises/{id}/companies/{companyId}</code>
companyId	string	Parent company reference
name	string	Location display name — CompanyDetailPage location chips (e.g. "London Executive Campus")
address	string	Full street address
phone	string	Location-specific contact number
No analytics fields. pricingTrends and bookingWindow are not on Location. They exist on EnterpriseCompanyView scoped to this location via the <code>locationId</code> query param.		

GalileoEvent CORE		
FIELD	TYPE	DESCRIPTION
id	string	Unique event ID — route <code>/events/:id</code>
enterpriseId	string	Owning enterprise
name	string	Event display name
location	string	City or venue
startDate	string (ISO 8601)	Event start
endDate	string (ISO 8601)	Event end
attendees	number	Attendee count
service	ServiceType	Which agent types are running — "Hotel" "Airline" "Both"
status	EventStatus	Controls Active vs Completed placement and live ping dot
agents	Agent[]	All agents on this event
requirements	string?	Free-text requirements from ConfigureNegotiationPage

budgetPerPerson	number?	Per-person budget ceiling
-----------------	---------	---------------------------

Agent CORE		
FIELD	TYPE	DESCRIPTION
id	string	Unique agent ID — route <code>/negotiations/:id/agent</code> , SSE stream URLs
enterpriseId	string	Owning enterprise
eventId	string	Parent event
companyId	string	Target supplier — used to resolve linked-event relationship with the company
companyName	string	Supplier display name — agent table rows, NegotiationAgentPage title
segment	string	e.g. "Hospitality/Corporate" — agent table rows
type	ServiceType	"Hotel" "Airline" — determines badge color and accept-offer conflict logic
status	AgentStatus	Controls status chip color and CTA availability. "Negotiating" → this event becomes a linked event for the company.
idealPrice	number	Anchor / target price — NegotiationAgentPage "Target Price" card
ceilingPrice	number	Max acceptable price guardrail
originalPrice	number	Pre-negotiation market baseline — EventDetailPage "Original price", savings calc
currentPrice	number	Most recent negotiated price — "Negotiation Price" column, NegotiationAgentPage "Current Price" card
delta	number	% difference between idealPrice and currentPrice — Delta column
potentialSavings	number	originalPrice – currentPrice × attendees — EventDetailPage
savingsToDate	number	Realized savings — NegotiationAgentPage price path summary
distanceToGoal	number	currentPrice – idealPrice — NegotiationAgentPage price path summary
isAccepted	boolean	Whether enterprise accepted this offer. <code>true</code> → this event becomes a linked event for the company.
pricePath	PricePoint[]	Negotiation round history — price path charts
activityStream	ActivityStreamItem[]	Snapshot (augmented by SSE stream) — NegotiationAgentPage timeline

transcript	Message[]	Snapshot (augmented by SSE stream) — transcript views
previousNegotiations	PreviousNegotiation[]	Past contracts with this supplier

Supporting Types

PricingTrend		DERIVED	One chart point on the pricing trends chart — computed from linked events
FIELD	TYPE	DESCRIPTION	
month	string	"JAN" through "DEC" — X-axis label	
year	number	Calendar year — distinguishes 1Y vs ALL data sets	
range	"1Y" "ALL"	Which toggle this point belongs to	
negotiatedPrice	number	Avg rate from accepted/negotiating agents in this month — green solid line	
marketPrice	number	Prevailing market average — gray dashed line	

BookingWindowEntry		DERIVED	One month's booking quality — computed from linked event timing history
FIELD	TYPE	DESCRIPTION	
month	string	"JAN" through "DEC" — 4-col grid on booking window widget	
score	number (0–100)	Composite deal-quality score — drives progress bar width and opacity	
status	BookingWindowStatus	"Best Deal" "Good" "Peak" — label below the bar	

PricePoint		SUPPORTING	One round in the negotiation price path chart
FIELD	TYPE	DESCRIPTION	
label	string	"Anchor" "Round 1" "Counter" "Current" etc.	
price	number	Price in dollars at this round	
type	PricePointType	offer = orange, negotiated = blue, current = green	
round	number	Sequential round number — ordering	

ActivityStreamItem		STREAM	One entry in the live agent activity timeline
--------------------	--	--------	---

FIELD	TYPE	DESCRIPTION
id	string	Unique item ID for deduplication
agentId	string	Parent agent reference
price	number	Price at this moment — main value in timeline row
badge	string?	Optional label e.g. "Saved 5.2%"
badgeType	"savings" "error" "neutral"	Controls badge color
detail	string	Description e.g. "\$15.00 from previous bid"
detailType	"positive" "negative" "neutral"?	Controls detail text color
timestamp	string (ISO 8601)	Rendered as relative string ("2m ago")
active	boolean	True = current item — green dot, full opacity; others dimmed

Message STREAM		A single message in the negotiation transcript
FIELD	TYPE	DESCRIPTION
id	string	Unique message ID
agentId	string	Parent agent reference
message	string	Full message body
sender	"Galileo" "Rep"	Galileo = left with "G" avatar; Rep = right with person avatar
timestamp	string (ISO 8601)	Shown below each message bubble

PreviousNegotiation SUPPORTING		A historical contract with a supplier
FIELD	TYPE	DESCRIPTION
id	string	Unique negotiation record ID
contractId	string	Contract reference code e.g. "LH-2023-0492"
region	string	Geographic scope e.g. "EMEA Corporate"
duration	string	Contract length e.g. "24 Months"
finalRate	number	Achieved rate per night or seat
totalSavings	number	Total savings over contract duration
status	"ACTIVE" "ARCHIVED"	Whether contract is still in force
startDate	string (ISO 8601)	Contract start

endDate	string (ISO 8601)	Contract end
---------	-------------------	--------------

Request & Response Types

MarketPricingResult RESPONSE Response from POST /market/pricing		
FIELD	TYPE	DESCRIPTION
service	ServiceType	Echoes the requested service type
hotel.marketPrice	number?	Current market rate per room night — NegotiationShellPage "Expected Market Price"
hotel.predictedWinPrice	number?	Galileo's predicted negotiated price — NegotiationShellPage "Predicted Win" (green)
hotel.unit	string?	"per night"
airline.marketPrice	number?	Current market rate per seat
airline.predictedWinPrice	number?	Galileo's predicted negotiated price per seat
airline.unit	string?	"per seat"

EventWindowResult RESPONSE One recommendation window from POST /market/event-window		
FIELD	TYPE	DESCRIPTION
label	string	"Best Overall" "Backup Window" "Budget Window"
startDate	string (ISO 8601)	Recommended start date
endDate	string (ISO 8601)	Recommended end date
explanation	string	AI-generated rationale — results card paragraph
hotel.marketCost	number?	Expected market rate per room night
hotel.negotiatedPrice	number?	Expected Galileo win price per room night
hotel.savings	number?	Per-room-night savings
airline.marketCost	number?	Expected market price per seat
airline.negotiatedPrice	number?	Expected Galileo win price per seat
airline.savings	number?	Per-seat savings
negotiationConfidence	number (0–100)	"94% negotiation confidence" pill on results card

AcceptOfferRequest REQUEST Body for POST /events/{eventId}/agents/{agentId}/accept			
FIELD	TYPE	REQUIRED	DESCRIPTION
enterpriseId	string	✓	Used to update enterprise savings totals and establish the company linked-event relationship

InterventionResult RESPONSE Response from POST /agents/{agentId}/intervene		
FIELD	TYPE	DESCRIPTION
agentId	string	Agent that was paused
status	string	"Routed" — confirms call transferred
callRoutingInfo	string?	Phone number or conference bridge for human to join
transferredAt	string (ISO 8601)	Timestamp of intervention