

INTERNAL TECHNICAL SPECIFICATION · REV 2

Galileo API Endpoints & Types

Complete specification of all required backend endpoints and TypeScript data types for the Galileo autonomous procurement dashboard. Includes usage context, request/response schemas, and streaming contracts.

VERSION	DATE	ENDPOINTS	TYPES
2.0	April 4, 2026	13	22

TERMINOLOGY KEY

- Enterprise**

The corporate client using Galileo (e.g. a Fortune 500 company procuring travel).
- Company / Supplier**

A hotel chain or airline being negotiated with.
- Location**

A specific property or hub of a Company (e.g. "Chicago River North" branch of Hilton).
- Agent**

An autonomous Galileo negotiation agent executing a single call/email thread with one Supplier on behalf of an Event.
- Event**

A corporate travel or meeting program requiring hotel and/or airline procurement.
- Negotiation**

A single price round within an Agent's conversation — one exchange of offer/counter-offer.

Endpoints

GET

/enterprises/{enterpriseId}

Get Enterprise

Returns the authenticated enterprise's profile and aggregate procurement performance. This is the root data call — virtually every page references enterprise-level savings totals or branding.

USED ON

- DashboardPage — "Total Saved This Year", hotel/airline breakdown, YoY%
- SettingsPage — enterprise identity

RESPONSE → ENTERPRISE

GET

/enterprises/{enterpriseId}/agents

Get All Agents

Returns all negotiation agents belonging to the enterprise, across all events and suppliers. Supports status filtering. The dashboard shows the first 3 rows; AllAgentsPage shows the full list with stat counters per status.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
status	AgentStatus	—	Filter by agent status
eventId	string	—	Filter agents for a specific event
limit	number	—	Max results (default 50)

USED ON

DashboardPage — agent negotiations table (first 3)

AllAgentsPage — full table + status stat cards (count per status)

RESPONSE → AGENT []

GET

/agents/{agentId}

Get Agent Detail

Returns a single agent with full negotiation history, price path, activity stream snapshot, and transcript. This is the primary data source for the live negotiation view. Not in the original spec — required by the NegotiationAgentPage which needs target price, current price, savings-to-date, distance-to-goal, price path chart, activity stream, and transcript all in one load.

USED ON

NegotiationAgentPage — all price data, status chip, price path chart, action card

RESPONSE → AGENT (FULL, WITH PRICEPATH, PREVIOUSNEGOTIATIONS, ACTIVITYSTREAM, TRANSCRIPT)

GET

/enterprises/{enterpriseId}/events

Get All Events

Returns all events for the enterprise. EventsPage splits results into Active and Completed sections using the status field, renders per-agent status badges and accept buttons inline, and groups agents by type (Hotel/Airline) with their company names.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
-------	------	----------	-------------

status

EventStatus

—

"Active" | "Completed"

USED ON

EventsPage — Active and Past/Completed event lists, per-agent status, inline Accept Offer buttons

DashboardPage — event name links in agent rows

RESPONSE → GALILEOEVENT []

GET

/events/{eventId}

Get Event Detail

Returns a single event with its full agent list. EventDetailPage needs per-agent prices, savings, and accept eligibility. For completed events it also renders the negotiation transcript and price path chart of the winning agent. Not in the original spec — needed because EventDetailPage navigates directly to /events/:id.

USED ON

EventDetailPage — event metadata, agent cards, accept-offer logic, completed winner display, transcript

RESPONSE → GALILEOEVENT (FULL, AGENTS INCLUDE PRICEPATH AND TRANSCRIPT)

GET

/enterprises/{enterpriseId}/companies

Get All Companies

Returns the paginated list of supplier companies (hotels and airlines) the enterprise has a procurement relationship with. CompaniesPage uses this for the card grid. Supports sidebar filter parameters for savings bracket, industry, region, and rating.

QUERY PARAMS

PARAM	TYPE	REQUIRED	DESCRIPTION
savingsTier	"over1m" "500k-1m" "under500k"	—	Savings bracket filter
industry	string	—	"Hospitality" "Aviation" "Logistics" "SaaS"
region	string	—	"North America" "EMEA" "APAC" "Global"
minRating	number	—	Minimum star rating (e.g. 4.0)
page	number	—	Pagination (default 1)
limit	number	—	Per page (default 10)

USED ON

CompaniesPage — company card grid, "Showing X of Y suppliers", Load More

RESPONSE → { COMPANIES: COMPANY[], TOTAL: NUMBER, PAGE: NUMBER }

GET /companies/{companyId}

Get Company Detail

Returns a full company profile with all locations. Each location includes per-location lifetime savings, agreements summary, pricing trends (1Y and ALL ranges), and booking window scores. The CompanyDetailPage location chips filter all visualizations by the selected location's data. Not in the original spec — required since CompanyDetailPage navigates to /companies/:id.

USED ON

CompanyDetailPage — company header, location chips, pricing trends chart, booking window, events table, savings KPIs

RESPONSE → COMPANY (FULL, WITH NESTED LOCATIONS[].PRICINGTRENDS AND LOCATIONS[].BOOKINGWINDOW)

POST /events/{eventId}/agents/{agentId}/accept

Accept Offer

Marks the specified agent's offer as accepted. The backend must atomically: set the agent's `isAccepted = true`, cancel all other agents on the same event of the same service type (Hotel or Airline), add the realized savings amount to enterprise totals, and transition the event to Completed if all required service types now have an accepted offer.

REQUEST BODY → ACCEPTOFFERREQUEST

USED ON

EventsPage — inline Accept Offer buttons per eligible agent row

EventDetailPage — Accept Offer button per agent card

NegotiationAgentPage — primary CTA when agent.status is "Completed"

RESPONSE → GALILEOEVENT (UPDATED, WITH ALL AGENTS' NEW STATUSES)

Side effects: competing same-type agents are set to Cancelled; enterprise totalSaved is incremented; event status may flip to "Completed".

POST /agents/{agentId}/intervene

Intervene Manually

Pauses the autonomous agent and reroutes the live call or email thread to a human procurement rep. Only available when the agent's status is "Negotiating". Triggered by the "Talk to Hotel/Airline Rep" CTA on NegotiationAgentPage.

USED ON

NegotiationAgentPage — "Talk to Hotel/Airline Rep" button (visible when status = Negotiating)

SupportPage — escalation routing

RESPONSE → INTERVENTIONRESULT

SSE **/agents/{agentId}/activity-stream**
Live Stream — Agent Activity

Server-Sent Events stream that pushes ActivityStreamItem events in real time as the agent progresses through negotiation rounds. The NegotiationAgentPage renders these as a live timeline, color-coding the most recent item as active. Each item carries the new price, a savings badge (if the price dropped), a detail description, and a timestamp.

USED ON

NegotiationAgentPage — live activity timeline feed

STREAM EVENT → ACTIVITYSTREAMITEM

SSE **/agents/{agentId}/transcript**
Live Stream — Negotiation Transcript

Server-Sent Events stream that pushes Message objects as the negotiation conversation progresses. The UI renders Galileo messages on the left (with "G" avatar) and supplier Rep messages on the right. EventDetailPage shows the full transcript for completed events; NegotiationAgentPage shows the last 2 messages with an "Expand" option.

USED ON

NegotiationAgentPage — live transcript (last 2 messages + expand)

EventDetailPage — full transcript for completed events

STREAM EVENT → MESSAGE

POST **/market/pricing**
Get Market Rate & Expected Negotiated Price

Given a service type, location, date range, and attendee count, returns the current market rate alongside Galileo's predicted win price. Used on the NegotiationShellPage to populate the market analysis cards ("Expected Market Price" and "Predicted Win") before the user sets guardrails and launches agents.

REQUEST BODY → MARKETPRICINGREQUEST

FIELD	TYPE	REQUIRED	DESCRIPTION
service	ServiceType	✓	"Hotel" "Airline" "Both"

location	string	✓	City or airport code
startDate	string (ISO)	✓	Event start date
endDate	string (ISO)	✓	Event end date
attendees	number	✓	Number of attendees

USED ON

NegotiationShellPage — market analysis cards, predicted win price

RESPONSE → MARKETPRICINGRESULT

POST

/negotiations/launch

Launch Negotiations

Creates a new Event, resolves all matching hotels and/or airlines in the target area, and enqueues or immediately launches autonomous agents for each. Triggered by "Launch Agent" on NegotiationShellPage after the user has set ideal and ceiling guardrail prices. Returns the newly created event with all queued agents.

REQUEST BODY → LAUNCHNEGOTIATIONREQUEST

FIELD	TYPE	REQUIRED	DESCRIPTION
enterpriseId	string	✓	Owning enterprise
eventName	string	✓	Display name for the event
service	ServiceType	✓	"Hotel" "Airline" "Both"
startDate	string (ISO)	✓	
endDate	string (ISO)	✓	
location	string	✓	City or venue
attendees	number	✓	
budgetPerPerson	number	—	Optional per-person budget
requirements	string	—	Specific procurement requirements
guardrails.hotel.idealPrice	number	—	Anchor target per night
guardrails.hotel.ceilingPrice	number	—	Max acceptable per night
guardrails.airline.idealPrice	number	—	Anchor target per seat
guardrails.airline.ceilingPrice	number	—	Max acceptable per seat

USED ON

NegotiationShellPage — "Launch Agent" button

MarketInsightsResultsPage — "Launch Negotiation" buttons (pre-fills form from recommendation)

RESPONSE → GALILEOEVENT (NEWLY CREATED, WITH AGENTS IN "QUEUED" OR "NEGOTIATING" STATUS)

POST

/market/event-window

Find Best Event Window

Queries historical rate compression data to identify the optimal time windows for an event. Returns 3 ranked recommendation windows (Best Overall, Backup, Budget) each with expected market cost, predicted negotiated price, savings, and a negotiation confidence percentage. Powers the MarketInsightsResultsPage after the user submits the timing analysis form.

REQUEST BODY → EVENTWINDOWREQUEST

FIELD	TYPE	REQUIRED	DESCRIPTION
location	string	✓	Target city or region
eventType	string	✓	e.g. "Company Retreat", "Sales Kickoff"
preferredTiming	string	✓	e.g. "Q4 2026"
attendees	number	✓	
nights	number	✓	Duration of event in nights
eventDetails	string	—	Free-text requirements and notes

USED ON

- MarketInsightsPage — "Run Timing Analysis" button
- MarketInsightsResultsPage — renders 3 recommendation windows

RESPONSE → EVENTWINDOWRESULT[] (ARRAY OF 3)

Types

Enums & Union Types

AgentStatus ENUM Status of a single negotiation agent		
VALUE	MEANING	WHERE SHOWN
"Negotiating"	Agent is actively in a live call/email exchange	DashboardPage, AllAgentsPage, NegotiationAgentPage status chip
"Reviewing"	Agent reached a counter-offer awaiting enterprise review	DashboardPage, AllAgentsPage
"Optimized"	Contract locked — negotiation closed at target price	DashboardPage, AllAgentsPage
"Completed"	Agent finished negotiation; offer ready to accept or reject	EventDetailPage, NegotiationAgentPage — enables Accept Offer button
"Cancelled"	Agent was cancelled (typically after a competing offer was accepted)	EventDetailPage agent cards
"Queued"	Agent created but not yet started	Immediately after Launch Negotiations

ServiceType ENUM Procurement service category		
VALUE	MEANING	WHERE USED
"Hotel"	Hotel room block procurement only	ConfigureNegotiationPage toggle, Agent type badge, Event.service
"Airline"	Airline seat procurement only	Same as above
"Both"	Launches both hotel and airline agents	ConfigureNegotiationPage, NegotiationShellPage (shows two guardrail inputs)

EventStatus ENUM Lifecycle stage of an event		
VALUE	MEANING	WHERE USED
"Active"	Event has agents currently negotiating or pending acceptance	EventsPage "Active Events" section, live ping dot indicator

"Completed"	All required service types have an accepted offer	EventsPage "Past Events" section, EventDetailPage winner display
-------------	---	--

PricePointType ENUM Type of price point in negotiation path chart		
VALUE	MEANING	CHART COLOR
"offer"	Supplier's counter-offer price	Orange
"negotiated"	Galileo's negotiated bid	Blue
"current"	Most recent / current price	Green

BookingWindowStatus ENUM Booking quality tier for a given month		
VALUE	SCORE RANGE	MEANING
"Best Deal"	75 – 100	Historically lowest rates, highest compression
"Good"	45 – 74	Below-market rates achievable
"Peak"	0 – 44	High demand, limited negotiation leverage

Core Types

Enterprise CORE The company using Galileo		
FIELD	TYPE	DESCRIPTION
id	string	Unique enterprise identifier
name	string	Enterprise display name
description	string	Brief company description
totalSavedHotels	number	Lifetime hotel savings in dollars — DashboardPage "Hotels" breakdown card
totalSavedAirlines	number	Lifetime airline savings in dollars — DashboardPage "Flights" breakdown card
totalSaved	number	Sum of hotel + airline savings — DashboardPage "Total Saved This Year" hero metric
yoyChange	number	Year-over-year savings change as a percentage — DashboardPage YoY badge
hotelContractCount	number	Active hotel contracts — DashboardPage "8 contracts" label

airlineContractCount	number	Active airline contracts — DashboardPage "4 contracts" label
-----------------------------	--------	--

GalileoEvent CORE A corporate travel/meeting procurement event		
FIELD	TYPE	DESCRIPTION
id	string	Unique event ID — used in route /events/:id
enterpriseId	string	Owning enterprise
name	string	Event display name — EventsPage, EventDetailPage, DashboardPage agent rows
location	string	City or venue — EventsPage list, EventDetailPage header
startDate	string (ISO 8601)	Event start — EventDetailPage header, events list date range
endDate	string (ISO 8601)	Event end — same as above
attendees	number	Attendee count — EventsPage list, EventDetailPage header
service	ServiceType	Determines which agent type badges to show — "Hotel" "Airline" "Both"
status	EventStatus	Controls Active vs Completed section placement and live ping dot
agents	Agent[]	All agents working this event — rendered as cards on EventDetailPage
requirements	string?	Free-text procurement requirements from ConfigureNegotiationPage
budgetPerPerson	number?	Per-person budget ceiling from ConfigureNegotiationPage

Agent CORE A single autonomous negotiation agent		
FIELD	TYPE	DESCRIPTION
id	string	Unique agent ID — used in route /negotiations/:id/agent and SSE stream URLs
enterpriseId	string	Owning enterprise
eventId	string	Parent event — used to resolve event context from agent view
companyId	string	Supplier being called — links to CompanyDetailPage
companyName	string	Supplier display name — DashboardPage table, AllAgentsPage table, NegotiationAgentPage title
segment	string	Supplier segment — e.g. "Hospitality/Corporate" — DashboardPage/AllAgentsPage table
type	ServiceType	"Hotel" or "Airline" — determines badge color and accept-offer conflict resolution logic

status	AgentStatus	Current state — controls status chip color and CTA availability throughout the app
idealPrice	number	Anchor / target price per night or seat — NegotiationAgentPage "Target Price" card
ceilingPrice	number	Max acceptable price (guardrail) — used by agent to know when to walk away
originalPrice	number	Pre-negotiation market baseline — EventDetailPage "Original price" field, savings calculation
currentPrice	number	Most recent negotiated price — DashboardPage "Negotiation Price" col, NegotiationAgentPage "Current Price" card
delta	number	% difference between idealPrice and currentPrice — DashboardPage/AllAgentsPage "Delta" column
potentialSavings	number	originalPrice – currentPrice × attendees — EventDetailPage "Potential savings" field
savingsToDate	number	Realized savings so far — NegotiationAgentPage price path summary
distanceToGoal	number	currentPrice – idealPrice — NegotiationAgentPage price path summary
isAccepted	boolean	Whether enterprise accepted this agent's offer — EventDetailPage winner display, accept-offer guard
pricePath	PricePoint[]	Full negotiation round history — NegotiationAgentPage and EventDetailPage price path charts
activityStream	ActivityStreamItem[]	Snapshot (augmented by SSE stream) — NegotiationAgentPage activity timeline
transcript	Message[]	Snapshot (augmented by SSE stream) — NegotiationAgentPage + EventDetailPage transcript
previousNegotiations	PreviousNegotiation[]	Past contracts with this supplier — CompanyDetailPage supplier profile context

CompanyCOREA hotel chain or airline (supplier)		
FIELD	TYPE	DESCRIPTION
id	string	Unique company ID — used in route /companies/:id
name	string	Display name — CompaniesPage cards, CompanyDetailPage header
initials	string	1–2 letter avatar label — AvatarMark component on company cards and detail page
description	string	Company bio — CompanyDetailPage header paragraph
phone	string	Primary contact — CompanyDetailPage header contact row

website	<code>string</code>	Website URL — CompanyDetailPage header contact row
industry	<code>string</code>	"Hospitality" "Aviation" "Logistics" — CompaniesPage industry filter
region	<code>string</code>	"North America" "EMEA" "APAC" "Global" — CompaniesPage region filter
rating	<code>number</code>	0–5 star rating — CompaniesPage rating filter
badge	<code>string</code>	"Strategic Partner" "Preferred Supplier" "Standard" — CompaniesPage card badge
totalSavings	<code>number</code>	Total lifetime savings with this supplier — CompaniesPage "Total Savings Realized" card metric
yoyChange	<code>number</code>	YoY savings % change — CompaniesPage YoY badge
avgDelta	<code>number</code>	Average negotiation delta % — CompaniesPage "Avg Delta" stat
totalBookings	<code>number</code>	Lifetime booking count — CompaniesPage "Total Bookings" stat
locations	<code>Location[]</code>	All supplier properties/hubs — CompanyDetailPage location chips and all nested visualizations

Location CORE A specific property or hub of a supplier company		
FIELD	TYPE	DESCRIPTION
id	<code>string</code>	Unique location ID — used as the location chip key on CompanyDetailPage
companyId	<code>string</code>	Parent company reference
name	<code>string</code>	Location display name — CompanyDetailPage location chips, e.g. "London Executive Campus"
subtitle	<code>string</code>	Brief description — tooltip or subtext on CompanyDetailPage
address	<code>string</code>	Full street address
phone	<code>string</code>	Location-specific contact number
currentLocation	<code>string</code>	City display string shown in company header — e.g. "London, United Kingdom"
lifetimeSavings	<code>number</code>	Total savings at this location — CompanyDetailPage "Total Lifetime Savings" KPI (scoped to selected location)
savingsDelta	<code>number</code>	YoY savings % at this location — CompanyDetailPage savings delta badge
agreementsCount	<code>number</code>	Number of negotiated agreements — used in agreementsSummary
agreementsSummary	<code>string</code>	Human-readable string — CompanyDetailPage savings card description text
pricingTrends	<code>PricingTrend[]</code>	Historical pricing data for this location — CompanyDetailPage pricing trends chart

bookingWindow	<code>BookingWindowEntry[]</code>	12-month booking quality scores — CompanyDetailPage booking window widget
eventIds	<code>string[]</code>	IDs of events tied to this location — filters "Current And Past Events" table on CompanyDetailPage

Supporting Types

PricingTrend SUPPORTING		One data point on the pricing trends chart
FIELD	TYPE	DESCRIPTION
month	<code>string</code>	"JAN" "FEB" ... "DEC" — X-axis label on CompanyDetailPage pricing chart
year	<code>number</code>	Calendar year — used to distinguish 1Y vs ALL range data sets
range	<code>"1Y" "ALL"</code>	Which toggle this point belongs to — chart swaps data set on toggle
negotiatedPrice	<code>number</code>	Galileo-negotiated average nightly rate — green solid line on chart
marketPrice	<code>number</code>	Prevailing market average — gray dashed line on chart

BookingWindowEntry SUPPORTING		One month's booking quality score
FIELD	TYPE	DESCRIPTION
month	<code>string</code>	"JAN" through "DEC" — displayed in the 4-col grid on CompanyDetailPage booking window widget
score	<code>number (0–100)</code>	Composite deal-quality score — drives progress bar width and opacity in the widget
status	<code>BookingWindowStatus</code>	"Best Deal" "Good" "Peak" — label shown below the bar

PricePoint SUPPORTING		One round in the negotiation price path chart
FIELD	TYPE	DESCRIPTION
label	<code>string</code>	"Anchor" "Round 1" "Counter" "Current" etc. — X-axis label and hover tooltip on price path chart
price	<code>number</code>	Price in dollars at this round — Y-axis value
type	<code>PricePointType</code>	Controls dot color: offer = orange, negotiated = blue, current = green
round	<code>number</code>	Sequential round number — used for ordering

ActivityStreamItem		STREAM	One entry in the live agent activity timeline
FIELD	TYPE	DESCRIPTION	
id	string	Unique item ID for deduplication on re-render	
agentId	string	Parent agent reference	
price	number	Price at this moment in the stream — displayed as the main value in the timeline row	
badge	string?	Optional label like "Saved 5.2%" — shown as a colored pill next to the price	
badgeType	"savings" "error" "neutral"	Controls badge background color — green for savings, red for error/counter, gray for neutral	
detail	string	Description line — e.g. "\$15.00 from previous bid" — shown below the price in the timeline	
detailType	"positive" "negative" "neutral"?	Controls detail text color	
timestamp	string (ISO 8601)	Exact time — rendered as relative string ("2m ago") in the timeline	
active	boolean	If true, this is the current/most-recent item — rendered with green dot and full opacity; others are dimmed	

Message		STREAM	A single message in the negotiation transcript
FIELD	TYPE	DESCRIPTION	
id	string	Unique message ID	
agentId	string	Parent agent reference	
message	string	Full message body — rendered in transcript bubble	
sender	"Galileo" "Rep"	Determines alignment and avatar: Galileo = left with "G" avatar; Rep = right with person avatar	
timestamp	string (ISO 8601)	Shown below each message bubble	

PreviousNegotiation		SUPPORTING	A historical contract with a supplier
FIELD	TYPE	DESCRIPTION	
id	string	Unique negotiation record ID	
contractId	string	Contract reference code — e.g. "LH-2023-0492" — CompanyDetailPage supplier history	

region	string	Geographic scope — e.g. "EMEA Corporate"
duration	string	Contract length — e.g. "24 Months"
finalRate	number	Achieved rate per night or seat
totalSavings	number	Total savings over contract duration
status	"ACTIVE" "ARCHIVED"	Whether contract is still in force
startDate	string (ISO 8601)	Contract start
endDate	string (ISO 8601)	Contract end

Request & Response Types

MarketPricingResult		RESPONSE	Response from POST /market/pricing
FIELD	TYPE	DESCRIPTION	
service	ServiceType	Echoes the requested service type	
hotel.marketPrice	number?	Current market rate per room night — NegotiationShellPage "Expected Market Price" card	
hotel.predictedWinPrice	number?	Galileo's predicted negotiated price — NegotiationShellPage "Predicted Win" card (green)	
hotel.unit	string?	"per night" — unit label on card	
airline.marketPrice	number?	Current market rate per seat	
airline.predictedWinPrice	number?	Galileo's predicted negotiated price per seat	
airline.unit	string?	"per seat"	

EventWindowResult		RESPONSE	One recommendation window from POST /market/event-window
FIELD	TYPE	DESCRIPTION	
label	string	"Best Overall" "Backup Window" "Budget Window" — card heading on MarketInsightsResultsPage	
startDate	string (ISO 8601)	Recommended start date — rendered as "October 22 – October 26"	
endDate	string (ISO 8601)	Recommended end date	
explanation	string	AI-generated rationale — shown as descriptive paragraph on results card	

hotel.marketCost	number?	Expected market rate per room night — results page info card
hotel.negotiatedPrice	number?	Expected Galileo win price per room night
hotel.savings	number?	Per-room-night savings — results page "Expected Savings" card
airline.marketCost	number?	Expected market price per seat
airline.negotiatedPrice	number?	Expected Galileo win price per seat
airline.savings	number?	Per-seat savings
negotiationConfidence	number (0–100)	Probability score — rendered as "94% negotiation confidence" pill on results card

AcceptOfferRequest		REQUEST	Body for POST /events/{eventId}/agents/{agentId}/accept
FIELD	TYPE	REQUIRED	DESCRIPTION
enterpriseId	string	✓	Used to update enterprise savings totals server-side

InterventionResult		RESPONSE	Response from POST /agents/{agentId}/intervene
FIELD	TYPE	DESCRIPTION	
agentId	string	Agent that was paused	
status	string	"Routed" — confirms the call has been transferred	
callRoutingInfo	string?	Phone number or conference bridge info for the human to join	
transferredAt	string (ISO 8601)	Timestamp of intervention	