# OperationalError at /

## (1698, "Access denied for user 'root'@'localhost'")

|  |  |
|---|---|
| **Request Method:** | GET |
| **Request URL:** | http://3.86.192.220/ |
| **Django Version:** | 5.2.4 |
| **Exception Type:** | OperationalError |
| **Exception Value:** | (1698, "Access denied for user 'root'@'localhost'") |
| **Exception Location:** | /var/www/django/venv/lib/python3.12/site-packages/MySQLdb/connections.py, line 200, in __init__ |
| **Raised during:** | product.views.product_list |
| **Python Executable:** | /var/www/django/venv/bin/python3 |
| **Python Version:** | 3.12.3 |
| **Python Path:** | ['/var/www/django', '/var/www/django/venv/bin', '/usr/lib/python312.zip', '/usr/lib/python3.12', '/usr/lib/python3.12/lib-dynload', '/var/www/django/venv/lib/python3.12/site-packages'] |
| **Server time:** | Sat, 25 Oct 2025 18:47:50 +0000 |

## Error during template rendering

In template /var/www/django/templates/product_list.html, error at line **13**

### 1698

```
3   {% block title %}Nossos Produtos{% endblock %}
4
5   {% block content %}
6
7   <div class="d-flex justify-content-between align-items-center mb-3">
8       <h1>Lista de Produtos</h1>
9       <a href="{% url 'product_create' %}" class="btn btn-primary">Adicionar Produto</a>
10
11  </div>
12  <div class="row">
13      {% for produto in produtos %}
14      <div class="col-md-4 mb-4">
15          <div class="card">
16              <img src="{{ produto.url_imagem }}" style="width: 300px; height: 300px;" class="img-thumbnail mx-auto d-block" alt="{{ produto.nome
17              <div class="card-body">
18                  <h5 class="card-title">{{ produto.nome }}</h5>
19                  <p class="card-text">{{ produto.descricao|truncatewords:20}}</p>
20                  <h6 class="card-subtitle mb-2 text-muted">Preço: R$ {{ produto.preco}}</h6>
21                  <p class="card-text"><small class="text-muted">Estoque: {{produto.quantidade}}</small></p>
22                  <a href="{% url 'product_update' pk=produto.pk %}" class="btn btn-secondary btn-sm">Editar</a> <a href="{% url 'product_delete'
23              </div>
```

## Traceback Switch to copy-and-paste view

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 279, in ensure_connection

```
279.            self.connect()
                ^^^^^^^^^^^^^^
```
                                                                                                                    …
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.            return func(*args, **kwargs)
               ^^^^^^^^^^^^^^^^^^^^^^^
```
                                                                                                                    …
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 256, in connect

```
256.           self.connection = self.get_new_connection(conn_params)
                                 ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
                                                                                                                    …
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.            return func(*args, **kwargs)
               ^^^^^^^^^^^^^^^^^^^^^^^
```
                                                                                                                    …
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/mysql/base.py, line 256, in get_new_connection

```
256.           connection = Database.connect(**conn_params)
```

```
                    ^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/MySQLdb/__init__.py, line 121, in Connect

```
121.     return Connection(*args, **kwargs)
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/MySQLdb/connections.py, line 200, in __init__

```
200.     super().__init__(*args, **kwargs2)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

## The above exception ((1698, "Access denied for user 'root'@'localhost'")) was the direct cause of the following exception:

/var/www/django/venv/lib/python3.12/site-packages/django/core/handlers/exception.py, line 55, in inner

```
55.             response = get_response(request)
                           ^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/core/handlers/base.py, line 197, in _get_response

```
197.             response = wrapped_callback(request, *callback_args, **callback_kwargs)
                            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/product/views.py, line 11, in product_list

```
11.     return render(request, "product_list.html", {"produtos":produtos})
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/shortcuts.py, line 25, in render

```
25.     content = loader.render_to_string(template_name, context, request, using=using)
                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/loader.py, line 62, in render_to_string

```
62.     return template.render(context, request)
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/backends/django.py, line 107, in render

```
107.         return self.template.render(context)
                    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 171, in render

```
171.             return self._render(context)
                        ^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 163, in _render

```
163.     return self.nodelist.render(context)
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 1016, in render

```
1016.         return SafeString("".join([node.render_annotated(context) for node in self]))
                                          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 977, in render_annotated

```
977.             return self.render(context)
                        ^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/loader_tags.py, line 159, in render

```
159.             return compiled_parent._render(context)
                        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 163, in _render

```
163.          return self.nodelist.render(context)
              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 1016, in render
```
1016.         return SafeString("".join([node.render_annotated(context) for node in self]))
                                         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 977, in render_annotated
```
977.             return self.render(context)
                        ^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/loader_tags.py, line 65, in render
```
65.               result = block.nodelist.render(context)
                           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 1016, in render
```
1016.         return SafeString("".join([node.render_annotated(context) for node in self]))
                                         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/base.py, line 977, in render_annotated
```
977.             return self.render(context)
                        ^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/template/defaulttags.py, line 199, in render
```
199.          len_values = len(values)
                           ^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/models/query.py, line 366, in __len__
```
366.          self._fetch_all()
              ^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/models/query.py, line 1949, in _fetch_all
```
1949.             self._result_cache = list(self._iterable_class(self))
                                       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/models/query.py, line 91, in __iter__
```
91.        results = compiler.execute_sql(
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/models/sql/compiler.py, line 1621, in execute_sql
```
1621.             cursor = self.connection.cursor()
                           ^^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/utils/asyncio.py, line 26, in inner
```
26.            return func(*args, **kwargs)
                      ^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 320, in cursor
```
320.          return self._cursor()
                     ^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 296, in _cursor
```
296.          self.ensure_connection()
              ^^^^^^^^^^^^^^^^^^^^^^^
```
▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/utils/asyncio.py, line 26, in inner
```
26.            return func(*args, **kwargs)
                      ^^^^^^^^^^^^^^^^^^^^^
```

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 278, in ensure_connection

```
278.            with self.wrap_database_errors:
                     ^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/utils.py, line 91, in __exit__

```
91.             raise dj_exc_value.with_traceback(traceback) from exc_value
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 279, in ensure_connection

```
279.            self.connect()
                ^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs)
                   ^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/base/base.py, line 256, in connect

```
256.        self.connection = self.get_new_connection(conn_params)
                              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/utils/asyncio.py, line 26, in inner

```
26.         return func(*args, **kwargs)
                   ^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/django/db/backends/mysql/base.py, line 256, in get_new_connection

```
256.        connection = Database.connect(**conn_params)
                         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/MySQLdb/__init__.py, line 121, in Connect

```
121.    return Connection(*args, **kwargs)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

/var/www/django/venv/lib/python3.12/site-packages/MySQLdb/connections.py, line 200, in __init__

```
200.        super().__init__(*args, **kwargs2)
                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```
…

▶ Local vars

# Request information

**USER**      AnonymousUser

**GET**       No GET data

**POST**      No POST data

**FILES**     No FILES data

**COOKIES**   No cookie data

**META**

| Variable | Value |
| --- | --- |
| HTTP_ACCEPT | 'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7' |
| HTTP_ACCEPT_ENCODING | 'gzip, deflate' |
| HTTP_ACCEPT_LANGUAGE | 'pt-BR,pt;q=0.9,en-US;q=0.8,en;q=0.7' |
| HTTP_CACHE_CONTROL | 'max-age=0' |
| HTTP_CONNECTION | 'close' |
| HTTP_HOST | '3.86.192.220' |
| HTTP_UPGRADE_INSECURE_REQUESTS | '1' |
| HTTP_USER_AGENT | ('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like 'Gecko) Chrome/141.0.0.0 Safari/537.36') |
| HTTP_X_FORWARDED_FOR | '170.78.119.141' |
| HTTP_X_FORWARDED_PROTO | 'http' |
| HTTP_X_REAL_IP | '170.78.119.141' |
| PATH_INFO | '/' |
| QUERY_STRING | '' |

| Variable | Value |
|---|---|
| RAW_URI | '/' |
| REMOTE_ADDR | '' |
| REQUEST_METHOD | 'GET' |
| SCRIPT_NAME | '' |
| SERVER_NAME | '3.86.192.220' |
| SERVER_PORT | '80' |
| SERVER_PROTOCOL | 'HTTP/1.0' |
| SERVER_SOFTWARE | 'gunicorn/23.0.0' |
| gunicorn.socket | <socket.socket fd=9, family=1, type=1, proto=0, laddr=/var/www/django/app.sock> |
| wsgi.errors | <gunicorn.http.wsgi.WSGIErrorsWrapper object at 0x7ba4b9a14cd0> |
| wsgi.file_wrapper | <class 'gunicorn.http.wsgi.FileWrapper'> |
| wsgi.input | <gunicorn.http.body.Body object at 0x7ba4b9a14cb0> |
| wsgi.input_terminated | True |
| wsgi.multiprocess | True |
| wsgi.multithread | False |
| wsgi.run_once | False |
| wsgi.url_scheme | 'http' |
| wsgi.version | (1, 0) |

## Settings

Using settings module `config.settings`

| Setting | Value |
|---|---|
| ABSOLUTE_URL_OVERRIDES | {} |
| ADMINS | [] |
| ALLOWED_HOSTS | ['127.0.0.1', 'localhost', '0.0.0.0', '3.86.192.220'] |
| APPEND_SLASH | True |
| AUTHENTICATION_BACKENDS | '********************' |
| AUTH_PASSWORD_VALIDATORS | '********************' |
| AUTH_USER_MODEL | '********************' |
| BASE_DIR | PosixPath('/var/www/django') |
| CACHES | {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}} |
| CACHE_MIDDLEWARE_ALIAS | 'default' |
| CACHE_MIDDLEWARE_KEY_PREFIX | '********************' |
| CACHE_MIDDLEWARE_SECONDS | 600 |
| CSRF_COOKIE_AGE | 31449600 |
| CSRF_COOKIE_DOMAIN | None |
| CSRF_COOKIE_HTTPONLY | False |
| CSRF_COOKIE_NAME | 'csrftoken' |
| CSRF_COOKIE_PATH | '/' |
| CSRF_COOKIE_SAMESITE | 'Lax' |
| CSRF_COOKIE_SECURE | False |
| CSRF_FAILURE_VIEW | 'django.views.csrf.csrf_failure' |
| CSRF_HEADER_NAME | 'HTTP_X_CSRFTOKEN' |
| CSRF_TRUSTED_ORIGINS | [] |
| CSRF_USE_SESSIONS | False |
| DATABASES | {'default': {'ATOMIC_REQUESTS': False,<br>'AUTOCOMMIT': True,<br>'CONN_HEALTH_CHECKS': False,<br>'CONN_MAX_AGE': 0,<br>'ENGINE': 'django.db.backends.mysql',<br>'HOST': 'localhost',<br>'NAME': 'shop',<br>'OPTIONS': {},<br>'PASSWORD': '********************',<br>'PORT': '3306',<br>'TEST': {'CHARSET': None,<br>'COLLATION': None,<br>'MIGRATE': True,<br>'MIRROR': None,<br>'NAME': None},<br>'TIME_ZONE': None,<br>'USER': 'root'}} |
| DATABASE_ROUTERS | [] |
| DATA_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| DATA_UPLOAD_MAX_NUMBER_FIELDS | 1000 |
| DATA_UPLOAD_MAX_NUMBER_FILES | 100 |
| DATETIME_FORMAT | 'N j, Y, P' |
| DATETIME_INPUT_FORMATS | ['%Y-%m-%d %H:%M:%S',<br>'%Y-%m-%d %H:%M:%S.%f',<br>'%Y-%m-%d %H:%M',<br>'%m/%d/%Y %H:%M:%S',<br>'%m/%d/%Y %H:%M:%S.%f',<br>'%m/%d/%Y %H:%M',<br>'%m/%d/%y %H:%M:%S',<br>'%m/%d/%y %H:%M:%S.%f',<br>'%m/%d/%y %H:%M'] |
| DATE_FORMAT | 'N j, Y' |
| DATE_INPUT_FORMATS | ['%Y-%m-%d',<br>'%m/%d/%Y',<br>'%m/%d/%y',<br>'%b %d %Y',<br>'%b %d, %Y',<br>'%d %b %Y',<br>'%d %b, %Y',<br>'%B %d %Y',<br>'%B %d, %Y',<br>'%d %B %Y',<br>'%d %B, %Y'] |
| DEBUG | True |

| Setting | Value |
|---|---|
| DEBUG_PROPAGATE_EXCEPTIONS | False |
| DECIMAL_SEPARATOR | '.' |
| DEFAULT_AUTO_FIELD | 'django.db.models.BigAutoField' |
| DEFAULT_CHARSET | 'utf-8' |
| DEFAULT_EXCEPTION_REPORTER | 'django.views.debug.ExceptionReporter' |
| DEFAULT_EXCEPTION_REPORTER_FILTER | 'django.views.debug.SafeExceptionReporterFilter' |
| DEFAULT_FROM_EMAIL | 'webmaster@localhost' |
| DEFAULT_INDEX_TABLESPACE | '' |
| DEFAULT_TABLESPACE | '' |
| DISALLOWED_USER_AGENTS | [] |
| EMAIL_BACKEND | 'django.core.mail.backends.smtp.EmailBackend' |
| EMAIL_HOST | 'localhost' |
| EMAIL_HOST_PASSWORD | '********************' |
| EMAIL_HOST_USER | '' |
| EMAIL_PORT | 25 |
| EMAIL_SSL_CERTFILE | None |
| EMAIL_SSL_KEYFILE | '********************' |
| EMAIL_SUBJECT_PREFIX | '[Django] ' |
| EMAIL_TIMEOUT | None |
| EMAIL_USE_LOCALTIME | False |
| EMAIL_USE_SSL | False |
| EMAIL_USE_TLS | False |
| FILE_UPLOAD_DIRECTORY_PERMISSIONS | None |
| FILE_UPLOAD_HANDLERS | ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler'] |
| FILE_UPLOAD_MAX_MEMORY_SIZE | 2621440 |
| FILE_UPLOAD_PERMISSIONS | 420 |
| FILE_UPLOAD_TEMP_DIR | None |
| FIRST_DAY_OF_WEEK | 0 |
| FIXTURE_DIRS | [] |
| FORCE_SCRIPT_NAME | None |
| FORMAT_MODULE_PATH | None |
| FORMS_URLFIELD_ASSUME_HTTPS | False |
| FORM_RENDERER | 'django.forms.renderers.DjangoTemplates' |
| IGNORABLE_404_URLS | [] |
| INSTALLED_APPS | ['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'product'] |
| INTERNAL_IPS | [] |
| LANGUAGES | [('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('ckb', 'Central Kurdish (Sorani)'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('ig', 'Igbo'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), |

| Setting | Value |
|---|---|
| | ('ka', 'Georgian'), |
| | ('kab', 'Kabyle'), |
| | ('kk', 'Kazakh'), |
| | ('km', 'Khmer'), |
| | ('kn', 'Kannada'), |
| | ('ko', 'Korean'), |
| | ('ky', 'Kyrgyz'), |
| | ('lb', 'Luxembourgish'), |
| | ('lt', 'Lithuanian'), |
| | ('lv', 'Latvian'), |
| | ('mk', 'Macedonian'), |
| | ('ml', 'Malayalam'), |
| | ('mn', 'Mongolian'), |
| | ('mr', 'Marathi'), |
| | ('ms', 'Malay'), |
| | ('my', 'Burmese'), |
| | ('nb', 'Norwegian Bokmål'), |
| | ('ne', 'Nepali'), |
| | ('nl', 'Dutch'), |
| | ('nn', 'Norwegian Nynorsk'), |
| | ('os', 'Ossetic'), |
| | ('pa', 'Punjabi'), |
| | ('pl', 'Polish'), |
| | ('pt', 'Portuguese'), |
| | ('pt-br', 'Brazilian Portuguese'), |
| | ('ro', 'Romanian'), |
| | ('ru', 'Russian'), |
| | ('sk', 'Slovak'), |
| | ('sl', 'Slovenian'), |
| | ('sq', 'Albanian'), |
| | ('sr', 'Serbian'), |
| | ('sr-latn', 'Serbian Latin'), |
| | ('sv', 'Swedish'), |
| | ('sw', 'Swahili'), |
| | ('ta', 'Tamil'), |
| | ('te', 'Telugu'), |
| | ('tg', 'Tajik'), |
| | ('th', 'Thai'), |
| | ('tk', 'Turkmen'), |
| | ('tr', 'Turkish'), |
| | ('tt', 'Tatar'), |
| | ('udm', 'Udmurt'), |
| | ('ug', 'Uyghur'), |
| | ('uk', 'Ukrainian'), |
| | ('ur', 'Urdu'), |
| | ('uz', 'Uzbek'), |
| | ('vi', 'Vietnamese'), |
| | ('zh-hans', 'Simplified Chinese'), |
| | ('zh-hant', 'Traditional Chinese')] |
| LANGUAGES_BIDI | ['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ug', 'ur'] |
| LANGUAGE_CODE | 'en-us' |
| LANGUAGE_COOKIE_AGE | None |
| LANGUAGE_COOKIE_DOMAIN | None |
| LANGUAGE_COOKIE_HTTPONLY | False |
| LANGUAGE_COOKIE_NAME | 'django_language' |
| LANGUAGE_COOKIE_PATH | '/' |
| LANGUAGE_COOKIE_SAMESITE | None |
| LANGUAGE_COOKIE_SECURE | False |
| LOCALE_PATHS | [] |
| LOGGING | {} |
| LOGGING_CONFIG | 'logging.config.dictConfig' |
| LOGIN_REDIRECT_URL | '/accounts/profile/' |
| LOGIN_URL | '/accounts/login/' |
| LOGOUT_REDIRECT_URL | None |
| MANAGERS | [] |
| MEDIA_ROOT | '' |
| MEDIA_URL | '/' |
| MESSAGE_STORAGE | 'django.contrib.messages.storage.fallback.FallbackStorage' |
| MIDDLEWARE | ['django.middleware.security.SecurityMiddleware', |
| | 'django.contrib.sessions.middleware.SessionMiddleware', |
| | 'django.middleware.common.CommonMiddleware', |
| | 'django.middleware.csrf.CsrfViewMiddleware', |
| | 'django.contrib.auth.middleware.AuthenticationMiddleware', |
| | 'django.contrib.messages.middleware.MessageMiddleware', |
| | 'django.middleware.clickjacking.XFrameOptionsMiddleware'] |
| MIGRATION_MODULES | {} |
| MONTH_DAY_FORMAT | 'F j' |
| NUMBER_GROUPING | 0 |
| PASSWORD_HASHERS | '********************' |
| PASSWORD_RESET_TIMEOUT | '********************' |
| PREPEND_WWW | False |
| ROOT_URLCONF | 'config.urls' |
| SECRET_KEY | '********************' |
| SECRET_KEY_FALLBACKS | '********************' |
| SECURE_CONTENT_TYPE_NOSNIFF | True |
| SECURE_CROSS_ORIGIN_OPENER_POLICY | 'same-origin' |
| SECURE_HSTS_INCLUDE_SUBDOMAINS | False |
| SECURE_HSTS_PRELOAD | False |
| SECURE_HSTS_SECONDS | 0 |
| SECURE_PROXY_SSL_HEADER | None |
| SECURE_REDIRECT_EXEMPT | [] |
| SECURE_REFERRER_POLICY | 'same-origin' |
| SECURE_SSL_HOST | None |

| Setting | Value |
| --- | --- |
| SECURE_SSL_REDIRECT | False |
| SERVER_EMAIL | 'root@localhost' |
| SESSION_CACHE_ALIAS | 'default' |
| SESSION_COOKIE_AGE | 1209600 |
| SESSION_COOKIE_DOMAIN | None |
| SESSION_COOKIE_HTTPONLY | True |
| SESSION_COOKIE_NAME | 'sessionid' |
| SESSION_COOKIE_PATH | '/' |
| SESSION_COOKIE_SAMESITE | 'Lax' |
| SESSION_COOKIE_SECURE | False |
| SESSION_ENGINE | 'django.contrib.sessions.backends.db' |
| SESSION_EXPIRE_AT_BROWSER_CLOSE | False |
| SESSION_FILE_PATH | None |
| SESSION_SAVE_EVERY_REQUEST | False |
| SESSION_SERIALIZER | 'django.contrib.sessions.serializers.JSONSerializer' |
| SETTINGS_MODULE | 'config.settings' |
| SHORT_DATETIME_FORMAT | 'm/d/Y P' |
| SHORT_DATE_FORMAT | 'm/d/Y' |
| SIGNING_BACKEND | 'django.core.signing.TimestampSigner' |
| SILENCED_SYSTEM_CHECKS | [] |
| STATICFILES_DIRS | [PosixPath('/var/www/django/static')] |
| STATICFILES_FINDERS | ['django.contrib.staticfiles.finders.FileSystemFinder',<br>'django.contrib.staticfiles.finders.AppDirectoriesFinder'] |
| STATIC_ROOT | None |
| STATIC_URL | '/static/' |
| STORAGES | {'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'},<br>'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}} |
| TEMPLATES | [{'APP_DIRS': True,<br>'BACKEND': 'django.template.backends.django.DjangoTemplates',<br>'DIRS': [PosixPath('/var/www/django/templates')],<br>'OPTIONS': {'context_processors': ['django.template.context_processors.request',<br>'django.contrib.auth.context_processors.auth',<br>'django.contrib.messages.context_processors.messages']}}] |
| TEST_NON_SERIALIZED_APPS | [] |
| TEST_RUNNER | 'django.test.runner.DiscoverRunner' |
| THOUSAND_SEPARATOR | ',' |
| TIME_FORMAT | 'P' |
| TIME_INPUT_FORMATS | ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M'] |
| TIME_ZONE | 'UTC' |
| USE_I18N | True |
| USE_THOUSAND_SEPARATOR | False |
| USE_TZ | True |
| USE_X_FORWARDED_HOST | False |
| USE_X_FORWARDED_PORT | False |
| WSGI_APPLICATION | 'config.wsgi.application' |
| X_FRAME_OPTIONS | 'DENY' |
| YEAR_MONTH_FORMAT | 'F Y' |

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.