SonarQube Analysis Report

Project: Nestly (nestly)

Server: http://localhost:9000
Generated: 2026-10-31 19:42:33

Quality Gate: PASSED

สรุปตัวชีวัดหลัก (Key Metrics)

ตัวชีวัด	ค่า
Bugs	0
Vulnerabilities	8
Security Hotspots	0
Code Smells	142
Test Coverage (%)	40.3
Duplicated Lines (%)	1.2
Lines of Code	34888
Security Hotspots Reviewed (%)	-
Security Rating (MQR)	E
Reliability Rating (MQR)	C
Maintainability Rating (MQR)	A
Security Review Rating (Hotspots)	A
Reliability Rating	A
Security Rating	E
Maintainability Rating	A

จำนวน Issues แยกตาม Severity

Severity	จำนวน
BLOCKER	1
CRITICAL	3
MAJOR	46

MINOR	100
INFO	0

ตัวอย่าง Issues (Top 15 เรียงตาม Severity)

Severity	Type	File	Message
BLOCKER	VULNERABILITY	prisma.config.ts	Make sure this PostgreSQL password gets changed and removed from the code.
CRITICAL	CODE_SMELL	lib/client/notification-read-state.ts	Refactor this function to reduce its Cognitive Complexity from 19 to the 15 allowed.
CRITICAL	CODE_SMELL	deliverables/05_สคริปต์สร้างคู่มือ/flow_billing.js	Refactor this function to reduce its Cognitive Complexity from 25 to the 15 allowed.
CRITICAL	CODE_SMELL	deliverables/05_สคริปต์สร้างคู่มือ/lib.js	Refactor this function to reduce its Cognitive Complexity from 16 to the 15 allowed.
MAJOR	CODE_SMELL	components/ui/IconLink.tsx	Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.
MAJOR	CODE_SMELL	components/ui/NavShell.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	components/dorm/pages/SettingsPage.tsx	Elements with the 'tablist' interactive role must be focusable.
MAJOR	CODE_SMELL	components/ui/LoadingSkeleton.tsx	Use <output> instead of the "status" role to ensure accessibility across all devices.
MAJOR	CODE_SMELL	app/globals.css	Text does not meet the minimal contrast requirement with its background.
MAJOR	CODE_SMELL	components/dorm/DocumentTemplatePanel.tsx	Use <input type=...>, <input list=...>, <input list=...>, <input list=...>, <input list=...>, or <textarea> instead of the "textbox" role to ensure accessibility across all devices.
MAJOR	VULNERABILITY	lib/ui-labels.ts	Review this potentially hard-coded password.
MAJOR	CODE_SMELL	deliverables/05_สคริปต์สร้างคู่มือ/flow_ops.js	Remove this useless assignment to variable "clearToasts".
MAJOR	CODE_SMELL	deliverables/05_สคริปต์สร้างคู่มือ/flow_ops.js	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
MAJOR	CODE_SMELL	components/tenant/TenantPortal.tsx	Elements with the 'tablist' interactive role must be focusable.
MAJOR	CODE_SMELL	deliverables/05_สคริปต์สร้างคู่มือ/flow_billing.js	Remove this useless assignment to variable "label".

หมายเหตุ: รายงานนี้สร้างจาก SonarQube Web API เพื่อวัตถุประสงค์ทางการศึกษา ดูรายละเอียดฉบับสมบูรณ์และคำแนะนำการแก้ไขได้ที่หน้า Dashboard บนเว็บ SonarQube