

SonarQube Analysis Report

Project: Yuyen Engineering CMS (yuyen-engineering)

Server: http://localhost:9000

Generated: 2026-09-26 09:51:25

Quality Gate: PASSED

สรุปตัวชี้วัดหลัก (Key Metrics)

ตัวชี้วัด	ค่า
Bugs	14
Vulnerabilities	8
Security Hotspots	0
Code Smells	283
Test Coverage (%)	7.9
Duplicated Lines (%)	0.2
Lines of Code	14908
Reliability Rating	C
Security Rating	E
Maintainability Rating	A

จำนวน Issues แยกตาม Severity

Severity	จำนวน
BLOCKER	3
CRITICAL	6
MAJOR	172
MINOR	124
INFO	0

ตัวอย่าง Issues (Top 305 เรียงตาม Severity)

Severity	Type	File	Message
BLOCKER	VULNERABILITY	Dockerfile	Make sure that using ENV to handle a secret is safe here.
BLOCKER	VULNERABILITY	compose.yaml	Make sure this PostgreSQL password gets changed and removed from the code.
BLOCKER	VULNERABILITY	compose.yaml	Make sure this PostgreSQL password gets changed and removed from the code.
CRITICAL	CODE_SMELL	src/components/admin-accounts.tsx	Refactor this function to reduce its Cognitive Complexity from 48 to the 15 a...
CRITICAL	CODE_SMELL	src/server/services/legal-notice.service.ts	Refactor this function to reduce its Cognitive Complexity from 19 to the 15 a...
CRITICAL	CODE_SMELL	src/server/cms/content.service.ts	Refactor this function to reduce its Cognitive Complexity from 24 to the 15 a...
CRITICAL	CODE_SMELL	src/server/cms/http.ts	Refactor this function to reduce its Cognitive Complexity from 18 to the 15 a...
CRITICAL	CODE_SMELL	src/server/cms/content.service.ts	Refactor this function to reduce its Cognitive Complexity from 18 to the 15 a...
CRITICAL	CODE_SMELL	src/server/cms/content.service.ts	Refactor this function to reduce its Cognitive Complexity from 16 to the 15 a...
MAJOR	CODE_SMELL	tests/critical-ui.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Use instead of the "presentation" role to ensure accessibility ...
MAJOR	BUG	src/components/admin-accounts.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	BUG	src/components/account-settings.tsx	Add an explicit "type" attribute to this button.
MAJOR	BUG	src/components/change-password-form.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/two-factor-setup.tsx	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/public-pagination.tsx	Refactor this code to not use nested template literals.
MAJOR	BUG	src/components/otp-form.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/ui-feedback.tsx	Use <section aria-label=...>, or <section aria-labelledby=...> instead of the...
MAJOR	VULNERABILITY	src/server/db/transaction.ts	Make sure that using this pseudorandom number generator is safe here.
MAJOR	CODE_SMELL	prisma/seed.mjs	Prefer top-level await over using a promise chain.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...

MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/[id]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/services/public-content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/taxonomy-manager.tsx	Move async function 'request' to the outer scope.
MAJOR	CODE_SMELL	src/server/services/legal-notice.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	BUG	src/components/legal-notice-form.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/[id]/transition/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/[id]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	BUG	src/components/account-settings.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/admin/taxonomy-manager.tsx	Ambiguous spacing before next element input
MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/site-shell.tsx	Use <dialog> instead of the "dialog" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/account-settings.tsx	A form label must be associated with a control.
MAJOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Move async function 'cancelServerUpload' to the outer scope.
MAJOR	CODE_SMELL	src/components/responsive-media.tsx	Use , or instead of the "img" role to ensure acces...
MAJOR	CODE_SMELL	src/components/account-settings.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...

MAJOR	CODE_SMELL	src/components/consent-map.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/globals.css	Text does not meet the minimal contrast requirement with its background.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/content-edit ors.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/components/otp-form.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	BUG	src/components/login-form.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/ui-feedback.tsx	Use instead of the "presentation" role to ensure accessibility ...
MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/server/media/malware.ts	Simplify this regular expression to reduce its runtime, as it has super-linea...
MAJOR	VULNERABILITY	src/lib/audit-labels.ts	Review this potentially hard-coded password.
MAJOR	CODE_SMELL	src/components/media-gallery.tsx	Use <menu>, , or instead of the "list" role to ensure accessibility ...
MAJOR	CODE_SMELL	src/app/globals.css	Text does not meet the minimal contrast requirement with its background.
MAJOR	CODE_SMELL	src/app/globals.css	Duplicate selector ".empty-state", first used at line 916
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/content-edit ors.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	BUG	src/components/admin/content-edit ors.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/media-gallery.tsx	Use instead of the "listitem" role to ensure accessibility across all de...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/api/admin/users/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/globals.css	Text does not meet the minimal contrast requirement with its background.

MAJOR	CODE_SMELL	src/server/services/public-content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/otp-form.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/[id]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	tests/auth-hardening.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/[id]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/http.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	aria-hidden="true" must not be set on focusable elements.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/account-actions-menu.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/two-factor-setup.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	tests/media-lifecycle.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	VULNERABILITY	src/lib/audit-labels.ts	Review this potentially hard-coded password.
MAJOR	CODE_SMELL	src/server/services/public-content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/otp-form.tsx	Do not use Array index in keys
MAJOR	BUG	src/components/recovery-login.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/admin/account-actions-menu.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	tests/critical-ui.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	tests/cms-workflows.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	CODE_SMELL	src/components/logout-button.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Use instead of the "presentation" role to ensure accessibility ...
MAJOR	CODE_SMELL	src/app/(public)/page.tsx	Do not use Array index in keys
MAJOR	CODE_SMELL	src/server/storage/s3.ts	Extract the assignment of "instance" from this expression.
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/ui-feedback.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/public-pagination.tsx	This statement will not be executed conditionally; only the first statement w...

MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	VULNERABILITY	src/lib/audit-labels.ts	Review this potentially hard-coded password.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/account-settings.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/(public)/page.tsx	Do not use Array index in keys
MAJOR	CODE_SMELL	src/server/auth/session.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/change-password-form.tsx	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/(legal)/cookies/page.tsx	Use <section aria-label=...>, or <section aria-labelledby=...> instead of the...
MAJOR	CODE_SMELL	sonarqube/sonar_report.py	Extract this nested conditional expression into an independent statement.
MAJOR	CODE_SMELL	src/server/services/legal-notice.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/ui-feedback.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/api/admin/audit/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/audit-log.tsx	aria-hidden="true" must not be set on focusable elements.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/globals.css	Text does not meet the minimal contrast requirement with its background.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.

MAJOR	CODE_SMELL	src/components/theme-select.tsx	Refactor this code to not use nested template literals.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/components/admin-table.tsx	aria-hidden="true" must not be set on focusable elements.
MAJOR	CODE_SMELL	tests/auth-hardening.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	CODE_SMELL	src/components/media-gallery.tsx	Interactive elements should not be assigned non-interactive roles.
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	tests/admin-accounts.e2e.spec.ts	Remove this unit test or explain why it is ignored.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Use , or instead of the "img" role to ensure acces...
MAJOR	CODE_SMELL	src/server/services/public-content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/consent-map.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MAJOR	BUG	src/components/admin/content-editors.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/auth-forms.tsx	Do not use Array index in keys
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/lib/links.ts	Remove duplicates in this character class.
MAJOR	CODE_SMELL	src/components/admin/account-actions-menu.tsx	Elements with the 'menu' interactive role must be focusable.
MAJOR	CODE_SMELL	src/server/storage/s3.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin/content-editors.tsx	A form label must be associated with a control.
MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Use <dialog> instead of the "dialog" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/[id]/transition/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin-table.tsx	Extract this nested ternary operation into an independent statement.

MAJOR	CODE_SMELL	src/app/admin/trash/page.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	BUG	src/components/auth-forms.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/app/(public)/contact/page.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/legal-notice-form.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	BUG	src/components/auth-forms.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/two-factor-setup.tsx	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/api/auth/login/route.ts	Extract this nested ternary operation into an independent statement.
MAJOR	VULNERABILITY	src/lib/audit-labels.ts	Review this potentially hard-coded password.
MAJOR	CODE_SMELL	src/components/change-password-form.tsx	Do not use Array index in keys
MAJOR	BUG	src/components/company-form.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/components/ui-feedback.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/server/cms/content.service.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/legal-notice-form.tsx	A form label must have accessible text.
MAJOR	CODE_SMELL	src/app/api/admin/company/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	Extract this nested ternary operation into an independent statement.
MAJOR	BUG	src/components/admin/taxonomy-manager.tsx	Add an explicit "type" attribute to this button.
MAJOR	CODE_SMELL	src/app/globals.css	Duplicate selector ".company-editor .editor-aside", first used at line 2669
MAJOR	CODE_SMELL	src/components/site-shell.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/api/admin/taxonomies/[kind]/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/components/admin-accounts.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/app/(public)/about/page.tsx	Use , or instead of the "img" role to ensure acces...
MAJOR	CODE_SMELL	src/components/otp-form.tsx	Extract this nested ternary operation into an independent statement.
MAJOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Use <dialog> instead of the "dialog" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/server/cms/taxonomy.service.ts	This statement will not be executed conditionally; only the first statement w...

MAJOR	CODE_SMELL	src/components/admin-shell.tsx	Use <dialog> instead of the "dialog" role to ensure accessibility across all ...
MAJOR	CODE_SMELL	src/components/admin/taxonomy-mananager.tsx	Ambiguous spacing before next element input
MAJOR	CODE_SMELL	src/app/api/admin/trash/route.ts	This statement will not be executed conditionally; only the first statement w...
MAJOR	CODE_SMELL	src/app/(legal)/cookies/page.tsx	`tabIndex` should only be declared on interactive elements.
MAJOR	CODE_SMELL	src/components/legal-notice-form.tsx	Use <output> instead of the "status" role to ensure accessibility across all ...
MINOR	CODE_SMELL	src/app/(public)/products/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/admin/news/[slug]/edit/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/account-actions-menu.tsx	Use `.indexOf()` instead of `.findIndex()` when looking for the index of an i...
MINOR	CODE_SMELL	src/components/company-form.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/server/media/malware.ts	Use the "RegExp.exec()" method instead.
MINOR	CODE_SMELL	tests/accessibility-system.spec.ts	Prefer "await expect(page.locator('[tabindex]:not([tabindex="0"]):not([tabindex=...
MINOR	CODE_SMELL	src/components/admin/section-nav.tsx	Prefer `.at(...)` over `[...length - index]`.
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/lib/company-display.ts	Unnecessary use of conditional expression for default assignment.
MINOR	CODE_SMELL	src/components/admin/account-actions-menu.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/taxonomy-mananager.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin-table.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/components/account-settings.tsx	'data.get("displayName")' may use Object's default stringification format ('[...'
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/auth-forms.tsx	'data.get("username") ?? ""' may use Object's default stringification format ...
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/projects/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/products/[slug]/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/admin/trash/page.tsx	The catch parameter `caught` should be named `error_`.

MINOR	CODE_SMELL	src/app/global-error.tsx	'error' PropType is defined but prop is never used
MINOR	CODE_SMELL	src/app/api/admin/audit/route.ts	Prefer using an optional chain expression instead, as it's more concise and e...
MINOR	CODE_SMELL	src/components/admin/taxonomy-manager.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/app/admin/products/[slug]/edit/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin-table.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/site-copy-fields.tsx	'form.get(name) ?? ""' may use Object's default stringification format ('[obje...
MINOR	CODE_SMELL	src/components/site-shell.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(legal)/layout.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/responsive-media.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/theme-select.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/content-cards.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/legal-notice-form.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/components/legal-document.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/contact/page.tsx	'Facebook' is deprecated.
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	'form.get(key) ?? ""' may use Object's default stringification format ('[obje...
MINOR	CODE_SMELL	src/app/admin/services/[slug]/edit/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/audit-log.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/components/content-cards.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/structured-data.tsx	`String.raw` should be used to avoid escaping ` `.
MINOR	CODE_SMELL	src/app/admin/layout.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/structured-data.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/otp-form.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/company-form.tsx	'form.get(key) ?? ""' may use Object's default stringification format ('[obje...
MINOR	CODE_SMELL	src/app/(public)/services/[slug]/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/public-filter-feedback.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/company-form.tsx	'form.get("logoMediaId") ?? ""' may use Object's default stringification form...
MINOR	CODE_SMELL	src/app/admin/banners/[slug]/edit/page.tsx	Mark the props of the component as read-only.

MINOR	CODE_SMELL	src/components/error-view.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/account-settings.tsx	'data.get("currentPassword")' may use Object's default stringification format...
MINOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/contact/page.tsx	'Facebook' is deprecated.
MINOR	CODE_SMELL	src/app/(public)/projects/[slug]/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/error.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/account-settings.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/public-filter-feedback.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/hooks/use-dirty-form.ts	'returnValue' is deprecated.
MINOR	CODE_SMELL	src/components/company-form.tsx	`String.raw` should be used to avoid escaping ` `.
MINOR	CODE_SMELL	src/components/admin/section-nav.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/auth-forms.tsx	'data.get("password") ?? ""' may use Object's default stringification format ...
MINOR	CODE_SMELL	src/components/public-pagination.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/admin/error.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/recovery-codes.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/contact/page.tsx	'Facebook' is deprecated.
MINOR	CODE_SMELL	src/app/global-error.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin-shell.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/public-filter-feedback.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/account-settings.tsx	'data.get("password")' may use Object's default stringification format ('[obj...
MINOR	CODE_SMELL	src/components/admin/taxonomy-manager.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	'data.get("role")' may use Object's default stringification format ('[object ...
MINOR	CODE_SMELL	src/components/media-gallery.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/site-shell.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	The catch parameter `caught` should be named `error_`.
MINOR	CODE_SMELL	src/app/(public)/news/[slug]/page.tsx	Mark the props of the component as read-only.

MINOR	CODE_SMELL	src/components/site-shell.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/content-edit ors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/consent-map.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/editor-ui.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/public-filter-feedbac k.tsx	'value' may use Object's default stringification format ('[object Object]') w...
MINOR	CODE_SMELL	src/components/logo.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/server/cms/content.service.ts	The empty object is useless.
MINOR	CODE_SMELL	src/components/logout-button.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin-shell.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/content-edit ors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/api/auth/password/route.ts	Remove this unused import of 'revokeUserSessions'.
MINOR	CODE_SMELL	src/components/structured-data.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/hooks/use-modal-accessibility.ts	Prefer <code>.at(...)</code> over <code>[...length - index]</code> .
MINOR	CODE_SMELL	src/components/ui-feedback.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/legal-notice-form.ts x	The catch parameter <code>caught</code> should be named <code>error_</code> .
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	'data.get("displayName")' may use Object's default stringification format ('[...'
MINOR	CODE_SMELL	src/components/site-shell.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	The catch parameter <code>caught</code> should be named <code>error_</code> .
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	'data.get("username")' may use Object's default stringification format ('[obj...
MINOR	CODE_SMELL	src/components/admin/content-edit ors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/login-form.tsx	'form.get("password") ?? ""' may use Object's default stringification format ...
MINOR	CODE_SMELL	src/components/two-factor-setup.ts x	Pass a message to the <code>Error</code> constructor.
MINOR	CODE_SMELL	src/server/services/company.service .ts	Use concise character class syntax <code>\d</code> instead of <code>[0-9]</code> .
MINOR	CODE_SMELL	src/server/auth/audit.ts	The empty object is useless.
MINOR	CODE_SMELL	src/components/admin/taxonomy-m anager.tsx	The catch parameter <code>caught</code> should be named <code>error_</code> .
MINOR	CODE_SMELL	src/components/company-form.tsx	The catch parameter <code>caught</code> should be named <code>error_</code> .
MINOR	CODE_SMELL	src/components/admin-accounts.tsx	The catch parameter <code>caught</code> should be named <code>error_</code> .
MINOR	CODE_SMELL	src/components/admin/editor-ui.tsx	The catch parameter <code>caught</code> should be named <code>error_</code> .

MINOR	CODE_SMELL	src/components/login-form.tsx	'form.get("username") ?? ""' may use Object's default stringification format ...
MINOR	CODE_SMELL	scripts/emergency-recover-admin.ts	Prefer using an optional chain expression instead, as it's more concise and e...
MINOR	CODE_SMELL	src/components/ui-feedback.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/public-pagination.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/admin/projects/[slug]/edit/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/site-copy-fields.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/taxonomy-manager.tsx	The catch parameter `caught` should be named `error`.
MINOR	CODE_SMELL	src/server/storage/s3.ts	'unknown' overrides all other types in this union type.
MINOR	CODE_SMELL	src/components/content-cards.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/lib/date.ts	Do not use an object literal as default for parameter `options`.
MINOR	CODE_SMELL	src/components/share-button.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/loading-view.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/news/page.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/app/(public)/layout.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	Mark the props of the component as read-only.
MINOR	CODE_SMELL	src/components/admin/content-editors.tsx	The catch parameter `caught` should be named `error`.
MINOR	CODE_SMELL	src/components/legal-notice-form.tsx	'form.get(key) ?? ""' may use Object's default stringification format ('[obje...
MINOR	CODE_SMELL	src/components/account-settings.tsx	'data.get("confirm")' may use Object's default stringification format ('[obje...
MINOR	CODE_SMELL	src/components/auth-shell.tsx	Mark the props of the component as read-only.

หมายเหตุ: รายงานนี้สร้างจาก SonarQube Web API เพื่อวัตถุประสงค์ทางการศึกษา ดูรายละเอียดฉบับสมบูรณ์และคำแนะนำการแก้ไขได้ที่หน้า Dashboard บนเว็บ SonarQube