# รายงานผลสแกน SonarQube รอบที่ 1

เว็บไซต์และระบบจัดการเนื้อหา อยู่เย็นเป็นสุข · 2026-10-22 23:16:45 (เวลาไทย)

| รายการ | ค่า |
|---|---|
| **โปรเจกต์ (projectKey)** | `yuyenpensuk-website-v1` |
| **โค้ดรุ่น** | โค้ดรุ่นแรกจากเครื่องผู้พัฒนา (website_YS) |
| **รหัสการวิเคราะห์ (analysisKey)** | `bc107bbd-4569-4eb2-96d6-dc45441101db` |
| **โฟลเดอร์ข้อมูล** | `run-01_2026-10-22_2316_v1/issues_page1-2.json` |
| **Quality Gate** | ผ่าน |
| **หมายเหตุ** | จุดตั้งต้น: โค้ดรุ่นแรก ยังไม่วัด coverage |

## ค่าวัดของรอบนี้

| | | | |
|---|---|---|---|
| ผ่าน<br>Quality Gate | 306<br>issue ที่ยังเปิดอยู่ | 10<br>Bug | 5<br>Vulnerability |
| 291<br>Code smell | 0.0%<br>Coverage (บรรทัด 0.0% · ทางแยก -) | 0.7%<br>โค้ดซ้ำ (Duplication) | 2,467<br>บรรทัดโค้ด (ncloc) |
| C<br>Reliability rating | D<br>Security rating | A<br>Maintainability rating | 11.2 ชม.<br>เวลาที่ประเมินว่าต้องใช้แก้ (effort) |

> Coverage 0.0% หมายถึงรอบนี้ยังไม่ได้ส่งผล coverage จากการทดสอบให้ SonarQube

## การเปลี่ยนแปลงจากรอบก่อน

เป็นรอบแรกของโปรเจกต์ `yuyenpensuk-website-v1` จึงไม่มีรอบก่อนให้เทียบ

## จำนวน issue ตามประเภทและความรุนแรง

| ประเภท | BLOCKER | CRITICAL | MAJOR | MINOR | INFO | รวม |
|---|---|---|---|---|---|---|
| Bug | - | - | 10 | - | - | 10 |
| Vulnerability | - | 3 | 1 | 1 | - | 5 |
| Code smell | - | 1 | 265 | 25 | - | 291 |

## จำนวน issue ตาม rule

| rule | คำอธิบาย rule | จำนวน |
|---|---|---|
| `css:S4666` | Selectors should not be duplicated | 227 |
| `css:S7924` | Text and background colors should have sufficient contrast | 21 |
| `javascript:S7772` | Node.js built-in modules should be imported using the "node:" protocol | 14 |
| `javascript:S7761` | Data attributes should be accessed using ".dataset" | 11 |
| `javascript:S6582` | Optional chaining should be preferred | 10 |
| `css:S4649` | Font declarations should contain at least one generic font family | 10 |
| `javascript:S3358` | Ternary operators should not be nested | 3 |
| `docker:S6470` | Dockerfiles should not copy the build context using recursive or glob patterns | 1 |
| `javascript:S107` | Functions should not have too many parameters | 1 |
| `javascript:S5689` | Web application technologies should not disclose version information | 1 |
| `javascript:S1121` | Assignments should not be made from within sub-expressions | 1 |
| `javascript:S5693` | HTTP request content length should be limited | 1 |
| `javascript:S3776` | Cognitive Complexity of functions should not be too high | 1 |
| `javascript:S1523` | Dynamic code execution should not use user-controlled data | 1 |
| `javascript:S6535` | Unnecessary character escapes should be removed | 1 |
| `javascript:S7780` | String literals with escaped backslashes should use `String.raw` template literals | 1 |
| `javascript:S4790` | Weak hashing algorithms should not be used | 1 |

## จำนวน issue ตามไฟล์

| ไฟล์ | จำนวน |
|---|---|
| `public/css/site.css` | 164 |
| `public/css/admin.css` | 94 |
| `public/js/main.js` | 11 |
| `routes/admin.js` | 10 |
| `scripts/audit.js` | 7 |
| `utils/product-images.js` | 5 |
| `deploy-server.js` | 4 |
| `public/js/admin.js` | 3 |
| `database.js` | 2 |
| `middleware/auth.js` | 2 |
| `Dockerfile` | 1 |

| ไฟล์ | จำนวน |
|---|---|
| catalog.js | 1 |
| middleware/rateLimit.js | 1 |
| routes/site.js | 1 |

## รายการ issue ทั้งหมด (306 รายการ)

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 1 | Dockerfile:10 | docker:S6470 | Vulnerability CRITICAL | Copying recursively might inadvertently add sensitive data to the container. Make sure it is safe here. |
| 2 | catalog.js:7 | javascript:S107 | Code smell MAJOR | Function 'p' has too many parameters (9). Maximum allowed is 7. |
| 3 | database.js:6 | javascript:S7772 | Code smell MINOR | Prefer `node:fs` over `fs`. |
| 4 | database.js:7 | javascript:S7772 | Code smell MINOR | Prefer `node:path` over `path`. |
| 5 | deploy-server.js:21 | javascript:S7772 | Code smell MINOR | Prefer `node:path` over `path`. |
| 6 | deploy-server.js:22 | javascript:S7772 | Code smell MINOR | Prefer `node:crypto` over `crypto`. |
| 7 | deploy-server.js:43 | javascript:S5689 | Vulnerability MINOR | This framework implicitly discloses version information by default. Make sure it is safe here. |
| 8 | deploy-server.js:114 | javascript:S6582 | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 9 | middleware/auth.js:3 | javascript:S6582 | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 10 | middleware/auth.js:11 | javascript:S6582 | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 11 | middleware/rateLimit.js:34 | javascript:S6582 | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 12 | public/css/admin.css:17 | css:S4649 | Bug MAJOR | Missing generic font family |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 13 | public/css/admin.css:38 | css:S4649 | Bug MAJOR | Missing generic font family |
| 14 | public/css/admin.css:50 | css:S4649 | Bug MAJOR | Missing generic font family |
| 15 | public/css/admin.css:53 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 16 | public/css/admin.css:57 | css:S4649 | Bug MAJOR | Missing generic font family |
| 17 | public/css/admin.css:61 | css:S4649 | Bug MAJOR | Missing generic font family |
| 18 | public/css/admin.css:66 | css:S4649 | Bug MAJOR | Missing generic font family |
| 19 | public/css/admin.css:79 | css:S4649 | Bug MAJOR | Missing generic font family |
| 20 | public/css/admin.css:80 | css:S4649 | Bug MAJOR | Missing generic font family |
| 21 | public/css/admin.css:93 | css:S4649 | Bug MAJOR | Missing generic font family |
| 22 | public/css/admin.css:100 | css:S4649 | Bug MAJOR | Missing generic font family |
| 23 | public/css/admin.css:120 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside", first used at line 16 |
| 24 | public/css/admin.css:121 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside a.act", first used at line 21 |
| 25 | public/css/admin.css:157 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 26 | public/css/admin.css:182 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 27 | public/css/admin.css:183 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 28 | public/css/admin.css:183 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 29 | public/css/admin.css:184 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 30 | public/css/admin.css:184 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 31 | public/css/admin.css:184 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 32 | public/css/admin.css:184 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 33 | public/css/admin.css:191 | css:S4666 | Code smell MAJOR | Duplicate selector ":root", first used at line 2 |
| 34 | public/css/admin.css:193 | css:S4666 | Code smell MAJOR | Duplicate selector "body", first used at line 9 |
| 35 | public/css/admin.css:194 | css:S4666 | Code smell MAJOR | Duplicate selector ".cms", first used at line 15 |
| 36 | public/css/admin.css:195 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside", first used at line 16 |
| 37 | public/css/admin.css:196 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside .lg", first used at line 17 |
| 38 | public/css/admin.css:198 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside .lg .mk", first used at line 18 |
| 39 | public/css/admin.css:199 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside a", first used at line 19 |
| 40 | public/css/admin.css:200 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside a i", first used at line 22 |
| 41 | public/css/admin.css:201 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside a:hover", first used at line 20 |
| 42 | public/css/admin.css:201 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 43 | public/css/admin.css:202 | css:S4666 | Code smell MAJOR | Duplicate selector ".cside a.act", first used at line 21 |
| 44 | public/css/admin.css:206 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 45 | public/css/admin.css:207 | css:S4666 | Code smell MAJOR | Duplicate selector ".cmain", first used at line 24 |
| 46 | public/css/admin.css:208 | css:S4666 | Code smell MAJOR | Duplicate selector ".ctop", first used at line 25 |
| 47 | public/css/admin.css:209 | css:S4666 | Code smell MAJOR | Duplicate selector ".ctop h2", first used at line 26 |
| 48 | public/css/admin.css:210 | css:S4666 | Code smell MAJOR | Duplicate selector ".ctop .me", first used at line 27 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 49 | public/css/admin.css:211 | css:S4666 | Code smell MAJOR | Duplicate selector ".ctop .av", first used at line 28 |
| 50 | public/css/admin.css:212 | css:S4666 | Code smell MAJOR | Duplicate selector ".cbody", first used at line 29 |
| 51 | public/css/admin.css:213 | css:S4666 | Code smell MAJOR | Duplicate selector ".cfoot", first used at line 30 |
| 52 | public/css/admin.css:213 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 53 | public/css/admin.css:214 | css:S4666 | Code smell MAJOR | Duplicate selector ".cfoot a:hover", first used at line 32 |
| 54 | public/css/admin.css:214 | css:S4666 | Code smell MAJOR | Duplicate selector ".cfoot a", first used at line 31 |
| 55 | public/css/admin.css:215 | css:S4666 | Code smell MAJOR | Duplicate selector ".stats", first used at line 35 |
| 56 | public/css/admin.css:215 | css:S4666 | Code smell MAJOR | Duplicate selector ".stat", first used at line 36 |
| 57 | public/css/admin.css:216 | css:S4666 | Code smell MAJOR | Duplicate selector ".stat .l", first used at line 43 |
| 58 | public/css/admin.css:216 | css:S4666 | Code smell MAJOR | Duplicate selector ".stat .n", first used at line 38 |
| 59 | public/css/admin.css:216 | css:S4666 | Code smell MAJOR | Duplicate selector ".stat .ic", first used at line 37 |
| 60 | public/css/admin.css:217 | css:S4666 | Code smell MAJOR | Duplicate selector ".panel", first used at line 44 |
| 61 | public/css/admin.css:218 | css:S4666 | Code smell MAJOR | Duplicate selector ".panel .ph2 h3", first used at line 46 |
| 62 | public/css/admin.css:218 | css:S4666 | Code smell MAJOR | Duplicate selector ".panel .ph2", first used at line 45 |
| 63 | public/css/admin.css:219 | css:S4666 | Code smell MAJOR | Duplicate selector ".panel .pb", first used at line 47 |
| 64 | public/css/admin.css:220 | css:S4666 | Code smell MAJOR | Duplicate selector ".tbl td", first used at line 51 |
| 65 | public/css/admin.css:220 | css:S4666 | Code smell MAJOR | Duplicate selector ".tbl", first used at line 49 |
| 66 | public/css/admin.css:220 | css:S4666 | Code smell MAJOR | Duplicate selector ".tbl th", first used at line 50 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 67 | public/css/admin.css:220 | css:S4666 | Code smell MAJOR | Duplicate selector ".thumb", first used at line 53 |
| 68 | public/css/admin.css:220 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 69 | public/css/admin.css:220 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 70 | public/css/admin.css:221 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn", first used at line 57 |
| 71 | public/css/admin.css:221 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.ln", first used at line 60 |
| 72 | public/css/admin.css:221 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.nv", first used at line 58 |
| 73 | public/css/admin.css:221 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.am", first used at line 59 |
| 74 | public/css/admin.css:222 | css:S4666 | Code smell MAJOR | Duplicate selector ".mini", first used at line 61 |
| 75 | public/css/admin.css:223 | css:S4666 | Code smell MAJOR | Duplicate selector ".tag", first used at line 66 |
| 76 | public/css/admin.css:224 | css:S4666 | Code smell MAJOR | Duplicate selector ".fld textarea", first used at line 81 |
| 77 | public/css/admin.css:224 | css:S4666 | Code smell MAJOR | Duplicate selector ".fld label", first used at line 79 |
| 78 | public/css/admin.css:224 | css:S4666 | Code smell MAJOR | Duplicate selector ".fgrid", first used at line 78 |
| 79 | public/css/admin.css:224 | css:S4666 | Code smell MAJOR | Duplicate selector ".fld .hint", first used at line 82 |
| 80 | public/css/admin.css:224 | css:S4666 | Code smell MAJOR | Duplicate selector ".fld input,.fld select,.fld textarea", first used at line 80 |
| 81 | public/css/admin.css:225 | css:S4666 | Code smell MAJOR | Duplicate selector ".fsection h4", first used at line 145 |
| 82 | public/css/admin.css:225 | css:S4666 | Code smell MAJOR | Duplicate selector ".fsection", first used at line 144 |
| 83 | public/css/admin.css:225 | css:S4666 | Code smell MAJOR | Duplicate selector ".fsection.price", first used at line 147 |
| 84 | public/css/admin.css:225 | css:S4666 | Code smell MAJOR | Duplicate selector ".fsection.desc", first used at line 149 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 85 | public/css/admin.css:225 | css:S4666 | Code smell MAJOR | Duplicate selector ".fsection.img", first used at line 151 |
| 86 | public/css/admin.css:227 | css:S4666 | Code smell MAJOR | Duplicate selector ".imgguide", first used at line 155 |
| 87 | public/css/admin.css:228 | css:S4666 | Code smell MAJOR | Duplicate selector ".auth", first used at line 90 |
| 88 | public/css/admin.css:229 | css:S4666 | Code smell MAJOR | Duplicate selector ".acard", first used at line 91 |
| 89 | public/css/admin.css:230 | css:S4666 | Code smell MAJOR | Duplicate selector ".acard .mk", first used at line 93 |
| 90 | public/css/admin.css:230 | css:S4666 | Code smell MAJOR | Duplicate selector ".acard .btn", first used at line 97 |
| 91 | public/css/admin.css:230 | css:S4666 | Code smell MAJOR | Duplicate selector ".acard h2", first used at line 94 |
| 92 | public/css/admin.css:231 | css:S4666 | Code smell MAJOR | Duplicate selector ".auth2 .form", first used at line 133 |
| 93 | public/css/admin.css:231 | css:S4666 | Code smell MAJOR | Duplicate selector ".auth2 .side .mk2", first used at line 128 |
| 94 | public/css/admin.css:231 | css:S4666 | Code smell MAJOR | Duplicate selector ".auth2 .fcard h2", first used at line 135 |
| 95 | public/css/admin.css:231 | css:S4666 | Code smell MAJOR | Duplicate selector ".auth2 .btn", first used at line 139 |
| 96 | public/css/admin.css:231 | css:S4666 | Code smell MAJOR | Duplicate selector ".auth2 .side", first used at line 125 |
| 97 | public/css/admin.css:232 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-welcome", first used at line 178 |
| 98 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-action-list>a", first used at line 184 |
| 99 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-panel-heading", first used at line 183 |
| 100 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-kpi:hover", first used at line 182 |
| 101 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-kpi", first used at line 182 |
| 102 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-news-table thead th", first used at line 183 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 103 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-tip-card,.dash-site-card", first used at line 184 |
| 104 | public/css/admin.css:233 | css:S4666 | Code smell MAJOR | Duplicate selector ".dash-panel", first used at line 183 |
| 105 | public/css/admin.css:234 | css:S4666 | Code smell MAJOR | Duplicate selector ":focus-visible", first used at line 12 |
| 106 | public/css/site.css:73 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 107 | public/css/site.css:107 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 108 | public/css/site.css:144 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 109 | public/css/site.css:253 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 110 | public/css/site.css:410 | css:S4666 | Code smell MAJOR | Duplicate selector ".g4", first used at line 96 |
| 111 | public/css/site.css:411 | css:S4666 | Code smell MAJOR | Duplicate selector ".card", first used at line 97 |
| 112 | public/css/site.css:414 | css:S4666 | Code smell MAJOR | Duplicate selector ".card h3", first used at line 100 |
| 113 | public/css/site.css:415 | css:S4666 | Code smell MAJOR | Duplicate selector ".card p", first used at line 101 |
| 114 | public/css/site.css:418 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-thumbs", first used at line 244 |
| 115 | public/css/site.css:431 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-thumbs .ph.prod", first used at line 419 |
| 116 | public/css/site.css:432 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-thumbs .ph.prod img", first used at line 420 |
| 117 | public/css/site.css:454 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-photo-img", first used at line 428 |
| 118 | public/css/site.css:458 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-main.ph.prod", first used at line 416 |
| 119 | public/css/site.css:458 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-main.ph.prod img", first used at line 417 |
| 120 | public/css/site.css:459 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-thumbs .ph.prod", first used at line 419 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 121 | public/css/site.css:459 | css:S4666 | Code smell MAJOR | Duplicate selector ".gal-thumbs", first used at line 244 |
| 122 | public/css/site.css:511 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-row-reverse .why-copy", first used at line 492 |
| 123 | public/css/site.css:520 | css:S4666 | Code smell MAJOR | Duplicate selector ":root", first used at line 3 |
| 124 | public/css/site.css:521 | css:S4666 | Code smell MAJOR | Duplicate selector "html", first used at line 20 |
| 125 | public/css/site.css:521 | css:S4666 | Code smell MAJOR | Duplicate selector "::selection", first used at line 28 |
| 126 | public/css/site.css:521 | css:S4666 | Code smell MAJOR | Duplicate selector "body", first used at line 21 |
| 127 | public/css/site.css:522 | css:S4666 | Code smell MAJOR | Duplicate selector ".shead", first used at line 88 |
| 128 | public/css/site.css:522 | css:S4666 | Code smell MAJOR | Duplicate selector ".sec", first used at line 86 |
| 129 | public/css/site.css:522 | css:S4666 | Code smell MAJOR | Duplicate selector ".shead h2", first used at line 91 |
| 130 | public/css/site.css:522 | css:S4666 | Code smell MAJOR | Duplicate selector ".sec.alt", first used at line 87 |
| 131 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hero-v4", first used at line 300 |
| 132 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-stats .s", first used at line 310 |
| 133 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-badge", first used at line 302 |
| 134 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-grid h1 em", first used at line 306 |
| 135 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-ico", first used at line 319 |
| 136 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-grid h1", first used at line 305 |
| 137 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-orb", first used at line 317 |
| 138 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-card", first used at line 322 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 139 | public/css/site.css:523 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-visual", first used at line 316 |
| 140 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".card:hover", first used at line 98 |
| 141 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".svc-block", first used at line 332 |
| 142 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".card .ph", first used at line 114 |
| 143 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".tag", first used at line 80 |
| 144 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".card .bd", first used at line 99 |
| 145 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".card", first used at line 97 |
| 146 | public/css/site.css:524 | css:S4666 | Code smell MAJOR | Duplicate selector ".svc-block:hover", first used at line 333 |
| 147 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".stat-colors .c", first used at line 361 |
| 148 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-showcase-head", first used at line 487 |
| 149 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-row", first used at line 489 |
| 150 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-products", first used at line 502 |
| 151 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-visual", first used at line 493 |
| 152 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-points li", first used at line 514 |
| 153 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-copy h3", first used at line 513 |
| 154 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-service", first used at line 507 |
| 155 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-showcase", first used at line 486 |
| 156 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".pnote", first used at line 211 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 157 | public/css/site.css:525 | css:S4666 | Code smell MAJOR | Duplicate selector ".why-showcase-head .why-intro", first used at line 488 |
| 158 | public/css/site.css:526 | css:S4666 | Code smell MAJOR | Duplicate selector ":focus-visible", first used at line 27 |
| 159 | public/css/site.css:526 | css:S4666 | Code smell MAJOR | Duplicate selector "img", first used at line 24 |
| 160 | public/css/site.css:532 | css:S4666 | Code smell MAJOR | Duplicate selector ".hero-v4", first used at line 300 |
| 161 | public/css/site.css:533 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-grid h1", first used at line 305 |
| 162 | public/css/site.css:534 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-grid h1 em", first used at line 306 |
| 163 | public/css/site.css:535 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-grid p", first used at line 307 |
| 164 | public/css/site.css:536 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-badge", first used at line 302 |
| 165 | public/css/site.css:537 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-badge .dot", first used at line 303 |
| 166 | public/css/site.css:540 | css:S4666 | Code smell MAJOR | Duplicate selector ".hv4-stats .s", first used at line 310 |
| 167 | public/css/site.css:553 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-photo", first used at line 427 |
| 168 | public/css/site.css:554 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 169 | public/css/site.css:559 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-card-new .bd", first used at line 446 |
| 170 | public/css/site.css:561 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-model", first used at line 449 |
| 171 | public/css/site.css:562 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-spec-line", first used at line 450 |
| 172 | public/css/site.css:563 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-block", first used at line 440 |
| 173 | public/css/site.css:564 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading", first used at line 441 |
| 174 | public/css/site.css:565 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading-main", first used at line 442 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 175 | public/css/site.css:566 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading-main>span:last-child", first used at line 442 |
| 176 | public/css/site.css:567 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading>a", first used at line 443 |
| 177 | public/css/site.css:569 | css:S4666 | Code smell MAJOR | Duplicate selector ".catalog-intro>div", first used at line 437 |
| 178 | public/css/site.css:570 | css:S4666 | Code smell MAJOR | Duplicate selector ".srch", first used at line 126 |
| 179 | public/css/site.css:571 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-filter", first used at line 435 |
| 180 | public/css/site.css:595 | css:S4666 | Code smell MAJOR | Duplicate selector ":root", first used at line 3 |
| 181 | public/css/site.css:600 | css:S4666 | Code smell MAJOR | Duplicate selector "body", first used at line 21 |
| 182 | public/css/site.css:601 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh", first used at line 38 |
| 183 | public/css/site.css:602 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh .lg", first used at line 39 |
| 184 | public/css/site.css:603 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh .lg em", first used at line 40 |
| 185 | public/css/site.css:605 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh nav", first used at line 41 |
| 186 | public/css/site.css:606 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh nav a", first used at line 42 |
| 187 | public/css/site.css:607 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh nav a:hover", first used at line 43 |
| 188 | public/css/site.css:608 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh nav a.act", first used at line 44 |
| 189 | public/css/site.css:609 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh .tel", first used at line 45 |
| 190 | public/css/site.css:611 | css:S4666 | Code smell MAJOR | Duplicate selector ".sh .tel iconify-icon", first used at line 46 |
| 191 | public/css/site.css:612 | css:S4666 | Code smell MAJOR | Duplicate selector ".sec", first used at line 86 |
| 192 | public/css/site.css:613 | css:S4666 | Code smell MAJOR | Duplicate selector ".sec.alt", first used at line 87 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 193 | public/css/site.css:614 | css:S4666 | Code smell MAJOR | Duplicate selector ".shead", first used at line 88 |
| 194 | public/css/site.css:615 | css:S4666 | Code smell MAJOR | Duplicate selector ".shead .kick", first used at line 90 |
| 195 | public/css/site.css:616 | css:S4666 | Code smell MAJOR | Duplicate selector ".shead h2", first used at line 91 |
| 196 | public/css/site.css:617 | css:S4666 | Code smell MAJOR | Duplicate selector ".shead> a", first used at line 522 |
| 197 | public/css/site.css:618 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn", first used at line 69 |
| 198 | public/css/site.css:619 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.am", first used at line 71 |
| 199 | public/css/site.css:620 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.am:hover", first used at line 72 |
| 200 | public/css/site.css:621 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.nv", first used at line 75 |
| 201 | public/css/site.css:622 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.nv:hover", first used at line 76 |
| 202 | public/css/site.css:623 | css:S4666 | Code smell MAJOR | Duplicate selector ".btn.ln", first used at line 77 |
| 203 | public/css/site.css:624 | css:S4666 | Code smell MAJOR | Duplicate selector ".card", first used at line 97 |
| 204 | public/css/site.css:625 | css:S4666 | Code smell MAJOR | Duplicate selector ".card:hover", first used at line 98 |
| 205 | public/css/site.css:626 | css:S4666 | Code smell MAJOR | Duplicate selector ".card .bd", first used at line 99 |
| 206 | public/css/site.css:627 | css:S4666 | Code smell MAJOR | Duplicate selector ".card h3", first used at line 100 |
| 207 | public/css/site.css:628 | css:S4666 | Code smell MAJOR | Duplicate selector ".card p", first used at line 101 |
| 208 | public/css/site.css:629 | css:S4666 | Code smell MAJOR | Duplicate selector ".card .price-row", first used at line 102 |
| 209 | public/css/site.css:630 | css:S4666 | Code smell MAJOR | Duplicate selector ".card .price", first used at line 103 |
| 210 | public/css/site.css:631 | css:S4666 | Code smell MAJOR | Duplicate selector ".ph", first used at line 107 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 211 | public/css/site.css:631 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 212 | public/css/site.css:632 | css:S4666 | Code smell MAJOR | Duplicate selector ".card .ph", first used at line 114 |
| 213 | public/css/site.css:633 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero", first used at line 373 |
| 214 | public/css/site.css:634 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero::before", first used at line 374 |
| 215 | public/css/site.css:636 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero .crumb2", first used at line 375 |
| 216 | public/css/site.css:637 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero .crumb2 a", first used at line 376 |
| 217 | public/css/site.css:638 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero .eyebrow-dot", first used at line 380 |
| 218 | public/css/site.css:639 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero .eyebrow-dot::before", first used at line 381 |
| 219 | public/css/site.css:640 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero h1", first used at line 378 |
| 220 | public/css/site.css:641 | css:S4666 | Code smell MAJOR | Duplicate selector ".page-hero p", first used at line 379 |
| 221 | public/css/site.css:642 | css:S4666 | Code smell MAJOR | Duplicate selector ".balanced-hero", first used at line 470 |
| 222 | public/css/site.css:643 | css:S4666 | Code smell MAJOR | Duplicate selector ".balanced-hero .balanced-hero-inner", first used at line 471 |
| 223 | public/css/site.css:644 | css:S4666 | Code smell MAJOR | Duplicate selector ".balanced-hero h1", first used at line 474 |
| 224 | public/css/site.css:645 | css:S4666 | Code smell MAJOR | Duplicate selector ".srch", first used at line 126 |
| 225 | public/css/site.css:646 | css:S4666 | Code smell MAJOR | Duplicate selector ".srch .inpw", first used at line 127 |
| 226 | public/css/site.css:647 | css:S4666 | Code smell MAJOR | Duplicate selector ".srch input", first used at line 129 |
| 227 | public/css/site.css:648 | css:S4666 | Code smell MAJOR | Duplicate selector ".srch input:focus", first used at line 130 |
| 228 | public/css/site.css:649 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-filter", first used at line 435 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 229 | public/css/site.css:650 | css:S4666 | Code smell MAJOR | Duplicate selector ".chip", first used at line 132 |
| 230 | public/css/site.css:651 | css:S4666 | Code smell MAJOR | Duplicate selector ".chip:hover", first used at line 133 |
| 231 | public/css/site.css:652 | css:S4666 | Code smell MAJOR | Duplicate selector ".chip.on", first used at line 134 |
| 232 | public/css/site.css:653 | css:S4666 | Code smell MAJOR | Duplicate selector ".catalog-intro", first used at line 436 |
| 233 | public/css/site.css:654 | css:S4666 | Code smell MAJOR | Duplicate selector ".catalog-intro>div", first used at line 437 |
| 234 | public/css/site.css:655 | css:S4666 | Code smell MAJOR | Duplicate selector ".catalog-intro strong", first used at line 438 |
| 235 | public/css/site.css:656 | css:S4666 | Code smell MAJOR | Duplicate selector ".catalog-intro span", first used at line 439 |
| 236 | public/css/site.css:657 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-block", first used at line 440 |
| 237 | public/css/site.css:658 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading", first used at line 441 |
| 238 | public/css/site.css:659 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading-main", first used at line 442 |
| 239 | public/css/site.css:660 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-logo-text", first used at line 444 |
| 240 | public/css/site.css:661 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading-main>span:last-child", first used at line 442 |
| 241 | public/css/site.css:662 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading>a", first used at line 443 |
| 242 | public/css/site.css:663 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-heading>a:hover", first used at line 568 |
| 243 | public/css/site.css:668 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-card-new .bd", first used at line 446 |
| 244 | public/css/site.css:669 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-brand-line", first used at line 446 |
| 245 | public/css/site.css:670 | css:S4666 | Code smell MAJOR | Duplicate selector ".brand-mini", first used at line 447 |
| 246 | public/css/site.css:671 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-type", first used at line 448 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 247 | public/css/site.css:672 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-card-new .bd h3", first used at line 560 |
| 248 | public/css/site.css:673 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-model", first used at line 449 |
| 249 | public/css/site.css:674 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-spec-line", first used at line 450 |
| 250 | public/css/site.css:675 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-spec-line strong", first used at line 450 |
| 251 | public/css/site.css:676 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-spec-line span", first used at line 450 |
| 252 | public/css/site.css:679 | css:S4666 | Code smell MAJOR | Duplicate selector ".detail-link", first used at line 451 |
| 253 | public/css/site.css:680 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-photo .photo-loading", first used at line 554 |
| 254 | public/css/site.css:680 | css:S7924 | Code smell MAJOR | Text does not meet the minimal contrast requirement with its background. |
| 255 | public/css/site.css:681 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-photo .photo-loading iconify-icon", first used at line 555 |
| 256 | public/css/site.css:682 | css:S4666 | Code smell MAJOR | Duplicate selector ".product-photo-unavailable .photo-loading", first used at line 557 |
| 257 | public/css/site.css:683 | css:S4666 | Code smell MAJOR | Duplicate selector ".buy-guide", first used at line 455 |
| 258 | public/css/site.css:684 | css:S4666 | Code smell MAJOR | Duplicate selector ".buy-guide h2", first used at line 456 |
| 259 | public/css/site.css:685 | css:S4666 | Code smell MAJOR | Duplicate selector ".buy-guide p", first used at line 456 |
| 260 | public/css/site.css:686 | css:S4666 | Code smell MAJOR | Duplicate selector ".guide-grid", first used at line 456 |
| 261 | public/css/site.css:687 | css:S4666 | Code smell MAJOR | Duplicate selector ".guide-grid>div", first used at line 456 |
| 262 | public/css/site.css:688 | css:S4666 | Code smell MAJOR | Duplicate selector ".guide-grid b", first used at line 456 |
| 263 | public/css/site.css:689 | css:S4666 | Code smell MAJOR | Duplicate selector ".guide-grid span", first used at line 456 |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 264 | public/css/site.css:690 | css:S4666 | Code smell MAJOR | Duplicate selector ".foot", first used at line 172 |
| 265 | public/css/site.css:691 | css:S4666 | Code smell MAJOR | Duplicate selector ".foot .cols", first used at line 173 |
| 266 | public/css/site.css:692 | css:S4666 | Code smell MAJOR | Duplicate selector ".foot h4", first used at line 174 |
| 267 | public/css/site.css:693 | css:S4666 | Code smell MAJOR | Duplicate selector ".foot a", first used at line 175 |
| 268 | public/css/site.css:694 | css:S4666 | Code smell MAJOR | Duplicate selector ".foot a:hover", first used at line 176 |
| 269 | public/css/site.css:695 | css:S4666 | Code smell MAJOR | Duplicate selector ".foot .cp", first used at line 178 |
| 270 | public/js/admin.js:12 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 271 | public/js/admin.js:18 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 272 | public/js/admin.js:21 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 273 | public/js/main.js:21 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 274 | public/js/main.js:22 | javascript:S1121 | Code smell MAJOR | Extract the assignment of "groups[g]" from this expression. |
| 275 | public/js/main.js:46 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 276 | public/js/main.js:111 | javascript:S6582 | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 277 | public/js/main.js:128 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 278 | public/js/main.js:135 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `getAttribute(…)`. |
| 279 | public/js/main.js:158 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `setAttribute(…)`. |
| 280 | public/js/main.js:170 | javascript:S7761 | Code smell MAJOR | Prefer `.dataset` over `setAttribute(…)`. |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 281 | `public/js/main.js:171` | `javascript:S7761` | Code smell MAJOR | Prefer `.dataset` over `setAttribute(...)`. |
| 282 | `public/js/main.js:184` | `javascript:S6582` | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 283 | `public/js/main.js:214` | `javascript:S7761` | Code smell MAJOR | Prefer `.dataset` over `getAttribute(...)`. |
| 284 | `routes/admin.js:4` | `javascript:S7772` | Code smell MINOR | Prefer `node:path` over `path`. |
| 285 | `routes/admin.js:5` | `javascript:S7772` | Code smell MINOR | Prefer `node:crypto` over `crypto`. |
| 286 | `routes/admin.js:15` | `javascript:S7772` | Code smell MINOR | Prefer `node:fs` over `fs`. |
| 287 | `routes/admin.js:42` | `javascript:S5693` | Vulnerability MAJOR | Make sure the content length limit is safe here. |
| 288 | `routes/admin.js:78` | `javascript:S6582` | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 289 | `routes/admin.js:103` | `javascript:S6582` | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 290 | `routes/admin.js:252` | `javascript:S3776` | Code smell CRITICAL | Refactor this function to reduce its Cognitive Complexity from 24 to the 15 allowed. |
| 291 | `routes/admin.js:321` | `javascript:S3358` | Code smell MAJOR | Extract this nested ternary operation into an independent statement. |
| 292 | `routes/admin.js:348` | `javascript:S3358` | Code smell MAJOR | Extract this nested ternary operation into an independent statement. |
| 293 | `routes/admin.js:348` | `javascript:S3358` | Code smell MAJOR | Extract this nested ternary operation into an independent statement. |
| 294 | `routes/site.js:18` | `javascript:S6582` | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 295 | `scripts/audit.js:1` | `javascript:S7772` | Code smell MINOR | Prefer `node:fs` over `fs`. |
| 296 | `scripts/audit.js:2` | `javascript:S7772` | Code smell MINOR | Prefer `node:path` over `path`. |

| # | ไฟล์:บรรทัด | rule | ประเภท / ความรุนแรง | ข้อความ |
|---|---|---|---|---|
| 297 | `scripts/audit.js:3` | `javascript:S7772` | Code smell MINOR | Prefer `node:child_process` over `child_process`. |
| 298 | `scripts/audit.js:24` | `javascript:S1523` | Vulnerability CRITICAL | Make sure that this dynamic injection or execution of code is safe. |
| 299 | `scripts/audit.js:24` | `javascript:S7772` | Code smell MINOR | Prefer `node:vm` over `vm`. |
| 300 | `scripts/audit.js:137` | `javascript:S6535` | Code smell MAJOR | Unnecessary escape character: \". |
| 301 | `scripts/audit.js:140` | `javascript:S7780` | Code smell MINOR | `String.raw` should be used to avoid escaping `\`. |
| 302 | `utils/product-images.js:1` | `javascript:S7772` | Code smell MINOR | Prefer `node:fs` over `fs`. |
| 303 | `utils/product-images.js:2` | `javascript:S7772` | Code smell MINOR | Prefer `node:path` over `path`. |
| 304 | `utils/product-images.js:3` | `javascript:S7772` | Code smell MINOR | Prefer `node:crypto` over `crypto`. |
| 305 | `utils/product-images.js:23` | `javascript:S6582` | Code smell MINOR | Prefer using an optional chain expression instead, as it's more concise and easier to read. |
| 306 | `utils/product-images.js:91` | `javascript:S4790` | Vulnerability CRITICAL | Make sure this weak hash algorithm is not used in a sensitive context here. |