รายงานผลสแกน SonarQube รอบที่ 2

เว็บไซต์และระบบจัดการเนื้อหา อยู่เย็นเป็นสุข · 2026-10-26 22:25:54 (เวลาไทย)

รายการ	ค่า
โปรเจกต์ (projectKey)	`yuyenpensuk-website-prod`
โค้ดรุ่น	โค้ดรุ่นที่ใช้งานจริงบนเครื่องแม่ข่าย (commit a7350ab)
รหัสการวิเคราะห์ (analysisKey)	`a74834c4-241d-460d-87be-9c2ae75d02ef`
โฟลเดอร์ข้อมูล	`run-02_2026-10-26_2225_prod/issues_page1-3.json`
Quality Gate	ผ่าน
หมายเหตุ	โค้ดที่ใช้งานจริงก่อนแก้ ใช้เป็นค่าก่อนแก้ในรายงาน

ค่าวัดของรอบนี้

ผ่าน Quality Gate	409 issue ที่ยังเปิดอยู่	10 Bug	7 Vulnerability
392 Code smell	0.0% Coverage (บรรทัด 0.0% · ทางแยก -)	0.9% โค้ดซ้ำ (Duplication)	3,958 บรรทัดโค้ด (ncloc)
C Reliability rating	D Security rating	A Maintainability rating	16.1 ชม. เวลาที่ประเมินว่าต้องใช้แก้ (effort)

> Coverage 0.0% หมายถึงรอบนี้ยังไม่ได้ส่งผล coverage จากการทดสอบให้ SonarQube

การเปลี่ยนแปลงจากรอบก่อน

เป็นรอบแรกของโปรเจกต์ `yuyenpensuk-website-prod` จึงไม่มีรอบก่อนให้เทียบ

จำนวน issue ตามประเภทและความรุนแรง

ประเภท	BLOCKER	CRITICAL	MAJOR	MINOR	INFO	รวม
Bug	-	-	10	-	-	10
Vulnerability	-	3	1	3	-	7
Code smell	-	5	344	43	-	392

จำนวน issue ตาม rule

rule	คำอธิบาย rule	จำนวน
`css:S4666`	Selectors should not be duplicated	289
`css:S7924`	Text and background colors should have sufficient contrast	29
`javascript:S7772`	Node.js built-in modules should be imported using the "node:" protocol	17
`javascript:S6582`	Optional chaining should be preferred	13
`javascript:S7723`	Built-in constructors should be called consistently with or without "new"	11
`javascript:S7761`	Data attributes should be accessed using ".dataset"	11
`css:S4649`	Font declarations should contain at least one generic font family	10
`javascript:S2681`	Multiline blocks should be enclosed in curly braces	8
`javascript:S3776`	Cognitive Complexity of functions should not be too high	5
`javascript:S5689`	Web application technologies should not disclose version information	3
`javascript:S7768`	Modern DOM manipulation methods should be used instead of legacy alternatives	2
`javascript:S3358`	Ternary operators should not be nested	2
`docker:S6470`	Dockerfiles should not copy the build context using recursive or glob patterns	1
`javascript:S107`	Functions should not have too many parameters	1
`javascript:S1121`	Assignments should not be made from within sub-expressions	1
`javascript:S5693`	HTTP request content length should be limited	1
`javascript:S7776`	Arrays used only for existence checks should be Sets	1
`javascript:S1523`	Dynamic code execution should not use user-controlled data	1
`javascript:S6535`	Unnecessary character escapes should be removed	1
`javascript:S7780`	String literals with escaped backslashes should use `String.raw` template literals	1
`javascript:S4790`	Weak hashing algorithms should not be used	1

จำนวน issue ตามไฟล์

ไฟล์	จำนวน
`public/css/site.css`	229
`public/css/admin.css`	94
`routes/admin.js`	19
`public/js/main.js`	13
`public/js/admin-image-crop-v2.js`	12
`scripts/audit.js`	7

ไฟล์	จำนวน
utils/product-images.js	5
admin-server.js	4
deploy-server.js	4
public/js/admin-banana-products.js	4
public/css/admin-v2-complete.css	3
public/js/admin.js	3
database.js	2
middleware/auth.js	2
server.js	2
Dockerfile	1
catalog.js	1
middleware/rateLimit.js	1
public/css/ys-fullsite.css	1
public/css/ys-reference.css	1
routes/site.js	1

รายการ issue ทั้งหมด (409 รายการ)

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
1	Dockerfile:10	docker:S6470	Vulnerability CRITICAL	Copying recursively might inadvertently add sensitive data to the container. Make sure it is safe here.
2	admin-server.js:13	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.
3	admin-server.js:19	javascript:S5689	Vulnerability MINOR	This framework implicitly discloses version information by default. Make sure it is safe here.
4	admin-server.js:64	javascript:S7772	Code smell MINOR	Prefer `node:crypto` over `crypto`.
5	admin-server.js:76	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
6	catalog.js:7	javascript:S107	Code smell MAJOR	Function 'p' has too many parameters (9). Maximum allowed is 7.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
7	database.js:6	javascript:S7772	Code smell MINOR	Prefer `node:fs` over `fs`.
8	database.js:7	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.
9	deploy-server.js:21	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.
10	deploy-server.js:22	javascript:S7772	Code smell MINOR	Prefer `node:crypto` over `crypto`.
11	deploy-server.js:43	javascript:S5689	Vulnerability MINOR	This framework implicitly discloses version information by default. Make sure it is safe here.
12	deploy-server.js:115	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
13	middleware/auth.js:3	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
14	middleware/auth.js:11	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
15	middleware/rateLimit.js:34	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
16	public/css/admin-v2-complete.css:9	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
17	public/css/admin-v2-complete.css:27	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
18	public/css/admin-v2-complete.css:46	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
19	public/css/admin.css:17	css:S4649	Bug MAJOR	Missing generic font family
20	public/css/admin.css:38	css:S4649	Bug MAJOR	Missing generic font family
21	public/css/admin.css:50	css:S4649	Bug MAJOR	Missing generic font family
22	public/css/admin.css:53	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
23	public/css/admin.css:57	css:S4649	Bug MAJOR	Missing generic font family
24	public/css/admin.css:61	css:S4649	Bug MAJOR	Missing generic font family
25	public/css/admin.css:66	css:S4649	Bug MAJOR	Missing generic font family
26	public/css/admin.css:79	css:S4649	Bug MAJOR	Missing generic font family
27	public/css/admin.css:80	css:S4649	Bug MAJOR	Missing generic font family
28	public/css/admin.css:93	css:S4649	Bug MAJOR	Missing generic font family
29	public/css/admin.css:100	css:S4649	Bug MAJOR	Missing generic font family
30	public/css/admin.css:120	css:S4666	Code smell MAJOR	Duplicate selector ".cside", first used at line 16
31	public/css/admin.css:121	css:S4666	Code smell MAJOR	Duplicate selector ".cside a.act", first used at line 21
32	public/css/admin.css:157	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
33	public/css/admin.css:182	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
34	public/css/admin.css:183	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
35	public/css/admin.css:183	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
36	public/css/admin.css:184	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
37	public/css/admin.css:184	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
38	public/css/admin.css:184	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
39	public/css/admin.css:184	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
40	public/css/admin.css:191	css:S4666	Code smell MAJOR	Duplicate selector ":root", first used at line 2

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
41	public/css/admin.css:193	css:S4666	Code smell MAJOR	Duplicate selector "body", first used at line 9
42	public/css/admin.css:194	css:S4666	Code smell MAJOR	Duplicate selector ".cms", first used at line 15
43	public/css/admin.css:195	css:S4666	Code smell MAJOR	Duplicate selector ".cside", first used at line 16
44	public/css/admin.css:196	css:S4666	Code smell MAJOR	Duplicate selector ".cside .lg", first used at line 17
45	public/css/admin.css:198	css:S4666	Code smell MAJOR	Duplicate selector ".cside .lg .mk", first used at line 18
46	public/css/admin.css:199	css:S4666	Code smell MAJOR	Duplicate selector ".cside a", first used at line 19
47	public/css/admin.css:200	css:S4666	Code smell MAJOR	Duplicate selector ".cside a i", first used at line 22
48	public/css/admin.css:201	css:S4666	Code smell MAJOR	Duplicate selector ".cside a:hover", first used at line 20
49	public/css/admin.css:201	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
50	public/css/admin.css:202	css:S4666	Code smell MAJOR	Duplicate selector ".cside a.act", first used at line 21
51	public/css/admin.css:206	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
52	public/css/admin.css:207	css:S4666	Code smell MAJOR	Duplicate selector ".cmain", first used at line 24
53	public/css/admin.css:208	css:S4666	Code smell MAJOR	Duplicate selector ".ctop", first used at line 25
54	public/css/admin.css:209	css:S4666	Code smell MAJOR	Duplicate selector ".ctop h2", first used at line 26
55	public/css/admin.css:210	css:S4666	Code smell MAJOR	Duplicate selector ".ctop .me", first used at line 27
56	public/css/admin.css:211	css:S4666	Code smell MAJOR	Duplicate selector ".ctop .av", first used at line 28
57	public/css/admin.css:212	css:S4666	Code smell MAJOR	Duplicate selector ".cbody", first used at line 29
58	public/css/admin.css:213	css:S4666	Code smell MAJOR	Duplicate selector ".cfoot", first used at line 30

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
59	public/css/admin.css:213	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
60	public/css/admin.css:214	css:S4666	Code smell MAJOR	Duplicate selector ".cfoot a:hover", first used at line 32
61	public/css/admin.css:214	css:S4666	Code smell MAJOR	Duplicate selector ".cfoot a", first used at line 31
62	public/css/admin.css:215	css:S4666	Code smell MAJOR	Duplicate selector ".stat", first used at line 36
63	public/css/admin.css:215	css:S4666	Code smell MAJOR	Duplicate selector ".stats", first used at line 35
64	public/css/admin.css:216	css:S4666	Code smell MAJOR	Duplicate selector ".stat .l", first used at line 43
65	public/css/admin.css:216	css:S4666	Code smell MAJOR	Duplicate selector ".stat .ic", first used at line 37
66	public/css/admin.css:216	css:S4666	Code smell MAJOR	Duplicate selector ".stat .n", first used at line 38
67	public/css/admin.css:217	css:S4666	Code smell MAJOR	Duplicate selector ".panel", first used at line 44
68	public/css/admin.css:218	css:S4666	Code smell MAJOR	Duplicate selector ".panel .ph2 h3", first used at line 46
69	public/css/admin.css:218	css:S4666	Code smell MAJOR	Duplicate selector ".panel .ph2", first used at line 45
70	public/css/admin.css:219	css:S4666	Code smell MAJOR	Duplicate selector ".panel .pb", first used at line 47
71	public/css/admin.css:220	css:S4666	Code smell MAJOR	Duplicate selector ".tbl th", first used at line 50
72	public/css/admin.css:220	css:S4666	Code smell MAJOR	Duplicate selector ".tbl td", first used at line 51
73	public/css/admin.css:220	css:S4666	Code smell MAJOR	Duplicate selector ".tbl", first used at line 49
74	public/css/admin.css:220	css:S4666	Code smell MAJOR	Duplicate selector ".thumb", first used at line 53
75	public/css/admin.css:220	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
76	public/css/admin.css:220	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
77	public/css/admin.css:221	css:S4666	Code smell MAJOR	Duplicate selector ".btn", first used at line 57
78	public/css/admin.css:221	css:S4666	Code smell MAJOR	Duplicate selector ".btn.ln", first used at line 60
79	public/css/admin.css:221	css:S4666	Code smell MAJOR	Duplicate selector ".btn.am", first used at line 59
80	public/css/admin.css:221	css:S4666	Code smell MAJOR	Duplicate selector ".btn.nv", first used at line 58
81	public/css/admin.css:222	css:S4666	Code smell MAJOR	Duplicate selector ".mini", first used at line 61
82	public/css/admin.css:223	css:S4666	Code smell MAJOR	Duplicate selector ".tag", first used at line 66
83	public/css/admin.css:224	css:S4666	Code smell MAJOR	Duplicate selector ".fld .hint", first used at line 82
84	public/css/admin.css:224	css:S4666	Code smell MAJOR	Duplicate selector ".fgrid", first used at line 78
85	public/css/admin.css:224	css:S4666	Code smell MAJOR	Duplicate selector ".fld input,.fld select,.fld textarea", first used at line 80
86	public/css/admin.css:224	css:S4666	Code smell MAJOR	Duplicate selector ".fld textarea", first used at line 81
87	public/css/admin.css:224	css:S4666	Code smell MAJOR	Duplicate selector ".fld label", first used at line 79
88	public/css/admin.css:225	css:S4666	Code smell MAJOR	Duplicate selector ".fsection.desc", first used at line 149
89	public/css/admin.css:225	css:S4666	Code smell MAJOR	Duplicate selector ".fsection h4", first used at line 145
90	public/css/admin.css:225	css:S4666	Code smell MAJOR	Duplicate selector ".fsection.img", first used at line 151
91	public/css/admin.css:225	css:S4666	Code smell MAJOR	Duplicate selector ".fsection", first used at line 144
92	public/css/admin.css:225	css:S4666	Code smell MAJOR	Duplicate selector ".fsection.price", first used at line 147
93	public/css/admin.css:227	css:S4666	Code smell MAJOR	Duplicate selector ".imgguide", first used at line 155
94	public/css/admin.css:228	css:S4666	Code smell MAJOR	Duplicate selector ".auth", first used at line 90

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
95	public/css/admin.css:229	css:S4666	Code smell MAJOR	Duplicate selector ".acard", first used at line 91
96	public/css/admin.css:230	css:S4666	Code smell MAJOR	Duplicate selector ".acard .mk", first used at line 93
97	public/css/admin.css:230	css:S4666	Code smell MAJOR	Duplicate selector ".acard h2", first used at line 94
98	public/css/admin.css:230	css:S4666	Code smell MAJOR	Duplicate selector ".acard .btn", first used at line 97
99	public/css/admin.css:231	css:S4666	Code smell MAJOR	Duplicate selector ".auth2 .fcard h2", first used at line 135
100	public/css/admin.css:231	css:S4666	Code smell MAJOR	Duplicate selector ".auth2 .side", first used at line 125
101	public/css/admin.css:231	css:S4666	Code smell MAJOR	Duplicate selector ".auth2 .btn", first used at line 139
102	public/css/admin.css:231	css:S4666	Code smell MAJOR	Duplicate selector ".auth2 .side .mk2", first used at line 128
103	public/css/admin.css:231	css:S4666	Code smell MAJOR	Duplicate selector ".auth2 .form", first used at line 133
104	public/css/admin.css:232	css:S4666	Code smell MAJOR	Duplicate selector ".dash-welcome", first used at line 178
105	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-panel-heading", first used at line 183
106	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-kpi", first used at line 182
107	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-action-list>a", first used at line 184
108	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-tip-card,.dash-site-card", first used at line 184
109	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-news-table thead th", first used at line 183
110	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-kpi:hover", first used at line 182
111	public/css/admin.css:233	css:S4666	Code smell MAJOR	Duplicate selector ".dash-panel", first used at line 183
112	public/css/admin.css:234	css:S4666	Code smell MAJOR	Duplicate selector ":focus-visible", first used at line 12

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
113	public/css/site.css:73	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
114	public/css/site.css:107	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
115	public/css/site.css:144	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
116	public/css/site.css:253	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
117	public/css/site.css:410	css:S4666	Code smell MAJOR	Duplicate selector ".g4", first used at line 96
118	public/css/site.css:411	css:S4666	Code smell MAJOR	Duplicate selector ".card", first used at line 97
119	public/css/site.css:414	css:S4666	Code smell MAJOR	Duplicate selector ".card h3", first used at line 100
120	public/css/site.css:415	css:S4666	Code smell MAJOR	Duplicate selector ".card p", first used at line 101
121	public/css/site.css:418	css:S4666	Code smell MAJOR	Duplicate selector ".gal-thumbs", first used at line 244
122	public/css/site.css:431	css:S4666	Code smell MAJOR	Duplicate selector ".gal-thumbs .ph.prod", first used at line 419
123	public/css/site.css:432	css:S4666	Code smell MAJOR	Duplicate selector ".gal-thumbs .ph.prod img", first used at line 420
124	public/css/site.css:454	css:S4666	Code smell MAJOR	Duplicate selector ".product-photo-img", first used at line 428
125	public/css/site.css:458	css:S4666	Code smell MAJOR	Duplicate selector ".gal-main.ph.prod", first used at line 416
126	public/css/site.css:458	css:S4666	Code smell MAJOR	Duplicate selector ".gal-main.ph.prod img", first used at line 417
127	public/css/site.css:459	css:S4666	Code smell MAJOR	Duplicate selector ".gal-thumbs .ph.prod", first used at line 419
128	public/css/site.css:459	css:S4666	Code smell MAJOR	Duplicate selector ".gal-thumbs", first used at line 244
129	public/css/site.css:511	css:S4666	Code smell MAJOR	Duplicate selector ".why-row-reverse .why-copy", first used at line 492
130	public/css/site.css:520	css:S4666	Code smell MAJOR	Duplicate selector ":root", first used at line 3

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
131	public/css/site.css:521	css:S4666	Code smell MAJOR	Duplicate selector "::selection", first used at line 28
132	public/css/site.css:521	css:S4666	Code smell MAJOR	Duplicate selector "body", first used at line 21
133	public/css/site.css:521	css:S4666	Code smell MAJOR	Duplicate selector "html", first used at line 20
134	public/css/site.css:522	css:S4666	Code smell MAJOR	Duplicate selector ".sec.alt", first used at line 87
135	public/css/site.css:522	css:S4666	Code smell MAJOR	Duplicate selector ".shead", first used at line 88
136	public/css/site.css:522	css:S4666	Code smell MAJOR	Duplicate selector ".shead h2", first used at line 91
137	public/css/site.css:522	css:S4666	Code smell MAJOR	Duplicate selector ".sec", first used at line 86
138	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-stats .s", first used at line 310
139	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-orb", first used at line 317
140	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-visual", first used at line 316
141	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-badge", first used at line 302
142	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-ico", first used at line 319
143	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hero-v4", first used at line 300
144	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-grid h1", first used at line 305
145	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-grid h1 em", first used at line 306
146	public/css/site.css:523	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-card", first used at line 322
147	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".svc-block:hover", first used at line 333
148	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".card", first used at line 97

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
149	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".card:hover", first used at line 98
150	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".svc-block", first used at line 332
151	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".tag", first used at line 80
152	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".card .bd", first used at line 99
153	public/css/site.css:524	css:S4666	Code smell MAJOR	Duplicate selector ".card .ph", first used at line 114
154	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-points li", first used at line 514
155	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-showcase-head", first used at line 487
156	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".stat-colors .c", first used at line 361
157	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-row", first used at line 489
158	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-visual", first used at line 493
159	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-copy h3", first used at line 513
160	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-showcase-head .why-intro", first used at line 488
161	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-service", first used at line 507
162	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".pnote", first used at line 211
163	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-showcase", first used at line 486
164	public/css/site.css:525	css:S4666	Code smell MAJOR	Duplicate selector ".why-products", first used at line 502
165	public/css/site.css:526	css:S4666	Code smell MAJOR	Duplicate selector "img", first used at line 24
166	public/css/site.css:526	css:S4666	Code smell MAJOR	Duplicate selector ":focus-visible", first used at line 27

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
167	public/css/site.css:532	css:S4666	Code smell MAJOR	Duplicate selector ".hero-v4", first used at line 300
168	public/css/site.css:533	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-grid h1", first used at line 305
169	public/css/site.css:534	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-grid h1 em", first used at line 306
170	public/css/site.css:535	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-grid p", first used at line 307
171	public/css/site.css:536	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-badge", first used at line 302
172	public/css/site.css:537	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-badge .dot", first used at line 303
173	public/css/site.css:540	css:S4666	Code smell MAJOR	Duplicate selector ".hv4-stats .s", first used at line 310
174	public/css/site.css:553	css:S4666	Code smell MAJOR	Duplicate selector ".product-photo", first used at line 427
175	public/css/site.css:554	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
176	public/css/site.css:559	css:S4666	Code smell MAJOR	Duplicate selector ".product-card-new .bd", first used at line 446
177	public/css/site.css:561	css:S4666	Code smell MAJOR	Duplicate selector ".product-model", first used at line 449
178	public/css/site.css:562	css:S4666	Code smell MAJOR	Duplicate selector ".product-spec-line", first used at line 450
179	public/css/site.css:563	css:S4666	Code smell MAJOR	Duplicate selector ".brand-block", first used at line 440
180	public/css/site.css:564	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading", first used at line 441
181	public/css/site.css:565	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading-main", first used at line 442
182	public/css/site.css:566	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading-main>span:last-child", first used at line 442
183	public/css/site.css:567	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading>a", first used at line 443
184	public/css/site.css:569	css:S4666	Code smell MAJOR	Duplicate selector ".catalog-intro>div", first used at line 437

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
185	public/css/site.css:570	css:S4666	Code smell MAJOR	Duplicate selector ".srch", first used at line 126
186	public/css/site.css:571	css:S4666	Code smell MAJOR	Duplicate selector ".brand-filter", first used at line 435
187	public/css/site.css:595	css:S4666	Code smell MAJOR	Duplicate selector ":root", first used at line 3
188	public/css/site.css:600	css:S4666	Code smell MAJOR	Duplicate selector "body", first used at line 21
189	public/css/site.css:601	css:S4666	Code smell MAJOR	Duplicate selector ".sh", first used at line 38
190	public/css/site.css:602	css:S4666	Code smell MAJOR	Duplicate selector ".sh .lg", first used at line 39
191	public/css/site.css:603	css:S4666	Code smell MAJOR	Duplicate selector ".sh .lg em", first used at line 40
192	public/css/site.css:605	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav", first used at line 41
193	public/css/site.css:606	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav a", first used at line 42
194	public/css/site.css:607	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav a:hover", first used at line 43
195	public/css/site.css:608	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav a.act", first used at line 44
196	public/css/site.css:609	css:S4666	Code smell MAJOR	Duplicate selector ".sh .tel", first used at line 45
197	public/css/site.css:611	css:S4666	Code smell MAJOR	Duplicate selector ".sh .tel iconify-icon", first used at line 46
198	public/css/site.css:612	css:S4666	Code smell MAJOR	Duplicate selector ".sec", first used at line 86
199	public/css/site.css:613	css:S4666	Code smell MAJOR	Duplicate selector ".sec.alt", first used at line 87
200	public/css/site.css:614	css:S4666	Code smell MAJOR	Duplicate selector ".shead", first used at line 88
201	public/css/site.css:615	css:S4666	Code smell MAJOR	Duplicate selector ".shead .kick", first used at line 90
202	public/css/site.css:616	css:S4666	Code smell MAJOR	Duplicate selector ".shead h2", first used at line 91

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
203	public/css/site.css:617	css:S4666	Code smell MAJOR	Duplicate selector ".shead> a", first used at line 522
204	public/css/site.css:618	css:S4666	Code smell MAJOR	Duplicate selector ".btn", first used at line 69
205	public/css/site.css:619	css:S4666	Code smell MAJOR	Duplicate selector ".btn.am", first used at line 71
206	public/css/site.css:620	css:S4666	Code smell MAJOR	Duplicate selector ".btn.am:hover", first used at line 72
207	public/css/site.css:621	css:S4666	Code smell MAJOR	Duplicate selector ".btn.nv", first used at line 75
208	public/css/site.css:622	css:S4666	Code smell MAJOR	Duplicate selector ".btn.nv:hover", first used at line 76
209	public/css/site.css:623	css:S4666	Code smell MAJOR	Duplicate selector ".btn.ln", first used at line 77
210	public/css/site.css:624	css:S4666	Code smell MAJOR	Duplicate selector ".card", first used at line 97
211	public/css/site.css:625	css:S4666	Code smell MAJOR	Duplicate selector ".card:hover", first used at line 98
212	public/css/site.css:626	css:S4666	Code smell MAJOR	Duplicate selector ".card .bd", first used at line 99
213	public/css/site.css:627	css:S4666	Code smell MAJOR	Duplicate selector ".card h3", first used at line 100
214	public/css/site.css:628	css:S4666	Code smell MAJOR	Duplicate selector ".card p", first used at line 101
215	public/css/site.css:629	css:S4666	Code smell MAJOR	Duplicate selector ".card .price-row", first used at line 102
216	public/css/site.css:630	css:S4666	Code smell MAJOR	Duplicate selector ".card .price", first used at line 103
217	public/css/site.css:631	css:S4666	Code smell MAJOR	Duplicate selector ".ph", first used at line 107
218	public/css/site.css:631	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
219	public/css/site.css:632	css:S4666	Code smell MAJOR	Duplicate selector ".card .ph", first used at line 114
220	public/css/site.css:633	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero", first used at line 373

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
221	public/css/site.css:634	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero::before", first used at line 374
222	public/css/site.css:636	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero .crumb2", first used at line 375
223	public/css/site.css:637	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero .crumb2 a", first used at line 376
224	public/css/site.css:638	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero .eyebrow-dot", first used at line 380
225	public/css/site.css:639	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero .eyebrow-dot::before", first used at line 381
226	public/css/site.css:640	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero h1", first used at line 378
227	public/css/site.css:641	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero p", first used at line 379
228	public/css/site.css:642	css:S4666	Code smell MAJOR	Duplicate selector ".balanced-hero", first used at line 470
229	public/css/site.css:643	css:S4666	Code smell MAJOR	Duplicate selector ".balanced-hero .balanced-hero-inner", first used at line 471
230	public/css/site.css:644	css:S4666	Code smell MAJOR	Duplicate selector ".balanced-hero h1", first used at line 474
231	public/css/site.css:645	css:S4666	Code smell MAJOR	Duplicate selector ".srch", first used at line 126
232	public/css/site.css:646	css:S4666	Code smell MAJOR	Duplicate selector ".srch .inpw", first used at line 127
233	public/css/site.css:647	css:S4666	Code smell MAJOR	Duplicate selector ".srch input", first used at line 129
234	public/css/site.css:648	css:S4666	Code smell MAJOR	Duplicate selector ".srch input:focus", first used at line 130
235	public/css/site.css:649	css:S4666	Code smell MAJOR	Duplicate selector ".brand-filter", first used at line 435
236	public/css/site.css:650	css:S4666	Code smell MAJOR	Duplicate selector ".chip", first used at line 132
237	public/css/site.css:651	css:S4666	Code smell MAJOR	Duplicate selector ".chip:hover", first used at line 133
238	public/css/site.css:652	css:S4666	Code smell MAJOR	Duplicate selector ".chip.on", first used at line 134

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
239	public/css/site.css:653	css:S4666	Code smell MAJOR	Duplicate selector ".catalog-intro", first used at line 436
240	public/css/site.css:654	css:S4666	Code smell MAJOR	Duplicate selector ".catalog-intro>div", first used at line 437
241	public/css/site.css:655	css:S4666	Code smell MAJOR	Duplicate selector ".catalog-intro strong", first used at line 438
242	public/css/site.css:656	css:S4666	Code smell MAJOR	Duplicate selector ".catalog-intro span", first used at line 439
243	public/css/site.css:657	css:S4666	Code smell MAJOR	Duplicate selector ".brand-block", first used at line 440
244	public/css/site.css:658	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading", first used at line 441
245	public/css/site.css:659	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading-main", first used at line 442
246	public/css/site.css:660	css:S4666	Code smell MAJOR	Duplicate selector ".brand-logo-text", first used at line 444
247	public/css/site.css:661	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading-main>span:last-child", first used at line 442
248	public/css/site.css:662	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading>a", first used at line 443
249	public/css/site.css:663	css:S4666	Code smell MAJOR	Duplicate selector ".brand-heading>a:hover", first used at line 568
250	public/css/site.css:668	css:S4666	Code smell MAJOR	Duplicate selector ".product-card-new .bd", first used at line 446
251	public/css/site.css:669	css:S4666	Code smell MAJOR	Duplicate selector ".product-brand-line", first used at line 446
252	public/css/site.css:670	css:S4666	Code smell MAJOR	Duplicate selector ".brand-mini", first used at line 447
253	public/css/site.css:671	css:S4666	Code smell MAJOR	Duplicate selector ".product-type", first used at line 448
254	public/css/site.css:672	css:S4666	Code smell MAJOR	Duplicate selector ".product-card-new .bd h3", first used at line 560
255	public/css/site.css:673	css:S4666	Code smell MAJOR	Duplicate selector ".product-model", first used at line 449
256	public/css/site.css:674	css:S4666	Code smell MAJOR	Duplicate selector ".product-spec-line", first used at line 450

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
257	public/css/site.css:675	css:S4666	Code smell MAJOR	Duplicate selector ".product-spec-line strong", first used at line 450
258	public/css/site.css:676	css:S4666	Code smell MAJOR	Duplicate selector ".product-spec-line span", first used at line 450
259	public/css/site.css:679	css:S4666	Code smell MAJOR	Duplicate selector ".detail-link", first used at line 451
260	public/css/site.css:680	css:S4666	Code smell MAJOR	Duplicate selector ".product-photo .photo-loading", first used at line 554
261	public/css/site.css:680	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
262	public/css/site.css:681	css:S4666	Code smell MAJOR	Duplicate selector ".product-photo .photo-loading iconify-icon", first used at line 555
263	public/css/site.css:682	css:S4666	Code smell MAJOR	Duplicate selector ".product-photo-unavailable .photo-loading", first used at line 557
264	public/css/site.css:683	css:S4666	Code smell MAJOR	Duplicate selector ".buy-guide", first used at line 455
265	public/css/site.css:684	css:S4666	Code smell MAJOR	Duplicate selector ".buy-guide h2", first used at line 456
266	public/css/site.css:685	css:S4666	Code smell MAJOR	Duplicate selector ".buy-guide p", first used at line 456
267	public/css/site.css:686	css:S4666	Code smell MAJOR	Duplicate selector ".guide-grid", first used at line 456
268	public/css/site.css:687	css:S4666	Code smell MAJOR	Duplicate selector ".guide-grid>div", first used at line 456
269	public/css/site.css:688	css:S4666	Code smell MAJOR	Duplicate selector ".guide-grid b", first used at line 456
270	public/css/site.css:689	css:S4666	Code smell MAJOR	Duplicate selector ".guide-grid span", first used at line 456
271	public/css/site.css:690	css:S4666	Code smell MAJOR	Duplicate selector ".foot", first used at line 172
272	public/css/site.css:691	css:S4666	Code smell MAJOR	Duplicate selector ".foot .cols", first used at line 173
273	public/css/site.css:692	css:S4666	Code smell MAJOR	Duplicate selector ".foot h4", first used at line 174

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
274	public/css/site.css:693	css:S4666	Code smell MAJOR	Duplicate selector ".foot a", first used at line 175
275	public/css/site.css:694	css:S4666	Code smell MAJOR	Duplicate selector ".foot a:hover", first used at line 176
276	public/css/site.css:695	css:S4666	Code smell MAJOR	Duplicate selector ".foot .cp", first used at line 178
277	public/css/site.css:1182	css:S4666	Code smell MAJOR	Duplicate selector ":root", first used at line 3
278	public/css/site.css:1193	css:S4666	Code smell MAJOR	Duplicate selector "body", first used at line 21
279	public/css/site.css:1194	css:S4666	Code smell MAJOR	Duplicate selector "h1,h2,h3,h4,.dsp", first used at line 22
280	public/css/site.css:1195	css:S4666	Code smell MAJOR	Duplicate selector "::selection", first used at line 28
281	public/css/site.css:1196	css:S4666	Code smell MAJOR	Duplicate selector ":focus-visible", first used at line 27
282	public/css/site.css:1198	css:S4666	Code smell MAJOR	Duplicate selector ".sh", first used at line 38
283	public/css/site.css:1199	css:S4666	Code smell MAJOR	Duplicate selector ".sh .lg", first used at line 39
284	public/css/site.css:1200	css:S4666	Code smell MAJOR	Duplicate selector ".sh .lg .company-brand-name", first used at line 1161
285	public/css/site.css:1201	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav a", first used at line 42
286	public/css/site.css:1202	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav a:hover", first used at line 43
287	public/css/site.css:1203	css:S4666	Code smell MAJOR	Duplicate selector ".sh nav a.act", first used at line 44
288	public/css/site.css:1205	css:S4666	Code smell MAJOR	Duplicate selector ".sh .tel", first used at line 45
289	public/css/site.css:1206	css:S4666	Code smell MAJOR	Duplicate selector ".sh .tel:hover", first used at line 610
290	public/css/site.css:1207	css:S4666	Code smell MAJOR	Duplicate selector ".burger", first used at line 47
291	public/css/site.css:1210	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero::before", first used at line 374

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
292	public/css/site.css:1212	css:S4666	Code smell MAJOR	Duplicate selector ".page-hero .eyebrow-dot", first used at line 380
293	public/css/site.css:1213	css:S4666	Code smell MAJOR	Duplicate selector ".hero-v4", first used at line 300
294	public/css/site.css:1216	css:S4666	Code smell MAJOR	Duplicate selector ".hero-carousel", first used at line 50
295	public/css/site.css:1217	css:S4666	Code smell MAJOR	Duplicate selector ".hero-carousel .slide-tint", first used at line 53
296	public/css/site.css:1218	css:S4666	Code smell MAJOR	Duplicate selector ".hero-carousel .kick", first used at line 55
297	public/css/site.css:1219	css:S4666	Code smell MAJOR	Duplicate selector ".hero-carousel p", first used at line 57
298	public/css/site.css:1220	css:S4666	Code smell MAJOR	Duplicate selector ".foot", first used at line 172
299	public/css/site.css:1221	css:S4666	Code smell MAJOR	Duplicate selector ".foot h4", first used at line 174
300	public/css/site.css:1222	css:S4666	Code smell MAJOR	Duplicate selector ".foot a", first used at line 175
301	public/css/site.css:1223	css:S4666	Code smell MAJOR	Duplicate selector ".foot a:hover", first used at line 176
302	public/css/site.css:1228	css:S4666	Code smell MAJOR	Duplicate selector ".ctc h3 iconify-icon", first used at line 183
303	public/css/site.css:1229	css:S4666	Code smell MAJOR	Duplicate selector ".svc-block.c1", first used at line 338
304	public/css/site.css:1230	css:S4666	Code smell MAJOR	Duplicate selector ".svc-block.c2", first used at line 339
305	public/css/site.css:1231	css:S4666	Code smell MAJOR	Duplicate selector ".svc-block.c3", first used at line 340
306	public/css/site.css:1232	css:S4666	Code smell MAJOR	Duplicate selector ".svc-block.c4", first used at line 341
307	public/css/site.css:1234	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
308	public/css/site.css:1236	css:S4666	Code smell MAJOR	Duplicate selector ".btn.am", first used at line 71
309	public/css/site.css:1236	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
310	public/css/site.css:1237	css:S4666	Code smell MAJOR	Duplicate selector ".btn.am:hover", first used at line 72
311	public/css/site.css:1238	css:S4666	Code smell MAJOR	Duplicate selector ".btn.ln", first used at line 77
312	public/css/site.css:1239	css:S4666	Code smell MAJOR	Duplicate selector ".btn.ln:hover", first used at line 78
313	public/css/site.css:1241	css:S4666	Code smell MAJOR	Duplicate selector ".tag.bl", first used at line 81
314	public/css/site.css:1242	css:S4666	Code smell MAJOR	Duplicate selector ".shead .kick", first used at line 90
315	public/css/site.css:1274	css:S4666	Code smell MAJOR	Duplicate selector ".why-photo-showcase .why-copy, .why-photo-showcase .why-row-reverse .why-copy", first used at line 973
316	public/css/site.css:1282	css:S4666	Code smell MAJOR	Duplicate selector ".why-photo-showcase .why-photo-frame img", first used at line 940
317	public/css/site.css:1283	css:S4666	Code smell MAJOR	Duplicate selector ".why-photo-showcase .why-product-photo img", first used at line 954
318	public/css/site.css:1287	css:S4666	Code smell MAJOR	Duplicate selector ".why-photo-showcase .why-points li", first used at line 978
319	public/css/site.css:1288	css:S4666	Code smell MAJOR	Duplicate selector ".why-photo-showcase .why-photo-label", first used at line 959
320	public/css/site.css:1392	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
321	public/css/site.css:1435	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit", first used at line 1391
322	public/css/site.css:1440	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-slope-edge", first used at line 1375
323	public/css/site.css:1441	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-eyebrow", first used at line 1378
324	public/css/site.css:1442	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-button", first used at line 1385
325	public/css/site.css:1452	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero", first used at line 1372
326	public/css/site.css:1454	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-photo", first used at line 1373

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
327	public/css/site.css:1455	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-slope", first used at line 1374
328	public/css/site.css:1456	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-slope-edge", first used at line 1375
329	public/css/site.css:1457	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-inner", first used at line 1376
330	public/css/site.css:1458	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-copy", first used at line 1377
331	public/css/site.css:1459	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero h1", first used at line 1380
332	public/css/site.css:1460	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-button-primary", first used at line 1388
333	public/css/site.css:1461	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-button-secondary", first used at line 1389
334	public/css/site.css:1462	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-button:hover", first used at line 1386
335	public/css/site.css:1464	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefits", first used at line 1390
336	public/css/site.css:1465	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit", first used at line 1391
337	public/css/site.css:1467	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit span", first used at line 1392
338	public/css/site.css:1468	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit iconify-icon", first used at line 1393
339	public/css/site.css:1469	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit b", first used at line 1394
340	public/css/site.css:1470	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit small", first used at line 1395
341	public/css/site.css:1471	css:S4666	Code smell MAJOR	Duplicate selector "body.ys-hero-live .ys-hero-benefit:hover", first used at line 1439
342	public/css/ys-fullsite.css:6	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.
343	public/css/ys-reference.css:7	css:S7924	Code smell MAJOR	Text does not meet the minimal contrast requirement with its background.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
344	public/js/admin-banana-products.js:1	javascript:S3776	Code smell CRITICAL	Refactor this function to reduce its Cognitive Complexity from 19 to the 15 allowed.
345	public/js/admin-banana-products.js:6	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
346	public/js/admin-banana-products.js:12	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
347	public/js/admin-banana-products.js:16	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
348	public/js/admin-image-crop-v2.js:15	javascript:S7768	Code smell MAJOR	Prefer `input.after(btn)` over `input.insertAdjacentElement('afterend', btn)`.
349	public/js/admin-image-crop-v2.js:38	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
350	public/js/admin-image-crop-v2.js:44	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
351	public/js/admin-image-crop-v2.js:45	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
352	public/js/admin-image-crop-v2.js:82	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
353	public/js/admin-image-crop-v2.js:101	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
354	public/js/admin-image-crop-v2.js:110	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
355	public/js/admin-image-crop-v2.js:110	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
356	public/js/admin-image-crop-v2.js:144	javascript:S7768	Code smell MAJOR	Prefer `main.after(savedButton)` over `main.insertAdjacentElement('afterend', savedButton)`.
357	public/js/admin-image-crop-v2.js:150	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
358	public/js/admin-image-crop-v2.js:152	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
359	`public/js/admin-image-crop-v2.js:154`	`javascript:S7723`	Code smell MINOR	Use `new Error()` instead of `Error()`.
360	`public/js/admin.js:37`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
361	`public/js/admin.js:43`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
362	`public/js/admin.js:46`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
363	`public/js/main.js:7`	`javascript:S6582`	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
364	`public/js/main.js:8`	`javascript:S6582`	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
365	`public/js/main.js:38`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
366	`public/js/main.js:39`	`javascript:S1121`	Code smell MAJOR	Extract the assignment of "groups[g]" from this expression.
367	`public/js/main.js:63`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
368	`public/js/main.js:128`	`javascript:S6582`	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
369	`public/js/main.js:146`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
370	`public/js/main.js:153`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
371	`public/js/main.js:176`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `setAttribute(...)`.
372	`public/js/main.js:188`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `setAttribute(...)`.
373	`public/js/main.js:189`	`javascript:S7761`	Code smell MAJOR	Prefer `.dataset` over `setAttribute(...)`.
374	`public/js/main.js:202`	`javascript:S6582`	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
375	public/js/main.js:232	javascript:S7761	Code smell MAJOR	Prefer `.dataset` over `getAttribute(...)`.
376	routes/admin.js:4	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.
377	routes/admin.js:5	javascript:S7772	Code smell MINOR	Prefer `node:crypto` over `crypto`.
378	routes/admin.js:15	javascript:S7772	Code smell MINOR	Prefer `node:fs` over `fs`.
379	routes/admin.js:42	javascript:S5693	Vulnerability MAJOR	Make sure the content length limit is safe here.
380	routes/admin.js:78	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
381	routes/admin.js:103	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
382	routes/admin.js:294	javascript:S3776	Code smell CRITICAL	Refactor this function to reduce its Cognitive Complexity from 16 to the 15 allowed.
383	routes/admin.js:318	javascript:S7776	Code smell MINOR	`homepageFields` should be a `Set`, and use `homepageFields.has()` to check existence or non-existence.
384	routes/admin.js:360	javascript:S3776	Code smell CRITICAL	Refactor this function to reduce its Cognitive Complexity from 27 to the 15 allowed.
385	routes/admin.js:447	javascript:S3358	Code smell MAJOR	Extract this nested ternary operation into an independent statement.
386	routes/admin.js:490	javascript:S3776	Code smell CRITICAL	Refactor this function to reduce its Cognitive Complexity from 33 to the 15 allowed.
387	routes/admin.js:497	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
388	routes/admin.js:499	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
389	routes/admin.js:502	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.
390	routes/admin.js:503	javascript:S7723	Code smell MINOR	Use `new Error()` instead of `Error()`.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
391	routes/admin.js:511	javascript:S2681	Code smell MAJOR	This statement will not be executed in a loop; only the first statement will be. The rest will execute only once.
392	routes/admin.js:511	javascript:S2681	Code smell MAJOR	This statement will not be executed conditionally; only the first statement will be. The rest will execute unconditionally.
393	routes/admin.js:530	javascript:S3776	Code smell CRITICAL	Refactor this function to reduce its Cognitive Complexity from 20 to the 15 allowed.
394	routes/admin.js:537	javascript:S3358	Code smell MAJOR	Extract this nested ternary operation into an independent statement.
395	routes/site.js:18	javascript:S6582	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
396	scripts/audit.js:1	javascript:S7772	Code smell MINOR	Prefer `node:fs` over `fs`.
397	scripts/audit.js:2	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.
398	scripts/audit.js:3	javascript:S7772	Code smell MINOR	Prefer `node:child_process` over `child_process`.
399	scripts/audit.js:24	javascript:S1523	Vulnerability CRITICAL	Make sure that this dynamic injection or execution of code is safe.
400	scripts/audit.js:24	javascript:S7772	Code smell MINOR	Prefer `node:vm` over `vm`.
401	scripts/audit.js:137	javascript:S6535	Code smell MAJOR	Unnecessary escape character: \".
402	scripts/audit.js:140	javascript:S7780	Code smell MINOR	`String.raw` should be used to avoid escaping `\`.
403	server.js:9	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.
404	server.js:15	javascript:S5689	Vulnerability MINOR	This framework implicitly discloses version information by default. Make sure it is safe here.
405	utils/product-images.js:1	javascript:S7772	Code smell MINOR	Prefer `node:fs` over `fs`.
406	utils/product-images.js:2	javascript:S7772	Code smell MINOR	Prefer `node:path` over `path`.

#	ไฟล์:บรรทัด	rule	ประเภท / ความรุนแรง	ข้อความ
407	`utils/product-images.js:3`	`javascript:S7772`	Code smell MINOR	Prefer `node:crypto` over `crypto`.
408	`utils/product-images.js:23`	`javascript:S6582`	Code smell MINOR	Prefer using an optional chain expression instead, as it's more concise and easier to read.
409	`utils/product-images.js:91`	`javascript:S4790`	Vulnerability CRITICAL	Make sure this weak hash algorithm is not used in a sensitive context here.