# **DiceGame**

## Stage 1

### 要求:

- 一个玩家,掷骰子两次,和为7则获胜,否则失败。
- 要求控制台介绍游戏规则,并提示操作方式,如Please input your command('s' to start, 'r' to roll the dice, 'q' to quit)。
- 要求打印每次操作后的提示、每次掷骰子的结果,和玩家的胜负

## 运行结果:

- 输入 s, 开始游戏,打印: Let's start playing games!
- 输入 r, 扔骰子。扔一次打印点数, 扔两次打印点数和输赢结果。
- 输入q, 直接结束游戏, 打印: BYE-BYE!

```
Let's start playing games!

Please input your command('s' to start, 'r' to roll the dice, 'q' to quit)

S
Let's start playing games!

Please input your command('s' to start, 'r' to roll the dice, 'q' to quit)

r
Dice is rolling...

The first dice rolling result is 4

Please input your command('s' to start, 'r' to roll the dice, 'q' to quit)

r
Dice is rolling...

The second dice rolling result is 4

The final result is 8

Sorry, you have lost this game this time. Why not again?

Please input your command('s' to start, 'r' to roll the dice, 'q' to quit)
```

```
Please input your command('s' to start, 'r' to roll the dice ,'q' to quit)

r
Dice is rolling...

The first dice rolling result is 5

Please input your command('s' to start, 'r' to roll the dice ,'q' to quit)

r
Dice is rolling...

The second dice rolling result is 2

The final result is 7

Congratulations!!! You have WON this game!

Please input your command('s' to start, 'r' to roll the dice ,'q' to quit)
```

```
Please input your command('s' to start, 'r' to roll the dice ,'q' to quit)
q
BYE-BYE!

C:\Users\64451\Desktop\00TPJ\DiceGame\Debug\DiceGame.exe(进程 38704)已退出,代码为 0。
要在调试停止时自动关闭控制台,请启用"工具"->"选项"->"调试"->"调试停止时自动关闭控制台"。
按任意键关闭此窗口. . .
```

## 构造设计

• 类

#### CDiceGame

- members:
  - 1. a list of players
- methods:
  - 1. startGame

#### • Player

- members:
  - 1. dices: player may have dices
  - 2. isFinished, isWon: indicating game results
  - 3. m\_turn\_round: current No. of turns
  - 4. m\_curCommand: current command
- methods:
  - 1. playGame: public interface

#### Dice

- members:
  - 1. upVal: the number facing upwards
- methods:

- 1. rollDice
- 2. showVal