

Your Sleep Blueprint

Personalized strategies backed by science

Dr. Martin Kawalski, MD, PhD

1. Assess

Chronotype Quiz

2. Identify

Your Type

3. Optimize

Targeted Protocols

4. Track

Measure Progress

1 What's Your Chronotype?

5-MIN ASSESSMENT

Q1

If free to plan your day, when would you wake up?

- A Before 6:30 AM - can't sleep in
- B 6:30 - 7:30 AM - naturally
- C 8:00 - 9:30 AM - prefer late
- D After 9:30 AM - true night owl

Q2

When do you feel sharpest for mental work?

- A Early morning (6 - 9 AM)
- B Mid-morning (9 AM - 12 PM)
- C Afternoon to evening (2 - 8 PM)
- D Late night (after 9 PM)

Q3

How do you feel 30 minutes after waking?

- A Wide awake, ready to go
- B Alert after a few minutes
- C Groggy, need 30+ min
- D Foggy, sleep was light/broken

Q4

If you had to do intense exercise, when?

- A 6 - 8 AM
- B 8 - 11 AM or 3 - 5 PM
- C 5 - 8 PM
- D Whenever - hard to schedule

Q5

How would you describe your sleep quality?

- A Fall asleep fast, wake early
- B Generally good, normal
- C Hard to sleep before midnight
- D Light sleeper, rarely rested

Q6

On a free weekend, when do you naturally fall asleep?

- A Before 10 PM
- B 10 PM - 11:30 PM
- C Midnight - 1:30 AM
- D Variable - no pattern

SCORE YOUR ANSWERS

Mostly A

Mostly B

Mostly C

Mostly D

Morning Lark

Intermediate

Evening Owl

Sensitive Sleeper

2 Your Chronotype Protocol

PERSONALIZED TIMING



Morning Lark

Early chronotype - advanced circadian phase, earlier DLMO. ~15-25% of population.

Sleep 21:30 - 05:30

Peak Focus 06:00 - 10:00

Caffeine Cut 11:00 AM

- Hardest tasks first thing - brain sharpest at dawn
- Exercise 6-7 AM to reinforce early phase
- Dim lights by 8 PM - wired to wind down early
- Don't sleep in >1h on weekends (social jet lag)



Intermediate Type

Neither extreme - solar-aligned, well-adapted to standard schedules. ~50-55% of population.

Sleep 22:30 - 06:30

Peak Focus 09:00 - 13:00

Caffeine Cut 1:00 PM

- Morning sunlight within 30 min of waking (10+ min)
- Creative work before lunch, admin afternoon
- Exercise 8-11 AM or 3-5 PM - avoid late evening
- You adapt easily - regularity is your superpower



Evening Owl

Late chronotype - delayed circadian phase, higher social jet lag risk. ~15-25% of population.

Sleep 00:00 - 07:30

Peak Focus 17:00 - 21:00

Caffeine Cut 2:00 PM

- Bright light 15 min upon waking - phase advance



Sensitive Sleeper

Variable/disrupted pattern - light sleep, high arousal, irregular rhythms. ~10% of population.

Sleep 23:30 - 06:30

Peak Focus 10:00 - 14:00

Caffeine Cut 11:00 AM

- CBT-I techniques are especially powerful for you

3 The #1 Sleep Metric You're Ignoring

2024 LANDMARK STUDY

Sleep regularity predicts mortality better than sleep duration. A 2024 UK Biobank study (n=60,977) found the most regular sleepers had **20-48% lower all-cause mortality** - independent of how many hours they slept. Consistent bedtime and wake time outperforms hitting 8 hours on random schedules. ^[1]

852M

Adults with insomnia globally

\$411B

Annual cost in the US alone

48%

Lower mortality with regular sleep

4 Universal Sleep Rules

WORKS FOR EVERYONE

WAKE - Sunlight + Move

PEAK - Deep Work

WIND DOWN - Dim + Cool

SLEEP - Dark + Cold

■ Morning Protocol

- **Sunlight within 30 min** of waking - 10+ min outdoor light (10,000+ lux) sets your master clock
- **Delay caffeine 90-120 min** after waking to clear adenosine naturally first
- **Same wake time daily** (+/- 30 min), weekends included - the single most impactful habit
- **Morning exercise** amplifies circadian phase-setting and boosts deep sleep that night

■ Evening Protocol

- **Dim lights 2-3h before bed** - overhead lighting suppresses melatonin by 50%+
- **Screen curfew 1h before bed** or use red/warm filters (Night Shift, f.lux)
- **No food 3h before bed** - late eating raises core temp and fragments sleep
- **Warm bath/shower 1-2h before** - cools your core via vasodilation (paradox)

■ The Big Three to Avoid

- **Alcohol within 4h of bed:** Suppresses REM, fragments architecture. 2-3 drinks = losing ~1 full sleep cycle
- **Caffeine after your cutoff:** Half-life is 5-8h (CYP1A2 genotype). That 3 PM espresso is still 50% active at 9 PM
- **Irregular schedule:** Weekend sleep-ins disrupt your clock as much as flying 2-3 time zones. Keep within 1 hour

5 Bedroom Environment Hacks

OPTIMIZE YOUR CAVE

■ Temperature

Cool room, warm body before bed. Core temp drop triggers sleep onset.

65-68°F / 18-20°C

■ Darkness

Pitch black. Even dim light (5-10 lux) during sleep reduces melatonin and disrupts glucose.

Blackout + Eye Mask

■ Air Quality

CO2 above 1,000 ppm reduces sleep efficiency by 1.3%. Crack a window or use HEPA filter.

< 750 ppm CO2

■ Sound

Consistent background beats silence in noisy environments. White/pink noise or quality earplugs.

< 30 dB

■ Bed = Sleep Only

Stimulus control: no screens, no work, no worrying. If awake >20 min, get up and reset.

No Exceptions

■ Phone Out

Charge in another room. Use analog alarm clock. Remove all standby LEDs from bedroom.

Another Room

6

Evidence-Based Supplement Stack

BY EVIDENCE TIER

SUPPLEMENT	DOSE	TIMING	WHAT IT DOES	EVIDENCE
Magnesium L-Threonate	144mg elemental (~2g Magtein)	30-60 min before bed	Crosses BBB, enhances GABA. 2024 RCT: +36 min total sleep	Strong
Glycine	3g	30-60 min before bed	Lowers core body temp via vasodilation, promotes slow-wave sleep onset	Strong
L-Theanine	100-400mg	30-60 min before bed	Promotes alpha brain waves, reduces pre-sleep anxiety without sedation	Strong
Apigenin	50mg	30-60 min before bed	Chamomile-derived, mild anxiolytic via GABA-A receptor modulation	Moderate
Ashwagandha KSM-66	600mg	With dinner	Cortisol reduction (~23%), takes 6-8 weeks for full sleep effect	Moderate
Myo-Inositol	900mg	Before bed, 3-4x/wk	Serotonin receptor resensitization - targets mid-night awakenings	Emerging
Tart Cherry Extract	480ml juice or capsule	With dinner	Natural melatonin precursors + anti-inflammatory anthocyanins	Moderate
Melatonin (if needed)	0.3-0.5mg only	5-7h before target sleep	Chronobiotic phase-shifter, NOT a sedative. Short-term use only	Strong

The Huberman Stack: Mg L-Threonate (145mg) + L-Theanine (200-400mg) + Apigenin (50mg), 30-60 min before bed. Add Myo-Inositol (900mg) 3-4x/week if you wake at 2-3 AM. Start with one, add every 3-5 days.

7

Coping Strategies

WHEN LIFE DISRUPTS SLEEP

✈️ ■ Jet Lag Protocol • Eastbound: Advance clock 1h/day for 3 days before. Morning light at destination • Westbound: Evening light at destination. Easier - body naturally delays • Melatonin: 0.5mg fast-release at target bedtime, max 5 days • Meal timing: Eat on destination schedule immediately • 2025 data: full normalization takes 7+ days, not 2 as	■ Shift Work Survival • Strategic light: Bright first half of shift, blue-blockers last 2h • Anchor sleep: Keep 4h at same time daily, even days off • Blackout bedroom: Non-negotiable. Daytime melatonin 50% lower • Pre-shift nap: 20-min prophylactic nap reduces errors by 34%
■ Creatine for Sleep Deprivation • 2024 evidence: Creatine monohydrate buffers cognitive decline during sleep loss • Results: 16-29% better processing speed, ~10% better memory during 21h deprivation • Dose: 3-5g daily creatine monohydrate. Best as daily supplement • Key: Does NOT replace sleep - reduces the cognitive penalty	■ Middle-of-Night Waking • Don't check the time - calculating hours triggers anxiety loops • NSDR / Yoga Nidra: 10-20 min restores 60%+ of nap's cognitive benefit • Myo-Inositol: 900mg before bed, 3-4x/week - targets this pattern • 20-min rule: If still awake, get up. Read dim. Return when sleepy

8 Your 7-Day Quick Start

START TONIGHT

- Day 1** Set a **fixed wake time** - commit for 7 days, including the weekend
- Day 2** Add **morning sunlight** - 10 min within 30 min of waking (cloudy counts)
- Day 3** Move your **caffeine cutoff** earlier by 2 hours from current habit
- Day 4** Implement **screen curfew** - dim lights and no screens 1h before bed

- Day 5** Start one supplement - **Mg L-Threonate** is highest-impact starting point
- Day 6** **Temperature audit** - set thermostat to 65-68°F / 18-20°C tonight
- Day 7** Review: rate **sleep quality 1-10** vs Day 1. Most see 2-3 point improvement

9 What to Measure

TRACK YOUR PROGRESS

Free (No Wearable Needed)

- **Sleep Regularity:** Same bed/wake +/- 30 min daily
- **Sleep Diary:** Bed time, wake time, time to fall asleep, awakenings. 2 weeks min
- **Subjective Quality:** Rate 1-10 each morning. Track trend, not absolutes
- **Daytime Alertness:** Epworth Sleepiness Scale (free, 2 min online)

With a Wearable

- **Deep Sleep %:** Target >15% of total. Physical restoration happens here
- **REM %:** Target >20%. Critical for emotional regulation and memory
- **HRV Trend:** Week-over-week matters more than daily numbers
- **Resting HR:** Lower = better. Spikes flag alcohol, illness, overtraining

The Zoe Sleep difference: Generic sleep scores tell you *what happened*. We tell you **why** - and exactly what to change. Our phenotype-first approach means two people with the same "poor sleep score" get completely different protocols based on their unique biology.

Ready to Go Deeper?

This cheat sheet covers the fundamentals. A personalized sleep assessment identifies *your* specific bottle

zoe-sleep.com

Book a personal consultation with Dr. Kawalski

martin@zoe-sleep.com | Precision Sleep Medicine | Stanford-affiliated

REFERENCES & FURTHER READING

- [1] Windred DP et al. Sleep regularity index as a predictor of mortality in 60,977 UK Biobank participants. *Sleep*. 2024;47(1):zsad253.
- [2] Ates M et al. Magnesium L-threonate supplementation and sleep quality: RCT. *Nutrients*. 2024;16:2569.
- [3] Dworak M et al. Creatine supplementation and cognitive function during sleep deprivation. *Scientific Reports*. 2024;14:4349.
- [4] Forbes SC et al. Effects of creatine on cognition: systematic review and meta-analysis. *Frontiers in Nutrition*. 2024;11:1424872.
- [5] O'Leary K et al. Effect of ashwagandha on sleep: Systematic review and meta-analysis. *PLOS ONE*. 2021;16(8):e0257843.
- [6] Baharir M, Kawai N. Glycine improves quality of sleep. *J Pharmacol Sci*. 2012;118(2):145-8.

- [7] Strom-Tejsen P et al. Bedroom CO2 concentration and sleep quality. *Building and Environment*. 2024;247:111059.
- [8] Huberman A. Toolkit for Sleep & Sleep Optimization episodes. Huberman Lab Podcast. 2023-2025.
- [9] Barforoush KZ et al. Tart cherry and sleep: systematic review. *Food Science & Nutrition*. 2025;13(4):e70923.
- [10] Auliy F et al. Efficacy of melatonin in primary adult sleep disorders. *Sleep Med Rev*. 2017;34:10-22.
- [11] Horne & Ostberg. Morningness-Eveningness Questionnaire. *Int J Chronobiol*. 1976.
- [12] Roenneberg et al. MCTQ. *J Biol Rhythms*. 2003.
- [13] Sletten VL et al. Light exposure in shift workers: systematic review and meta-analysis. *Sleep Med Rev*. 2024;78:101990.

This guide is for educational purposes only and does not constitute medical advice. Always consult your physician before starting any supplement or making significant changes to your sleep routine. Individual results vary based on health status, medications, and other factors.