ä½å¥½f¼Gæ^;æ^朱c»;å;šä€,æ~¢è;Žä½c»\$cyè;Ÿæ^;åä;¹c°;æ€\$äy£æ•°f¼Gäy\$å©©æ^;è;讲cs,å†...å®!æ~âfçæå;何äyŽè®;c®—朰cs,è\$'åº!æ¥c†è\$fc°;æ€\$äy£æ•°âfã€.

埰ç¡ĉåʾŒå™ç`"篇æ•´ä½°èµïä"†ä¸ĉ地厽Æœœ€ç›^æ´`们è¸;°æ¯ë¦å›žå½°å°ä¸ĉä,°å°ë°ä£"å°ä¢°ä»Ž¢®jç®—œœ°çš¸è§°å°¦æ¥ç†è\$£¢°;性代æ•°ã€,æ´-者æ›°ç;®å°†åœ°ē¯′¼ÆĒå;何¢®©¢®jç®—æœåœ°ä¸è¯©®jç®— $\zeta^{23/4}$ "| \dot{a} ' (\dot{a} ' \dot{a} '

³ľ¼Œå› 丰å‡ ä¹Žæ‰&œœ‱ç±×åžć¢f½¢f½èç«è;°è¾¾æ°çŸ©ć°jıľ¼Œæ¯°ä¦,ï¼sçד枸åŒ-æ•°æ®ã€æ—¶å°æ•°æ®ã€æŒEwck‡Œè;°è¾¼ç\$¸æ•°æ®ã€SQLæ•°æ®ã°ä€ã¾å∫ã€ã;;å°ã€è¯è°€ç‰ç‰ã€

ǰ¿æEŞān£æ°ā,Eæ—¦ā'ŒèBj算朰ç»°ā'èµæĦ?ÆŒèèèEf[™]°ç\$,ā°æf…å°±åc\$ã°,åç°,à°,à°è+å/&°ç°,å»ā "å±,æ°jç\$,最åŽā;Eå±,áC°ãC°ã€œ£/;å°Üè;å...¥ā°Şè\$,æ°j縟©é'µèBjç®—ç\$,ā,− 界âEå—1/4Ÿā/;'æ°°ā»-é¢ā ¬å°Şè\$,æ°j縟©é'µṣ\$,æ—¶āE™1/ÆÈ®j算朰ç\$,ç;¬äл¶æŒ‡æ ‡ã°±éœEè)EF∂™*地ↅã°†1/ÆE¿™ā′Ÿæ°¯ç;¬æ€§ç\$,¢™å°¶æjāл¶ā€,地碰ã°°å°§è§,æ°j縟©é°µṣ\$,æ— ¶å€™¹¼Œè¿™ã°√é™å°¶æ;ä୬¶ä¹¼š¢¢‹œ°¾å¤\$¹¼Œ&‰€ä୬¥ç³¾å°jã€å†∴.å°ã€é€Ÿå°jå′Œæ‰©å±•这四ç,¦æ¯ćœ€è;使€è€ƒçš,ã€,

- $1. \ \varsigma^2 / 4 \alpha^n / I / 8 \delta \& | \varsigma \& -e w^c \varsigma , \varkappa \bullet^c = -e \& | \varsigma \& -e w^c \varsigma , \varkappa \bullet^c = -e \& | \varsigma \& -e w^c \varepsilon , \varkappa \bullet^c -e w^c \varepsilon ,$

- $4. \ \ \, \text{$a\%\%\text{Cåt-$i'/$s$}/s'^2$-acc^2\data-...\data^2-$\data^2\text{Ya}^2-\text{$a'/$s$}/2$-$\data-$\data^2\text{$a'}\data-$\data-$\data^2\data-$

接ä ‹æ¥i¹/₄Œæ^'就从è;™å‡ c,¹æ·±å...¥è®²è\$£ä €ä ‹ã€.

¢23/4å01

 $e^{-\frac{1}{4}...^2}e^{-\frac{2}{3}}e^{\frac{3}{4}}[t/4Ee^{+\frac{1}{48}...e^{-\frac{1}{48}}}e^{-\frac{1}{48}...e^{-\frac{1}{48}}e^{-\frac{1}{48}...e^{-\frac{1}{48}}e^{-\frac{1}{48}...e^{-\frac{1}{48}}e^{-\frac{1}{48}}e^{-\frac{1}{48}...e^{-\frac{1}{48}}e^{-\frac{1}{48}...e^{-\frac{1}{48}}e^{-\frac{1}{48}}e^{-\frac{1}{48}...e^{-\frac{1}{48}}e^{-\frac{1}{48}$

```
def f(x):
    return 2 * x
if x > 1/2:
         return 2*x - 1
for i in range (80):
```

 $\grave{e}_{\dot{\zeta}}{}^{TM}\ddot{a}_{,}{}^{a}\varsigma_{,}\^{}^{\omega}\grave{x}\check{c}\dot{a}^{-}\grave{e}f^{1}\!/\!2\ddot{a}^{1}\!/\!4\ddot{s}\dot{a}^{3}\acute{c}\ddot{a}^{1}\!/\!2\ aef^{3}\grave{e}\pm_{\dot{\zeta}}\check{c}_{,}\cancel{aee}\&\mathring{a}^{3}\!/\!4\,\mathring{a}^{\square}\S\varsigma_{,} \ddot{a}_{,}\mathring{a}\acute{c}\ddot{a}\acute{c},$

其宿r°åļå`Œċ®jç®—æœ'ä'«´—´å`åœ'ä½'å°\$ş\$,ä¸åŒľ⁄«Œær°å¦æ¯°è¿⋨⊳ç\$¸å€æ $_$ ç©ç\$,‡/«ŒċĆŒċ®jç®—æœ'æ¯Ç¦ær±ç\$¸å€æœ‰ċ™q\$¸ã€,å°±åf这帰p»fä' †/«Œċ®jç®—æœ'å¯å¸°ş\$,ær°å-Ç²¼å"æ¯æœ‱™s,jr¼Œè€Œä¾å°çs,jc¯å-®é€šċ,jå¾å°±æ°jçs,jc;äwtä½śç´¯å\$ ir¼Œæœ€⊙°æ"¾å□\$æ°æ°°ë¾få□\$çs,jc™™¯ã€,ä,€ä,°äg°jç—ys,jä¼å就氆996å¹′欧æ²è°å□©å±€çs,jAriane 5å·ç∞®çs,jåå°,jå□±è
¥f¼Œæœ€åŽå'玒问颰凰地æ°ä½œæ°°≿¯å·®ä¸Šf¼Œä¹Ÿå°±æ°64作°å—é€,ć…16ä½ç©°6—′å'ç'Ÿçs,æ•′æ°°œ°¢å‡'¢™™≿¯ä€,

¢,£æ^们~è¥æ€Žä¹°æ¥ç†è\$£æ•°å¦æ¯°e¸ž¤y×g\$,;¶¼Œè€Œè®j算朰æ¯ç¦>æ+£q\$,å°¢!¼\¾ ã;¼ä°ç®€å•ç\$,ä%d,è´`ä>~æ¥çœxä,œ•°å¦ä_g\$,匑ć—´ej¨è¼¼[1,2]f¼Œè¿™ä;å°½6å¼å°±æ¯è¿žy>- $\zeta \tilde{s}, \tilde{i}/4 \tilde{a} \tilde{l}/2 \dagger \tilde{a} \tilde{l}, \tilde{e} \tilde{z} \tilde{c} \tilde{a} \tilde{c} \tilde{e} \tilde{e} \tilde{l}/2 \tilde{e} \tilde{a} \tilde{l}/2 \tilde{e} \tilde{l}/2 \tilde{e}$

```
1.1+2^{-52}, 1+2 \times 2^{-52}, 1+3 \times 2^{-52}, \ldots, 2
```

ä"Žæ¯i¼Ææ^*ä»-å°±å¼*凰ä*ä¸E丰è®jç®—œœ°¢¢†åŸŸç¾å°jè®j算皸æ¦å¸iå(䩰䀔朰朣å°å€¼¼°EPSILONĭ¼‰i¼Œā¯¹ä°ŽåŒç¾₄å°pæ°i¼ÆEï±æ⊈å定朰械∞œœå°å€¼æ¯1¼«Si]μ=2^{-53}\$ã€.

å†...å~

å`\$æ‰æ``⻬çœç\$¸æ¯æ•°å—ç³½å°||VÆÇްåœ`æ``⻬æŽYç€æ¥çœçœç|'Q©` $||p_S$ ¸å`⏠;æ—'彿€,æ``⻬¢f½ç°¥÷'f½E内å`æ¯æœ‰¢™ç\$¸||VÆæ%Eå\¥i/dEå½°å½°||VÆëå, ;ëµæ¥ã€,è\$决è;™å,°é—®¢¢°ç\$,ä¸Eä,"最好æ—'å½å°±æ¯åå`ā¸'ëź₺¶å…fç´ i¼Æè¿™ç\$æ—'å¼å°±å«åšç°Eç–å°ä, ;ä€,ç°Eç–å°ä, ;ä°Eç°Eç–çÝ'Q°E°µæ¯å®Æç½ŽåŒ'é…ç\$¸||VÆëå,†¼å°±å«åšç°Eç–å°ä, ;ä€,ç°Eç–å°ä, ;ä°Eç°Eç–çÝ'Q°E°µæ¯å®Æç½ŽåŒ'é…ç\$¸||VÆëå,†¼å°±å«åšç°Eç–å°ä, ;ä°Eç°Eç–å°ä, ;ä°Eç°E, ;ä°Eç°Eç–å°ä, ;ä°Eç°Eç–å°ä, ;ä°Eç°Eç–å°ä, ;ä°Eç°Eç–å°ä, ;ä°Eç°E, ;ä°E°E, ;ä°Eç°E, ;ä°Eç°E, ;ä°Eç°E, ;ä°E°E, ;ä°E°

^`iä>~æ¥çœxä €ä ,ºæœ°å™°å¦ä' ä æ¯``è¾f简å•ç\$,ç°6ç-矩é`µ¢\$,侫åñ%\$Word Embeddingä,ç\$,One-Hotç)/-ç å6,One-Hotç)/-ç å°±æ¯;>л™å¥ää,ç\$,æ¯ä ,ºå—分å°«ç``ä,ёä ,º0æˆ-lç)/-ç ñ'Æä,ёä ,ºäå–äå†å «çè`ä,ååå ,有多å°iä,ºä T%Ή°±æcc%å°Så°°ç»'å°jā€,è;™æ·æz,é€ å‡°æ¥çš,çѶ©€°µæ¯å¾'å¤Şçš,p¼Œê€Œä,"æ¯ç*€ç-çѶ©€°µã€,毳å],π¼šâ€œéţå¦ç°¿æ€§äx£æ•°ã€è;™å…ä,"å—1¼Œé€šè;‡One-Hotç¼— ç 1¼Œå°±èf½¢;"è¾¼æ°ä,⟨é¢è;™æ·çš,å½¢å¼å€,

```
\left[\begin{array} { | | | | |
1&0&0&0&0&0&0
0 & 1 & 0 & 0 & 0 & 0 \\
0 \& 0 \& 1 \& 0 \& 0 \& 0 \ensuremath{\,\%}
0&0&0&1&0&0\\\
0 & 0 & 0 & 0 & 1 & 0 \\\
0 & 0 & 0 & 0 & 0 & 1
\end{array}\right]
```

æ%&ä>¥ï¼Œä €è^~c~€c~cŸ©é~µcš,大è‡'å½¢æ€å|,ä ‹å›¾æ%&c¤°ã€.

\left[\begin{array} {||||||||} 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 00 & 0 & 2 & 0 & \frac{1}{2} & 0 & 0 & 0 & 0 \ 0&0&0&1&0&0&2&0\\ $0 \& 0 \& \\ \text{ (frac } \{1\} \ \& \ 0 \& \ 4 \& \ 0 \& \ 0 \& \ 0 \\ \text{ ()} \\$ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \ 0 & 0 & 0 & 1 & 2 & 0 & 1 & 0 \\\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{array}\right]

äľÝ有ç‰;æßŠç±våžxçš,çv'æž,åŒ~çÝ©€´µt¼Œæ¯¯ä¦,t¼šā¯è\$`ç°¿çŶ©€`µã€ä,‰ã¯è\$`ç°Ç°€´µã€æµæ£®å ¡çŶ©€`µ¢‰‰t¼Œå®fä>~éf/z有ċ‡*å±ç\$,ç‰'殊ç´°ç°-èj`è²¼t¼ŒäľÝéf/z通å,è¢<ç°æ¥å‡å°å†∴å°å-~å, "å'Œè®¡ç®—é‡ã€,å¯ä»¥è¯'i¼Œæ•°å€¼ç°¿æ€§ä»£æ•°åœ¨è;ç®—æ¯'¢¢æ>'多地èšç,¦åœ¨ç¨€ç-性ä,Šã€,

速å°¦

接ä,‹æ¥æ´¹ä»-冿¥çœ‹ć€Ý尦涉åŠå´°å¾´å□\$æ¬é¢í¹¼Œæ¯¹å¦,ċ®jç®—å□æ,å°¦ã€å•æŒţä»□å□5æ•°æ®çÝ¢ćţċ;ç®—ã€å å,¨ç±»åžåå Œç½'络ç‰ã€,

è@:c@—夿.å°!

ç®—&³•é€\$å,ç°±è®jç®—å¤æ,å°|è;°è½¼t¼tÆåŒä,€é—&颰ā¯ç°°ä,åŒç®—&³•è\$£å†³t¼£è€Œā,€ä,°¢®—法ç\$,è°°é‡ä¼³åŠ£â°†å½±å°ã°¢®—法ä†jċ‡ţ°ç°å°ç\$,æ°-率ã€,ç®— 法å^†æžçš,ç>®çš,忍ä°Žć€%æ«©å^ć€,çš,算法æ^–者ä¼*化算法ã€,

¢,£ā'`æ``ā>¬È`¥å,ā'/•°È¯,ā»>ā;€ā,°ç®—法ā'çî'4Ÿā xè;å°±æ¯ā»Žæ—¶ć—'⤿,å"jā'Œç©'ć—'⤿,å"jæ¥ç»\/á`è€fċ™'œ;,ã€,ā»ŽçŸ©€`µè®jç®—ç\$,è§`å"jçœdî/ÆÈ®jç®—ā¤æ,å"jç\$,è€fè™'æ¯ā'4′有å;... $\begin{array}{l} c|cs, AC, CBE3^{\bullet} \cdot cs, cB|_{CB} - 1/4 CE^{\bullet} \cdot B) - 1/4 CE^{\bullet} \cdot B) - 1/4 CE^{\bullet} \cdot B) + 1/4 CE^{\bullet} \cdot CE^{\bullet} \cdot B) - 1/4 CE^{\bullet} \cdot CE^{\bullet} \cdot B) - 1/4 CE^{\bullet} \cdot B) - 1/4$

啿Œ‡ä»¤å¤šæ•°æ®çŸ¢é‡è¿ç®—


 $\mathsf{ç\check{Z}^o\ddot{a}} \\ \mathsf{xECPU\mathring{a}'EGPU\acute{e}} \\ f'/_2 \\ \mathbf{x'''} \\ \mathbf{xC\mathring{a}} \\ \mathbf{C\ddot{a}} \\ \mathbf{C\ddot{a}} \\ \mathbf{C\ddot{a}} \\ \mathbf{C\ddot{a}} \\ \mathbf{C\ddot{a}'} \\ \mathbf{C\ddot{a}'$

ä½ä;*侼忥믆¼Œä;¢ä;*ä;*ä;*eç\$,#ä*æµ®ç;*æ°ç\$,æŒ;æ*°å;*è;ç®—å¯äb¥åŒæ—¶æ‰§è;Œf\ÆŒæžæ□§åœ°œ«°ç'ç;%—æ*°çZ½¼Œè;™\$±¾*指ä⊅ä□\$æ°æ®çŸ¢é†è;ç®—ä,ç‡å*å«å\$SIMDf\Single Instruction Multiple Dataif‰ã€,è;™åœ°ç'Ÿ©€`µè;ç®—ä;źä,;é†èjf¼Œè™¼ç,¶æ*°ä»¬ä;°"ä=³ä...³å;/á*°å±,ç\$,宿½Ž½¼æä½;å¯äb¥ä*†è§£ä€ä°ç'Ÿ©€`µè;ç®—ç\$,åŒ...å*Œä*f¼Æé,£ä¹°ä½å°±å¯äb¥äœä®æ™... ç\$,å¼€å*ä,ç>°æŽ¥ä½;ç°*ä®fäb¬ä*††¼Œå...¶ä;æ*`ïè¼få‡åç\$,å°±æ¯pythonç\$,NumPyt¼Œäb¥åŠBLASf¼Basic Linear Algebra Subprogramsf¼‰å*ŒLAPACKã€,

å~å,¨ç±»åž<å'Œç½'络

ċ®jç®—œœ°ã°ã,"ç±våzœœ‰å³/²å¤S,毰ã,;½ç½°å°ã€å†…å°ã€œœ°æ¢°ç>³ã€SSDf¼Œè¿™ã°³ä,åŒå°ä, "å°°ä×ҳ¸¸å, "å¾þ¿Ÿéƒ½æ¯ä¸ä,€æ °ç¸;¼v地网çלæ−¹¢¢f¼Œä¸åŒIDCã€åœ°åŒ°ã€åœ°åаäç¥å;«¼°¢€ŸçŽţ也æ¯ä¸åŒç¸¸å€,

Latency Numbers Every Programmer Should Know




äŠå½ä¸¢\$¸¢¿™ã°æ°æ®æ¯æ‰€æœ‰ç¨å°å°å¿…épċjç¥é°ç\$¸j¼Œà;ä°ç«Ÿå¸ç±×è®j算朰èµæ°æ¯æœ‰č™ç\$,j¼Œåœ¨åè\$\$£â†³æ±æj°æ—¶¼Œå¿…épċp¼å°è€fè™å-°å¸"å′Œç½'ç>∞ç\$¸æ€§èf½å°Œæ°æœ=æ¥å\$ç>¸å´1¼Œæœ€ç>°è½¼å°∞最¤§ç\$¸å°§å‡°æŠ•入毰ã€,è¿™ã°æ•°æ®æ¥è<u>‡°GiHub</u>¼Æā¯ä»¥è°ƒæ*´å′′é™å€½æ¥è§¸å¯Ÿæ¯å¹′ç\$¸åаæ€ã°æ¢ã€,

扩展

œœ¢ãŽæˆ°å†æ¥è®²ä¸€ä¸œ‰©å±•1¼Œæ‰©å±•分丳啜œ°å¤šæ¸á€å¤S夸ç;†å™°çš¸åz¸ç;′æ-¹å'扩展1¼Œæ¾Šå¤šèЏç¸¦å¹³è;Œæ-¹å'扩展ã€,

â½'æ''ä>ræf²\çà`©ç''āº\$åq,ç†å\m\c\ranglef\\rangle\sigma\ranglef\\rangle\sigma\ranglef



B11 B12

$\lceil b_{11} ceil$	b_{12}	b_{13}	b_{14}	b_{15}	b_{16}	
b_{21}	b_{22}	b_{23}	b_{24}	b_{25}	b_{26}	
b_{31}	b_{32}	b_{33}	b_{34}	b_{35}	b_{36}	
b_{41}	b_{42}	b_{43}			b_{46}	
b_{51}	b_{52}	b_{53}	b_{54}	b_{55}	b_{56}	
b_{61}	b_{62}	b ₆₃	b_{64}	b_{65}	b_{66}	
	B21			B22		

æ``ä»=å¯ä»½«ŠŠè;™ä;¤ä,"cj"@cjiå`†å`vå`†æ`ä»å—†¼Œæ¯å—ċf½æ¯3×3çŸ@cjif¼Œä¼«ä¦,t¼\$\$A11ā€A12ã€A21\$å`Œ\$A22ã€B11ā€B12ã€B21\$å`Œ\$B22\$t¼Œ\$A\$å`Œ\$B\$çš,äl`°è;ç®—å°±æ¯æŠŠå,è‡*å`†å¥½çš,å—å°té...å°°å,å¤,ç†å™ä¸Šåšå¶ejŒä□,ç†ti¼Œä□,ç†ti¼Œä□,ç†ti¼Œä□,ç†ti¼Œä□,ç†ti¼æäxå†åšå`å¹¶ã€,

 $x^{3}, i/\sqrt{8}a_{,,c} + i^{TM}P1\dot{a}_{,c} + s_{11}s\dot{a} \cdot CSB11si/\sqrt{2}a_{,,c} + i^{TM}P2\dot{a}_{,c} + s_{11}s\dot{a} \cdot CSB12si/\sqrt{2}a_{,,c} + s_{11}s\dot{a} \cdot CSB2s\dot{a} \cdot$

å½°EBjçR—朰åZ,ç;æ‰Cå±+å°æz&™åZt¼Gå°±6œ€è&Gjè™æ‰Cå±+å°åc&Š,ç,†&BjçR—ä°†t¼Eå... ¶åBzåZŸç†ä¹Ÿæ¯ä,€æ·ç\$,j¼Œä,ä,€æ·ç\$,æ¯6œ€è;从å‴ç;"å±,¢¢æ¥&B½&j;◊°få°jå™r¼Eæ¥6°få°jä,åŒç\$,¢BjçR—朰èŠ,ç,†æ¥å\$&BjçR—ã€,

本èŠ,å°ç»"

所ã>¥ŤÆĒã׎ċ®j算朰èş°ã°;æ¥æ‰şèjŒçŸ©¢°µè;ç®—†ÆŒéœ€è;è€fè™å¾°ã¤\$æ⊐é¢t¼sç°¾ã°ã€å†…å°ã€é€Ÿå°'尌所å±*ŤÆEè;™æ±t¼€ãåœäè\$£å†°æ⊐æj°æ—¶tÆÊå°æ¯ė€…地写ç°«å°æ— ¶tÆæ‰èf½áœ°è®j算朰èµæ°æœ‰€™ç\$,æf…况ä¸åšã°æ⊐æj°æ°¬ç°«å°ç\$,最ä¼°ãŒ-tÆEã'Ÿã¯ä>¥é;å…ç±»ä¼/1996å′°æ¬§æ°≥°°å¤©å±€ç\$,Ariane 5å·çoç®å°å°,失è°¥ç\$,è;™\ç±»ĕ°™°≧ã€,

簿性代æ•°ç»fä¹ åœ°

 $\text{$\alpha^{\hat{}}$} \hat{e} \text{$\mathbb{C}$} \hat{e} \text{$\tilde{e}$} \hat{z} \hat{e} \hat{c}^{\dagger} \hat{c}, c \hat{e}^{\dagger} \hat{e} \hat{s}, c \hat{e}^{\dagger} \hat{e} \hat{e}^{\dagger} \hat{e} \hat{e}^{\dagger} \hat{e} \hat{e}^{\dagger} \hat{$

Ć"ã¯çŸ©Ͼʹμͼϭʹ性¢∱½å¶ĕ¡Œċ®¡ç®─Ħ¼Œæ°å‱ć¢åœ°ã€œæ‰©å±°å€ä €æ°jå—讲ç\$,æ¯ã €è°¯ä¼ 统æ∹æ³°ñ¼Œã°Ÿå°±æ¯æŠŠå¤ŞçŸ©Ͼʹμå↑è\$£æ°å°çŸ©Ͼ′μå—п¼Œã°©ç"³ä©å¤,ç†å™è∱⅓åŠ;æ¥å¤,ç†å¤§åžç矩é′μè;ç®—ã€,现地п¼Œè¯ä½ ç°ç©¶ä,€ä,dl,ä½°ç"Cannon算法è\$£å†²èç™ä;6—®¢¢°п¼Ÿ

Cannon算法æ¯ä fçŞåï ā, ˈæ•°çŽţä¾·ć«ˈç\$,算法¼Æä'Ÿæ¯ã¯ï ä¼ ç»Ÿç®—æ³•ç\$,æ"è;;j¼Æç›®æ ţä°±æ¯āţä°·å′†å—矩ć°j,ĕi′法ç\$,å"ā,"ċţā€,而ä,"ä½ ä'Ÿā¯ä»ૠ把它ç∞æ°æ¯MPIç¼~稫ṣ,ā,€ā,[≈]侫åä€,

 $x = y \hat{c}_i \hat{Z} \hat{a} \hat{w}_i \hat{v}^{\bullet TM} \hat{w}^i \hat{v}^2 \hat{d} \hat{w}^2 \hat{v}^2 \hat{$