
Full Website Audit Report

Technical & Performance Report



Client: nicola

Website: nicolaphiriphotography.com

Prepared by: Valvanta Digital Agency

Methodology

This audit uses Lighthouse in navigation mode with mobile emulation.

Lighthouse version	13.0.1
Audit date	2026-03-07T09:29:51.231793+00:00
Categories tested	p, e, r, f, o, r, m, a, n, c, e, ,, , s, e, o
Mode	navigation
Device emulation	mobile, desktop
URLs tested	5

Execution config

Config key	Value
only_categories	performance, seo
mobile	mobile emulation + throttling
desktop	desktop preset

Standards Alignment Statement

This report aligns findings to WCAG 2.1 Level A and AA (automated checks only), Google Core Web Vitals, and Google Search Essentials.

This audit reflects automated testing only and does not constitute full legal compliance certification.

Limitations & Scope Disclaimer

This report is based on automated Lighthouse checks and reflects a point-in-time snapshot. It does not replace manual testing, user research, or full compliance reviews.

Findings should be validated in real user conditions and with assistive technologies where applicable.

Tested URLs

All URLs included in this audit run.

#	URL
1	https://nicolaphiriphotography.com/
2	https://nicolaphiriphotography.com/portfolio
3	https://nicolaphiriphotography.com/about
4	https://nicolaphiriphotography.com/services
5	https://nicolaphiriphotography.com/contact

Executive Summary

What the data shows
What the data shows
- Mobile performance is the primary constraint: average FCP 4379.6 ms, average LCP 7407.2 ms, average Speed Index 7996.7 ms, and average Total Blocking Time (TBT) 315.3 ms.
- Desktop is materially better but still not consistently fast on LCP: average FCP 1315.6 ms, average LCP 4577.8 ms, average Speed Index 3964.7 ms, and average TBT 65.4 ms.
- Page weight is high and dominated by images: average total transfer ~5.14 MB (mobile) / ~5.02 MB (desktop) with ~4.38 MB of that being images on both.
- Server response time is moderate (site origin ~329.6 ms mobile and ~371.6 ms desktop averages), suggesting the bigger bottleneck is payload/rendering rather than pure backend latency.
- Main-thread work is significantly heavier on mobile (avg ~2821 ms) than desktop (avg ~867 ms), with most time landing in the generic "Other" bucket, then style/layout and script evaluation.

Key strengths
Key strengths
- No HTTP errors observed in the sampled runs: average non-200 requests are 0 on both mobile and desktop.
- Third-party transfer is relatively contained compared to total weight (avg ~220.5 KB mobile; ~99.8 KB desktop), indicating the heaviest costs are first-party assets (notably images).
- Desktop responsiveness is generally good: average TBT 65.4 ms suggests limited long tasks on desktop relative to mobile.
- Server latency is not extreme and is consistent across pages (site origin response times cluster roughly ~300-625 ms in the per-URL data).

Primary weaknesses
Primary weaknesses
- LCP is consistently high, especially on mobile (avg 7407.2 ms), pointing to slow loading/rendering of the largest above-the-fold content (very likely large hero/gallery images given image transfer dominance).
- Excessive image transfer: site averages show ~4.38 MB images out of ~5.14 MB total on mobile; some pages are far higher (homepage ~17.6 MB images).
- High request count and task count on key pages: mobile averages are 30 requests and 4885 tasks, but the homepage spikes to 76 requests and 13,548 tasks, correlating with higher TBT and worse LCP.
- Main-thread pressure on mobile (avg ~2821 ms; homepage ~4323 ms) plus elevated mobile TBT (avg 315 ms; homepage 541 ms) indicates too much work during critical load (script evaluation + style/layout + other work).

High level roadmap
High level roadmap
- Phase 1 (highest impact, low-to-medium effort): Reduce above-the-fold image cost on the homepage and other image-heavy pages
- - Reduce the transfer size and/or count of the top transferred images (e.g., the ~0.5-1.0 MB WebP images on the homepage) and prioritize only the truly critical image(s) for initial render.
- - Target the pages with the largest image transfer and request counts first (homepage, then portfolio/about).
- Phase 2 (high impact, medium effort): Reduce mobile main-thread and blocking time
- - Focus on reducing TBT on the worst pages (homepage, portfolio, services) by reducing work that contributes to script evaluation and style/layout time during load.
- - Aim to bring mobile TBT down from ~315 ms average and reduce main-thread work closer to the lower pages (e.g., contact).
- Phase 3 (medium impact, medium effort): Reduce overall page complexity and network overhead where feasible
- - Reduce request counts on the heaviest pages (homepage at 76 requests is a major outlier vs other pages at 14-23).
- - Continue monitoring server response times (site origin ~330-370 ms averages) and keep them stable as

payload reductions roll out.

Summary metric	Mobile	Desktop
Overall score	0.54	0.72
Critical findings	5	2
High findings	1	1
Moderate findings	4	2
Advisory findings	0	0
Risk summary	High risk: critical issues detected that require immediate remediation.	High risk: critical issues detected that require immediate remediation.

Performance (Mobile) Findings

Findings are aligned to recognized standards and classified by severity.

Title	Severity	Standard	Description	Recommendation	Affected
LCP is Poor	Critical	Core Web Vitals LCP	LCP measured 9710.00 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/
Overall performance score is below target	High	Core Web Vitals Performance Score	Lighthouse performance score is 0.46.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/
LCP is Poor	Critical	Core Web Vitals LCP	LCP measured 8254.06 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/portfolio
Overall performance score is below target	Moderate	Core Web Vitals Performance Score	Lighthouse performance score is 0.50.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/portfolio
LCP is Poor	Critical	Core Web Vitals LCP	LCP measured 6456.29 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/about
Overall performance score is below target	Moderate	Core Web Vitals Performance Score	Lighthouse performance score is 0.58.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/about
LCP is Poor	Critical	Core Web Vitals LCP	LCP measured 6141.34 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/services
Overall performance score is below target	Moderate	Core Web Vitals Performance Score	Lighthouse performance score is 0.55.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/services
LCP is Poor	Critical	Core Web Vitals LCP	LCP measured 6474.06 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/contact
Overall performance score is below target	Moderate	Core Web Vitals Performance Score	Lighthouse performance score is 0.63.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/contact

Performance (Desktop) Findings

Findings are aligned to recognized standards and classified by severity.

Title	Severity	Standard	Description	Recommendation	Affected
LCP is Poor	Critical	Core Web Vitals LCP	LCP measured 15625.34 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/
CLS is Poor	Critical	Core Web Vitals CLS	CLS measured 0.40 which is poor for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring CLS into the Good range.	https://nicolaphiriphotography.com/
Overall performance score is below target	High	Core Web Vitals Performance Score	Lighthouse performance score is 0.40.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/
LCP is Needs Improvement	Moderate	Core Web Vitals LCP	LCP measured 3009.08 which is needs improvement for Core Web Vitals.	Reduce main-thread work, optimize assets, and improve server response to bring LCP into the Good range.	https://nicolaphiriphotography.com/portfolio
Overall performance score is below target	Moderate	Core Web Vitals Performance Score	Lighthouse performance score is 0.65.	Prioritize performance wins that improve Core Web Vitals and reduce blocking time.	https://nicolaphiriphotography.com/portfolio

Site Averages - Detailed Breakdown (Mobile)

Good targets: FCP <= 1.8s, LCP <= 2.5s, Speed Index <= 3.4s, TBT <= 200ms, Server latency <= 200ms.


Benchmarks: **Top 10% (p10)** is the best-performing 10% of tested pages for each metric.

Metric definitions


Metric	Meaning	Good target
FCP	First time content appears on screen.	≤ 1.8 s
LCP	Largest content element render time.	≤ 1.5 s
Speed Index	How quickly the page looks complete.	≤ 3.4 s
TBT	Total main-thread blocking time.	≤ 200 ms
Server latency	Backend responsiveness during load.	≤ 200 ms

Breakdown charts

Timing metrics (seconds)



Blocking and latency (milliseconds)



Basic metrics

Metric	Top 10% (p10)	Average	Worst 10% (p90)

FCP	4.35 s	4.38 s	4.43 s
LCP	6.27 s	7.41 s	9.13 s
Speed Index	5.91 s	8.00 s	11.54 s
Total Blocking Time	89 ms	315 ms	505 ms

Main thread work breakdown

Average main-thread work breakdown: **2821 ms**

Group	Average duration (ms)
other	1699 ms
styleLayout	573 ms
scriptEvaluation	387 ms

Diagnostic metrics

Metric	Average
Requests per page	30.0
Tasks per page	4885.4
Total byte weight	4.9 MB


Network metrics

Metric	Average
200 responses (count)	30.0
Non-200 responses (count)	0.0

Resource summary

Resource type	Average transfer size
Total	4.9 MB
Images	4.2 MB
Scripts	415.8 KB
Stylesheets	108.4 KB
Documents	5.2 KB

Average transfer composition



Network server latency metrics

Metric	Top 10% (p10)	Average	Worst 10% (p90)
Server latency	304 ms	330 ms	376 ms

Site Averages - Detailed Breakdown (Desktop)

Good targets: FCP <= 1.8s, LCP <= 2.5s, Speed Index <= 3.4s, TBT <= 200ms, Server latency <= 200ms.


Benchmarks: **Top 10% (p10)** is the best-performing 10% of tested pages for each metric.

Metric definitions


Metric	Meaning	Good target
FCP	First time content appears on screen.	≤ 1.8 s
LCP	Largest content element render time.	≤ 1.5 s
Speed Index	How quickly the page looks complete.	≤ 3.4 s
TBT	Total main-thread blocking time.	≤ 200 ms
Server latency	Backend responsiveness during load.	≤ 200 ms

Breakdown charts

Timing metrics (seconds)



Blocking and latency (milliseconds)



Basic metrics

Metric	Top 10% (p10)	Average	Worst 10% (p90)

FCP	1.24 s	1.32 s	1.44 s
LCP	1.34 s	4.58 s	10.58 s
Speed Index	2.40 s	3.96 s	5.58 s
Total Blocking Time	0 ms	65 ms	169 ms

Main thread work breakdown

Average main-thread work breakdown: **867 ms**

Group	Average duration (ms)
other	606 ms
styleLayout	137 ms
scriptEvaluation	93 ms

Diagnostic metrics

Metric	Average
Requests per page	29.2
Tasks per page	3218.0
Total byte weight	4.8 MB


Network metrics

Metric	Average
200 responses (count)	29.2
Non-200 responses (count)	0.0

Resource summary

Resource type	Average transfer size
Total	4.8 MB
Images	4.2 MB
Scripts	415.9 KB
Stylesheets	108.2 KB
Documents	5.2 KB

Average transfer composition



Network server latency metrics

Metric	Top 10% (p10)	Average	Worst 10% (p90)
Server latency	306 ms	372 ms	499 ms

Per URL Breakdown (Mobile)

Each URL is reported using the same breakdown sections as Site Averages.

Targets: FCP <= 1.8s, LCP <= 1.5s, Speed Index <= 3.4s, TBT <= 200ms, Server latency <= 200ms.

https://nicolaphiriphotography.com/

What the data shows
What the data shows
- Mobile: FCP 4460.0 ms, LCP 9710.0 ms, Speed Index 6618.4 ms, TBT 541.0 ms.
- Desktop: FCP 1545.3 ms, LCP 15625.3 ms, Speed Index 3870.1 ms, TBT 137.0 ms.
- Payload and complexity are extremely high on both devices: 76 requests; mobile total transfer 18,401,946 bytes (17,632,936 bytes images); desktop total transfer 18,393,353 bytes (17,624,700 bytes images).
- Main-thread work is heavy: mobile 4322.7 ms; desktop 1708.7 ms. Mobile "Other" work dominates (3413.8 ms).
- Server latency: 410.0 ms mobile and 625.3 ms desktop for the site origin.

Key strengths
Key strengths
- All requests return HTTP 200 (0 non-200).
- Critical CSS/JS transfer is comparatively small relative to images (mobile scripts 426,335 bytes; styles 111,020 bytes).
- Third-party transfer is limited compared to total (220,519 bytes), so the primary bottleneck is first-party payload.

Primary weaknesses
Primary weaknesses
- Very high transfer size dominated by large images (over 17.6 MB images), which strongly aligns with the high LCP (mobile 9710.0 ms; desktop 15625.3 ms).
- Very high request and task counts (76 requests; 13,548 tasks on mobile; 6,532 tasks on desktop) indicate substantial processing overhead during load.
- Elevated mobile TBT (541.0 ms) and high main-thread work (4322.7 ms) suggest users will experience delayed responsiveness during initial load.

Recommendations
Recommendations
- Reduce the total image bytes on this page (17,632,936 bytes on mobile) by lowering the number and/or size of the largest images listed in top transfers (e.g., ~958 KB, ~809 KB, ~544 KB WebP files).
- Reduce request count (76) by limiting initial page assets to only what is required for first view; aim to align closer to other pages in the set (14-23 requests).
- Reduce mobile blocking (TBT 541.0 ms) by decreasing main-thread work during load; focus on the largest contributors shown ("Other" 3413.8 ms, plus style/layout and script evaluation).
- Monitor server response time for the origin (625.3 ms desktop) and ensure it does not increase as payload changes are deployed.

Basic metrics	Value
FCP	4.46 s
LCP	9.71 s
Speed Index	6.62 s
TBT	541 ms

Main thread work breakdown	Value
Total (numericValue)	4323 ms
other	3414 ms
styleLayout	393 ms
scriptEvaluation	314 ms

Diagnostic metrics	Value

Requests	76
Tasks	13548
Total byte weight	17.6 MB

Network metrics	Value
200 responses	76
Non-200 responses	0

Resource summary	Transfer size
Total	17.5 MB
Images	16.8 MB
Scripts	416.3 KB
Stylesheets	108.4 KB
Documents	5.2 KB
Third-party	215.4 KB

Network server latency	Value
Server latency	410 ms

https://nicolaphiriphotography.com/portfolio

What the data shows
What the data shows
- Mobile: FCP 4354.1 ms, LCP 8254.1 ms, Speed Index 6237.9 ms, TBT 451.0 ms.
- Desktop: FCP 1269.1 ms, LCP 3009.1 ms, Speed Index 5612.2 ms, TBT 190.0 ms.
- Payload is moderate compared to homepage: mobile total transfer 2,768,542 bytes (1,997,355 bytes images); desktop total transfer 2,618,451 bytes (1,997,577 bytes images).
- Requests are relatively low (21 mobile, 20 desktop) but mobile task count remains high (3,952).
- Notable single-file transfers include ~425 KB JS and ~450-504 KB images.

Key strengths
Key strengths
- Lower request count (20-21) and total transfer (~2.6-2.8 MB) than the homepage, indicating better baseline payload discipline.
- All requests return HTTP 200 (0 non-200).
- Server latency is stable and moderate (304.1 ms mobile; 309.1 ms desktop).

Primary weaknesses
Primary weaknesses
- Mobile LCP is still very high (8254.1 ms) alongside high mobile TBT (451.0 ms), indicating slow largest-element render and delayed interactivity.
- Desktop Speed Index is relatively high (5612.2 ms) despite a decent desktop LCP (3009.1 ms), suggesting the visual completion of the page remains slow relative to the key element.
- Main-thread work is material on mobile (2514.8 ms) with meaningful style/layout and script evaluation time.

Recommendations
Recommendations
- Reduce the bytes and/or priority impact of the largest images (top transfers ~504 KB and ~451 KB) to improve mobile LCP (8254.1 ms).
- Reduce mobile TBT (451.0 ms) by lowering main-thread work during load; target reductions in style/layout (456.9 ms) and script evaluation (311.8 ms) as reported.
- Review the large JS transfer (~425.5 KB) and reduce its impact on load where possible to improve both mobile TBT and desktop Speed Index.

Basic metrics	Value
FCP	4.35 s
LCP	8.25 s
Speed Index	6.24 s
TBT	451 ms

Main thread work breakdown	Value
Total (numericValue)	2515 ms
other	1662 ms
styleLayout	457 ms
scriptEvaluation	312 ms

Diagnostic metrics	Value
Requests	21
Tasks	3952
Total byte weight	2.7 MB

Network metrics	Value

200 responses	21
Non-200 responses	0

Resource summary	Transfer size
Total	2.6 MB
Images	1.9 MB
Scripts	415.5 KB
Stylesheets	108.4 KB
Documents	5.2 KB
Third-party	215.4 KB

Network server latency	Value
Server latency	304 ms

https://nicolaphiriphotography.com/about

What the data shows
What the data shows
- Mobile: FCP 4356.3 ms, LCP 6456.3 ms, Speed Index 14803.4 ms, TBT 131.0 ms.
- Desktop: FCP 1270.1 ms, LCP 1370.1 ms, Speed Index 5542.2 ms, TBT 0.0 ms.
- Payload is moderate: mobile total transfer 2,838,906 bytes (2,069,819 bytes images); desktop total transfer 2,686,581 bytes (2,069,573 bytes images).
- Requests are moderate (23 mobile, 22 desktop).
- Main-thread work: mobile 2413.3 ms; desktop 603.2 ms.

Key strengths
Key strengths
- Very low blocking on desktop (TBT 0.0 ms) and strong desktop LCP (1370.1 ms).
- Mobile TBT is relatively low (131.0 ms) compared to other pages, indicating less responsiveness risk on mobile.
- All requests return HTTP 200 (0 non-200) and server latency is stable (~306-310 ms).

Primary weaknesses
Primary weaknesses
- Extremely high mobile Speed Index (14803.4 ms) despite an LCP of 6456.3 ms, indicating slow overall visual completion on mobile.
- Mobile FCP remains slow (4356.3 ms), implying delayed initial rendering on mobile connections/devices.
- Mobile main-thread work is substantial (2413.3 ms) with notable style/layout (568.6 ms) and script evaluation (447.9 ms).

Recommendations
Recommendations
- Reduce factors contributing to slow overall visual completion on mobile (Speed Index 14803.4 ms) by decreasing the total work during load (mobile main-thread 2413.3 ms) and reducing bytes that delay rendering (mobile transfer 2,838,906 bytes, with 2,069,819 bytes images).
- Target style/layout and script evaluation reductions based on the reported breakdown (568.6 ms style/layout; 447.9 ms script evaluation).
- Optimize the largest transferred assets on this page (e.g., ~504 KB and ~451 KB images, ~425.8 KB JS) to improve mobile FCP and Speed Index.

Basic metrics	Value
FCP	4.36 s
LCP	6.46 s
Speed Index	14.80 s
TBT	131 ms

Main thread work breakdown	Value
Total (numericValue)	2413 ms
other	1264 ms
styleLayout	569 ms
scriptEvaluation	448 ms

Diagnostic metrics	Value
Requests	23
Tasks	4523
Total byte weight	2.7 MB

Network metrics	Value
200 responses	23
Non-200 responses	0

Resource summary	Transfer size
Total	2.7 MB
Images	2.0 MB
Scripts	415.9 KB
Stylesheets	108.4 KB
Documents	5.2 KB
Third-party	215.4 KB

Network server latency	Value
Server latency	306 ms

https://nicolaphiriphotography.com/services

What the data shows
What the data shows
- Mobile: FCP 4353.3 ms, LCP 6141.3 ms, Speed Index 5685.8 ms, TBT 392.5 ms.
- Desktop: FCP 1223.5 ms, LCP 1314.5 ms, Speed Index 2410.5 ms, TBT 0.0 ms.
- Payload is light: mobile total transfer 795,443 bytes (36,798 bytes images); desktop total transfer 645,587 bytes (36,796 bytes images).
- Requests are low (15 mobile, 14 desktop) but mobile main-thread work is still high (3173.7 ms) with large style/layout (1005.8 ms) and script evaluation (529.8 ms).

Key strengths
Key strengths
- Low total transfer size and minimal image bytes (mobile 36,798 bytes images) relative to other pages.
- Excellent desktop responsiveness (TBT 0.0 ms) with strong desktop Speed Index (2410.5 ms) and LCP (1314.5 ms).
- Low request counts (14-15) and all requests return HTTP 200 (0 non-200).

Primary weaknesses
Primary weaknesses
- Mobile TBT is high (392.5 ms) despite a small payload, indicating CPU/main-thread work is the primary limiter on mobile for this page.
- Mobile main-thread work is very high (3173.7 ms), driven heavily by style/layout (1005.8 ms) and script evaluation (529.8 ms).
- Mobile FCP is slow (4353.3 ms) even though network weight is low, reinforcing that non-network factors are delaying rendering.

Recommendations
Recommendations
- Reduce mobile blocking time (392.5 ms) by reducing main-thread work during load, specifically the measured style/layout (1005.8 ms) and script evaluation (529.8 ms).
- Review critical JS and CSS delivery on this page: JS transfer is ~425,039 bytes and CSS ~90,068 bytes in top transfers; reduce their impact on main-thread where possible to improve mobile responsiveness.
- Keep the strong lightweight network profile (total transfer ~0.8 MB mobile) while focusing optimization effort on reducing CPU work indicated by the main-thread breakdown.

Basic metrics	Value
FCP	4.35 s
LCP	6.14 s
Speed Index	5.69 s
TBT	392 ms

Main thread work breakdown	Value
Total (numericValue)	3174 ms
other	1436 ms
styleLayout	1006 ms
scriptEvaluation	530 ms

Diagnostic metrics	Value
Requests	15
Tasks	908
Total byte weight	791.9 KB

Network metrics	Value
200 responses	15
Non-200 responses	0

Resource summary	Transfer size
Total	776.8 KB
Images	35.9 KB
Scripts	415.1 KB
Stylesheets	108.2 KB
Documents	5.2 KB
Third-party	215.4 KB

Network server latency	Value
Server latency	303 ms

https://nicolaphiriphotography.com/contact

What the data shows
What the data shows
- Mobile: FCP 4374.1 ms, LCP 6474.1 ms, Speed Index 6638.0 ms, TBT 61.0 ms.
- Desktop: FCP 1269.9 ms, LCP 1569.9 ms, Speed Index 2388.6 ms, TBT 0.0 ms.
- Payload is light-to-moderate: mobile total transfer 902,911 bytes (146,837 bytes images); desktop total transfer 751,497 bytes (146,655 bytes images).
- Low requests (15 mobile, 14 desktop) and moderate mobile task count (1,496).

Key strengths
Key strengths
- Very low mobile TBT (61.0 ms) and zero desktop TBT (0.0 ms), indicating good responsiveness.
- Low request count (14-15) and all requests return HTTP 200 (0 non-200).
- Manageable transfer sizes (under 1 MB total on mobile) with a relatively small key image (~110 KB in top transfers).

Primary weaknesses
Primary weaknesses
- Mobile FCP remains slow (4374.1 ms) and mobile LCP is still high (6474.1 ms) relative to desktop, indicating slower rendering/loading on mobile despite reasonable payload size.
- Mobile main-thread work is still meaningful (1681.1 ms) with non-trivial style/layout (442.3 ms) and script evaluation (331.7 ms).

Recommendations
Recommendations
- Improve mobile LCP (6474.1 ms) by reducing the time to load/render the largest element; validate whether the primary image (~110 KB) or other page elements are determining LCP and reduce their critical-path cost.
- Reduce mobile main-thread work (1681.1 ms) by targeting the measured style/layout (442.3 ms) and script evaluation (331.7 ms) components.
- Maintain the current low request count and modest transfer size while focusing on reducing the remaining mobile rendering delays reflected in FCP/LCP.

Basic metrics	Value
FCP	4.37 s
LCP	6.47 s
Speed Index	6.64 s
TBT	61 ms

Main thread work breakdown	Value
Total (numericValue)	1681 ms
other	718 ms
styleLayout	442 ms
scriptEvaluation	332 ms

Diagnostic metrics	Value
Requests	15
Tasks	1496
Total byte weight	896.8 KB

Network metrics	Value
200 responses	15

Non-200 responses	0

Resource summary	Transfer size
Total	881.7 KB
Images	143.4 KB
Scripts	416.4 KB
Stylesheets	108.4 KB
Documents	5.2 KB
Third-party	215.3 KB

Network server latency	Value
Server latency	324 ms

Per URL Breakdown (Desktop)

Each URL is reported using the same breakdown sections as Site Averages.

Targets: FCP <= 1.8s, LCP <= 1.5s, Speed Index <= 3.4s, TBT <= 200ms, Server latency <= 200ms.

https://nicolaphiriphotography.com/

What the data shows
What the data shows
- Mobile: FCP 4460.0 ms, LCP 9710.0 ms, Speed Index 6618.4 ms, TBT 541.0 ms.
- Desktop: FCP 1545.3 ms, LCP 15625.3 ms, Speed Index 3870.1 ms, TBT 137.0 ms.
- Payload and complexity are extremely high on both devices: 76 requests; mobile total transfer 18,401,946 bytes (17,632,936 bytes images); desktop total transfer 18,393,353 bytes (17,624,700 bytes images).
- Main-thread work is heavy: mobile 4322.7 ms; desktop 1708.7 ms. Mobile "Other" work dominates (3413.8 ms).
- Server latency: 410.0 ms mobile and 625.3 ms desktop for the site origin.

Key strengths
Key strengths
- All requests return HTTP 200 (0 non-200).
- Critical CSS/JS transfer is comparatively small relative to images (mobile scripts 426,335 bytes; styles 111,020 bytes).
- Third-party transfer is limited compared to total (220,519 bytes), so the primary bottleneck is first-party payload.

Primary weaknesses
Primary weaknesses
- Very high transfer size dominated by large images (over 17.6 MB images), which strongly aligns with the high LCP (mobile 9710.0 ms; desktop 15625.3 ms).
- Very high request and task counts (76 requests; 13,548 tasks on mobile; 6,532 tasks on desktop) indicate substantial processing overhead during load.
- Elevated mobile TBT (541.0 ms) and high main-thread work (4322.7 ms) suggest users will experience delayed responsiveness during initial load.

Recommendations
Recommendations
- Reduce the total image bytes on this page (17,632,936 bytes on mobile) by lowering the number and/or size of the largest images listed in top transfers (e.g., ~958 KB, ~809 KB, ~544 KB WebP files).
- Reduce request count (76) by limiting initial page assets to only what is required for first view; aim to align closer to other pages in the set (14-23 requests).
- Reduce mobile blocking (TBT 541.0 ms) by decreasing main-thread work during load; focus on the largest contributors shown ("Other" 3413.8 ms, plus style/layout and script evaluation).
- Monitor server response time for the origin (625.3 ms desktop) and ensure it does not increase as payload changes are deployed.

Basic metrics	Value
FCP	1.55 s
LCP	15.63 s
Speed Index	3.87 s
TBT	137 ms

Main thread work breakdown	Value
Total (numericValue)	1709 ms
other	1480 ms
styleLayout	109 ms
scriptEvaluation	90 ms

Diagnostic metrics	Value

Requests	76
Tasks	6532
Total byte weight	17.6 MB

Network metrics	Value
200 responses	76
Non-200 responses	0

Resource summary	Transfer size
Total	17.5 MB
Images	16.8 MB
Scripts	416.5 KB
Stylesheets	107.9 KB
Documents	5.2 KB
Third-party	215.3 KB

Network server latency	Value
Server latency	625 ms

https://nicolaphiriphotography.com/portfolio

What the data shows
What the data shows
- Mobile: FCP 4354.1 ms, LCP 8254.1 ms, Speed Index 6237.9 ms, TBT 451.0 ms.
- Desktop: FCP 1269.1 ms, LCP 3009.1 ms, Speed Index 5612.2 ms, TBT 190.0 ms.
- Payload is moderate compared to homepage: mobile total transfer 2,768,542 bytes (1,997,355 bytes images); desktop total transfer 2,618,451 bytes (1,997,577 bytes images).
- Requests are relatively low (21 mobile, 20 desktop) but mobile task count remains high (3,952).
- Notable single-file transfers include ~425 KB JS and ~450-504 KB images.

Key strengths
Key strengths
- Lower request count (20-21) and total transfer (~2.6-2.8 MB) than the homepage, indicating better baseline payload discipline.
- All requests return HTTP 200 (0 non-200).
- Server latency is stable and moderate (304.1 ms mobile; 309.1 ms desktop).

Primary weaknesses
Primary weaknesses
- Mobile LCP is still very high (8254.1 ms) alongside high mobile TBT (451.0 ms), indicating slow largest-element render and delayed interactivity.
- Desktop Speed Index is relatively high (5612.2 ms) despite a decent desktop LCP (3009.1 ms), suggesting the visual completion of the page remains slow relative to the key element.
- Main-thread work is material on mobile (2514.8 ms) with meaningful style/layout and script evaluation time.

Recommendations
Recommendations
- Reduce the bytes and/or priority impact of the largest images (top transfers ~504 KB and ~451 KB) to improve mobile LCP (8254.1 ms).
- Reduce mobile TBT (451.0 ms) by lowering main-thread work during load; target reductions in style/layout (456.9 ms) and script evaluation (311.8 ms) as reported.
- Review the large JS transfer (~425.5 KB) and reduce its impact on load where possible to improve both mobile TBT and desktop Speed Index.

Basic metrics	Value
FCP	1.27 s
LCP	3.01 s
Speed Index	5.61 s
TBT	190 ms

Main thread work breakdown	Value
Total (numericValue)	1018 ms
other	837 ms
styleLayout	82 ms
scriptEvaluation	75 ms

Diagnostic metrics	Value
Requests	20
Tasks	3495
Total byte weight	2.5 MB

Network metrics	Value

200 responses	20
Non-200 responses	0

Resource summary	Transfer size
Total	2.5 MB
Images	1.9 MB
Scripts	416.0 KB
Stylesheets	108.4 KB
Documents	5.2 KB
Third-party	68.0 KB

Network server latency	Value
Server latency	309 ms

https://nicolaphiriphotography.com/about

What the data shows
What the data shows
- Mobile: FCP 4356.3 ms, LCP 6456.3 ms, Speed Index 14803.4 ms, TBT 131.0 ms.
- Desktop: FCP 1270.1 ms, LCP 1370.1 ms, Speed Index 5542.2 ms, TBT 0.0 ms.
- Payload is moderate: mobile total transfer 2,838,906 bytes (2,069,819 bytes images); desktop total transfer 2,686,581 bytes (2,069,573 bytes images).
- Requests are moderate (23 mobile, 22 desktop).
- Main-thread work: mobile 2413.3 ms; desktop 603.2 ms.

Key strengths
Key strengths
- Very low blocking on desktop (TBT 0.0 ms) and strong desktop LCP (1370.1 ms).
- Mobile TBT is relatively low (131.0 ms) compared to other pages, indicating less responsiveness risk on mobile.
- All requests return HTTP 200 (0 non-200) and server latency is stable (~306-310 ms).

Primary weaknesses
Primary weaknesses
- Extremely high mobile Speed Index (14803.4 ms) despite an LCP of 6456.3 ms, indicating slow overall visual completion on mobile.
- Mobile FCP remains slow (4356.3 ms), implying delayed initial rendering on mobile connections/devices.
- Mobile main-thread work is substantial (2413.3 ms) with notable style/layout (568.6 ms) and script evaluation (447.9 ms).

Recommendations
Recommendations
- Reduce factors contributing to slow overall visual completion on mobile (Speed Index 14803.4 ms) by decreasing the total work during load (mobile main-thread 2413.3 ms) and reducing bytes that delay rendering (mobile transfer 2,838,906 bytes, with 2,069,819 bytes images).
- Target style/layout and script evaluation reductions based on the reported breakdown (568.6 ms style/layout; 447.9 ms script evaluation).
- Optimize the largest transferred assets on this page (e.g., ~504 KB and ~451 KB images, ~425.8 KB JS) to improve mobile FCP and Speed Index.

Basic metrics	Value
FCP	1.27 s
LCP	1.37 s
Speed Index	5.54 s
TBT	0 ms

Main thread work breakdown	Value
Total (numericValue)	603 ms
other	312 ms
styleLayout	154 ms
scriptEvaluation	104 ms

Diagnostic metrics	Value
Requests	22
Tasks	3969
Total byte weight	2.6 MB

Network metrics	Value
200 responses	22
Non-200 responses	0

Resource summary	Transfer size
Total	2.6 MB
Images	2.0 MB
Scripts	415.0 KB
Stylesheets	108.1 KB
Documents	5.2 KB
Third-party	68.0 KB

Network server latency	Value
Server latency	310 ms

https://nicolaphiriphotography.com/services

What the data shows
What the data shows
- Mobile: FCP 4353.3 ms, LCP 6141.3 ms, Speed Index 5685.8 ms, TBT 392.5 ms.
- Desktop: FCP 1223.5 ms, LCP 1314.5 ms, Speed Index 2410.5 ms, TBT 0.0 ms.
- Payload is light: mobile total transfer 795,443 bytes (36,798 bytes images); desktop total transfer 645,587 bytes (36,796 bytes images).
- Requests are low (15 mobile, 14 desktop) but mobile main-thread work is still high (3173.7 ms) with large style/layout (1005.8 ms) and script evaluation (529.8 ms).

Key strengths
Key strengths
- Low total transfer size and minimal image bytes (mobile 36,798 bytes images) relative to other pages.
- Excellent desktop responsiveness (TBT 0.0 ms) with strong desktop Speed Index (2410.5 ms) and LCP (1314.5 ms).
- Low request counts (14-15) and all requests return HTTP 200 (0 non-200).

Primary weaknesses
Primary weaknesses
- Mobile TBT is high (392.5 ms) despite a small payload, indicating CPU/main-thread work is the primary limiter on mobile for this page.
- Mobile main-thread work is very high (3173.7 ms), driven heavily by style/layout (1005.8 ms) and script evaluation (529.8 ms).
- Mobile FCP is slow (4353.3 ms) even though network weight is low, reinforcing that non-network factors are delaying rendering.

Recommendations
Recommendations
- Reduce mobile blocking time (392.5 ms) by reducing main-thread work during load, specifically the measured style/layout (1005.8 ms) and script evaluation (529.8 ms).
- Review critical JS and CSS delivery on this page: JS transfer is ~425,039 bytes and CSS ~90,068 bytes in top transfers; reduce their impact on main-thread where possible to improve mobile responsiveness.
- Keep the strong lightweight network profile (total transfer ~0.8 MB mobile) while focusing optimization effort on reducing CPU work indicated by the main-thread breakdown.

Basic metrics	Value
FCP	1.22 s
LCP	1.31 s
Speed Index	2.41 s
TBT	0 ms

Main thread work breakdown	Value
Total (numericValue)	622 ms
other	245 ms
styleLayout	220 ms
scriptEvaluation	114 ms

Diagnostic metrics	Value
Requests	14
Tasks	925
Total byte weight	645.5 KB

Network metrics	Value
200 responses	14
Non-200 responses	0

Resource summary	Transfer size
Total	630.5 KB
Images	35.9 KB
Scripts	416.1 KB
Stylesheets	108.1 KB
Documents	5.2 KB
Third-party	68.1 KB

Network server latency	Value
Server latency	303 ms

https://nicolaphiriphotography.com/contact

What the data shows
What the data shows
- Mobile: FCP 4374.1 ms, LCP 6474.1 ms, Speed Index 6638.0 ms, TBT 61.0 ms.
- Desktop: FCP 1269.9 ms, LCP 1569.9 ms, Speed Index 2388.6 ms, TBT 0.0 ms.
- Payload is light-to-moderate: mobile total transfer 902,911 bytes (146,837 bytes images); desktop total transfer 751,497 bytes (146,655 bytes images).
- Low requests (15 mobile, 14 desktop) and moderate mobile task count (1,496).

Key strengths
Key strengths
- Very low mobile TBT (61.0 ms) and zero desktop TBT (0.0 ms), indicating good responsiveness.
- Low request count (14-15) and all requests return HTTP 200 (0 non-200).
- Manageable transfer sizes (under 1 MB total on mobile) with a relatively small key image (~110 KB in top transfers).

Primary weaknesses
Primary weaknesses
- Mobile FCP remains slow (4374.1 ms) and mobile LCP is still high (6474.1 ms) relative to desktop, indicating slower rendering/loading on mobile despite reasonable payload size.
- Mobile main-thread work is still meaningful (1681.1 ms) with non-trivial style/layout (442.3 ms) and script evaluation (331.7 ms).

Recommendations
Recommendations
- Improve mobile LCP (6474.1 ms) by reducing the time to load/render the largest element; validate whether the primary image (~110 KB) or other page elements are determining LCP and reduce their critical-path cost.
- Reduce mobile main-thread work (1681.1 ms) by targeting the measured style/layout (442.3 ms) and script evaluation (331.7 ms) components.
- Maintain the current low request count and modest transfer size while focusing on reducing the remaining mobile rendering delays reflected in FCP/LCP.

Basic metrics	Value
FCP	1.27 s
LCP	1.57 s
Speed Index	2.39 s
TBT	0 ms

Main thread work breakdown	Value
Total (numericValue)	381 ms
other	156 ms
styleLayout	120 ms
scriptEvaluation	80 ms

Diagnostic metrics	Value
Requests	14
Tasks	1169
Total byte weight	749.0 KB

Network metrics	Value
200 responses	14

Non-200 responses	0

Resource summary	Transfer size
Total	733.9 KB
Images	143.2 KB
Scripts	416.0 KB
Stylesheets	108.4 KB
Documents	5.2 KB
Third-party	68.0 KB

Network server latency	Value
Server latency	310 ms