



EXCAVATIONS USING PLANT

RA NO

DATE

H.T.I Score	11	High- constant supervision
Contract		
Persons involved in RA	Name	Signatures
Foreman		
Second Foreman		
Safety Officer		
Representative		

Documentation Required	Training Required	PPE and Safety Equipment Required
OHS Act and Construction Regulations	General induction - all employees	Reflective vests
Appointment 6(1)	Toolbox talks	Safety Footwear
Appointments Plant/ Vehicle Operators	First Aider	Dust Masks
Appointment First Aider	RA Training	Eye Protection
Competency Operator		Gloves
Competency First Aider		
Plant/ Vehicle registers		
Excavation permit		

Activity Steps	Hazards and Risks	Preventative Measures	Rating
1	Underground services	Interruption of electrical, water, etc. services, explosions from gas lines and ground pollution can be caused by damage to unidentified services.	11
2	Wet Conditions	Plant slipping or sliding could cause injuries to employees or damage to equipment	11
3	Plant	Plant overturning or falling into trenches can cause possible fatal injuries and damage to plant	11

		Workers run over by moving plant	Plant to have rotating amber lights and reverse warning hooters. Employees must wear reflective vests. Access to area must be monitored and controlled	11
--	--	----------------------------------	--	----