

Errata sheet — corrected unified edition

A Theory of Everything Research Program (Baird & ZoraASI, 2026)

Inserted page #1; corpus pages 1–6894 unchanged; pages 6895–6909 replaced by the corrected methods note of 11 September 2026.

Produced 11 September 2026. This sheet documents every change made in the corrected edition.

A list of every change

Each entry states the original printed expression, the corrected expression, and the reason. The corrected note itself flags each repair with a boxed **Correction note**; this sheet is the stand-alone index for the boundary between corpus pages 6894 and the corrected note.

Location	Original	Corrected	Why
Eq. (11) alone	$H_{SR} = \lambda(E) L\rangle\langle L \otimes B$; single monitor on path L	$H_{SR} = \lambda(\Delta E) L\rangle\langle L \otimes B$, $\Delta E \equiv E(x_L) - E(x_R)$; twin monitors on both arms	Setting $E_L = E_R$ does the printed coupling gate makes N1 a genuine Null is now a theorem not an unsupported assumption
Table 2, row N1	$\alpha = 0$ “for a path-local gate”	$\alpha = 0$ because $\lambda(0) = 1$ at $\Delta E = 0$ (monitor-on/ $E=0$ reference)	Printed Ohmic $J(\omega)$ into (18) gives $4\pi\eta_{\text{bath}}k_B T$ Spectral convention requires $\frac{1}{2}$
Eq. (18) and (19)	(18) $2\pi \lim_{\omega \rightarrow 0^+} J(\omega) \coth(\beta\omega/2)$; (19) $\Gamma_\phi^{(0)} = 2\pi \eta_{\text{bath}} k_B T$	(19) $\Gamma_\phi^{(0)} = 4\pi \eta_{\text{bath}} k_B T$; coherence rate $\frac{1}{2}\Gamma_\phi^{(0)} = 2\pi \eta_{\text{bath}} k_B T$	The -1 requires a monitor reference; it does not changed to a monitor-off reference
Eq. (21)/(22) and §9 baseline	(??) “ $V/V_{\text{QM}} = \exp[-\frac{1}{2}\Gamma_\phi^{(0)}T(\lambda^2 - 1)]$ ” with “if desired” $E=0$ clause; §9 used N0 (monitor-off)	Two named references: $V_{\text{QM}}^{(\text{on})}$ (monitor-on, $E=0$) and $V_{\text{QM}}^{(\text{off})}$ (monitor-off). The “ -1 ” is bound to the monitor-on reference; estimator declares the baseline	Prevents the printed two different comparisons
§9.2 estimator	$\hat{V}_{\text{QM}}$ from “contemporaneous N0 (or N1 after N1 is shown dead)”	Baseline declared per row: default monitor-on (N1); N0 is the monitor-off offset meter	N1 vs N0 are different comparing them does false-fail the mechanism
§9.4 kill-plot, rule 2	“N1 sits on the same band as N0”	“N1 sits on 0 (monitor-on, $\Delta E=0$ null)”;	N0 sits on its monitor-off band
§9.5 analyzer predicate	“ $ \hat{\alpha}_{N1} - \hat{\alpha}_{N0} > \alpha_{\text{CM}}^{\text{max}}$ ”	Absolute N1 null band plus a recorded baseline column	Compares two different the original; now una
Appendix A sentence	“ $\Gamma_\phi^{(0)} = \lambda(\Delta E)^2 2\pi \eta_{\text{bath}} k_B T$ ”	“ $\Gamma_\phi^{(0)} = \lambda(\Delta E)^2 4\pi \eta_{\text{bath}} k_B T$ ”	Consistency with corr

Page-map of the corrected edition

Page(s)	Content	Status
#1	This errata sheet	New
1–6894	Corpus pages (incl. Sept 2026 status note, Part 0)	Unchanged
6895–6909	Reservoir/protocol methods note, 11 Sep 2026	Replaced by corrected note (14 pp.)

Notes

- Historical pages 1–6894 are passed through byte-identical by page selection (qpdf); none are re-typeset.
- The corrected note rennumbers nothing—its equation numbers match the printed note’s numbers (11, 14, 18, 19, 20, 21, 22, 23–26, 29–34, both twin models, Table 2) so old cross-references to “eq. 21”, “Table 2”, “Appendix A” still resolve.
- One presentation edit of the ledger table (“Still required” column) corrects a truncated extraction artifact in the compiled corpus; no physics is changed there.
- No other page in the corpus contains the three corrected equations (verified by full-corpus text audit, 6,909 pages); remote references to the note are therefore consistent with the corrected edition.