


TO START


```
import seaborn as sns
%matplotlib inline
```

distplot()




```
sns.distplot(tips['total_bill'], bins = 40)
```

jointplot()




```
sns.jointplot(x='total_bill', y='tip', data=tips)
```

pairplot()




```
sns.pairplot(tips)
```

rugplot()




```
sns.rugplot(tips['total_bill'])
```

barplot()




```
sns.barplot(x='sex', y='total_bill', data=tips)
```

boxplot()




```
sns.boxplot(x='day', y='total_bill', data = tips)
```

countplot()




```
sns.countplot(x='sex', data=tips)
```

violinplot()



```
sns.violinplot(x="day", y="total_bill", data=tips)
```

strippplot()



```
sns.stripplot(x="day", y="total_bill", data=tips)
```



By **Pitbull** (aggialavura)

Not published yet.

Last updated 24th June, 2019.


Page 1 of 3.

Sponsored by **Readable.com**

Measure your website readability!


<https://readable.com>

swarmplot()



```
sns.swarmplot(x="day", y="total_bill", data=tips)
```

heatmap()




```
sns.heatmap(tips.corr())
```

heatmap() with values



```
sns.heatmap(tips.corr(),annot=True)
```

heatmap(linecolor='white', linewidth=x')




```
sns.heatmap(matrix,cmap='PuBu',linecolor='white',linewidths=1)
```

clustermap()




```
sns.clustermap(matrix, cmap='BuPu')
```

PairGrid()




```
sns.PairGrid(df)
```

PairGrid() with options




```
g = sns.PairGrid(df)
g.map_diag(plt.hist)
g.map_upper(plt.scatter)
g.map_lower(sns.kdeplot)
```

FacetGrid()



```
g = sns.FacetGrid(data=tips, col='time', row='smoker')
```

Implot()



```
sns.Implot(x='total_bill',y='tip',data=tips)
```



By Pitbull (aggialavura)

Not published yet.

Last updated 24th June, 2019.


Page 2 of 3.

Sponsored by **Readable.com**

Measure your website readability!


<https://readable.com>

Implot(col="")




```
sns.lmplot(x='total_bill', y='tip', data=tips, col='sex')
```

Implot(col="", row="")



```
sns.lmplot(x="total_bill", y="tip", row="sex", col="time", data=tips)
```

Implot(col="", row="", hue="")



```
sns.lmplot(x='total_bill', y='tip', data=tips, col='day', row='time',
hue='sex')
```



By **Pitbull** (aggialavura)

Not published yet.

Last updated 24th June, 2019.

Page 3 of 3.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>