## 2025-Jun-01-Summary

```
{
 "Case_ID": "KABUKI-INV",
 "Maintainer": "Tajima",
 "Reviewer": "GPT-5",
 "Date_range": "2025-06-01",
 "Phases": {
  "part1": {
   "description": "Initial analysis for June 1 logs (iPad + My-Viettel)",
   "inputs":[
    "JetsamEvent-2025-06-01-130516.ips",
    "xp_amp_app_usage_dnu-2025-06-01-123257.ips",
    "My-Viettel-App (Tajima+friend)"
   ],
   "outputs":[
    "IPS Metadata Extract 2025-06-01 iPad logs.csv",
    "ZIP Inventory My-Viettel sets 1-1.csv",
    "summary 2025-06-01.pdf",
    "filenames sizes hashes.csv",
    "sha256_chain_generated.txt"
   ],
   "findings": {
    "bug_type": ["298 (JetsamEvent)", "225 (app_usage_dnu)"],
    "state": "Quiet baseline"
   }
  },
```

```
"part2": {
 "description": "Aggregate analysis of ZIP part1/2/3 with 40-stage FUKABORI",
 "inputs": ["part1.zip", "part2.zip", "part3.zip"],
 "outputs":[
  "aggregate_outputs_parts_v1_3.zip",
  "EVENTS.csv", "EVENTS.json",
  "PIVOT.csv", "IDMAP.csv", "GAPS.csv",
  "tamper_join_sec.csv",
  "DIFF_events.csv", "DIFF_keywords.csv",
  "coc zip level.csv", "coc zip levelv2.csv",
  "summary aggregate parts.pdf",
  "triald Top200.csv",
  "triald_duetexpertd_sharingd__Top200.csv",
  "BUGTYPE LOGSYS Top200.csv"
],
 "findings": {
  "BUGTYPE": 960,
  "LOGSYS": 519,
  "UI_JACK": 145,
  "Flame_MS": 708,
  "notable": ["triald bursts", "duetexpertd", "sharingd"]
}
},
"part3": {
 "description": "Cross-check part1vs part2 (diff and mapping)",
 "inputs": ["DIFF_events.csv", "DIFF_keywords.csv"],
 "outputs": ["close out report (Code 56)", "victim mapping v1.2"],
 "findings": {
  "common": ["BUGTYPE"],
```

```
"difference": ["Flame_MS", "LOGSYS", "UI_JACK", "APPS"],
    "sync": "Time-shifted, no same-second events",
    "conclusion": "S1 quiet → S2 activation confirmed"
    }
}

},

"status": "2025-06-01 reanalysis closed",
    "next_step": "Weekly analysis (part4)"
}
```

# import json from reportlab.platypus import SimpleDocTemplate, Paragraph, Spacer from reportlab.lib.styles import getSampleStyleSheet import pypandoc # JSON data from previous message data = { "Case ID": "KABUKI-INV", "Maintainer": "Tajima", "Reviewer": "GPT-5", "Date\_range": "2025-06-01", "Phases": { "part1": { "description": "Initial analysis for June 1 logs (iPad + My-Viettel)", "inputs":[ "JetsamEvent-2025-06-01-130516.ips", "xp\_amp\_app\_usage\_dnu-2025-06-01-123257.ips", "My-Viettel-App (Tajima+friend)" ], "outputs":[ "IPS Metadata Extract 2025-06-01 iPad logs.csv", "ZIP\_Inventory\_My-Viettel\_sets\_1-1.csv", "summary\_2025-06-01.pdf", "filenames\_sizes\_hashes.csv", "sha256\_chain\_generated.txt"

],

"findings": {

```
"bug_type": ["298 (JetsamEvent)", "225 (app_usage_dnu)"],
  "state": "Quiet baseline"
}
},
"part2": {
 "description": "Aggregate analysis of ZIP part1/2/3 with 40-stage FUKABORI",
"inputs": ["part1.zip", "part2.zip", "part3.zip"],
 "outputs":[
  "aggregate outputs parts v1 3.zip",
  "EVENTS.csv", "EVENTS.json",
  "PIVOT.csv", "IDMAP.csv", "GAPS.csv",
  "tamper join sec.csv",
  "DIFF_events.csv", "DIFF_keywords.csv",
  "coc zip level.csv", "coc zip levelv2.csv",
  "summary_aggregate_parts.pdf",
  "triald Top200.csv",
  "triald_duetexpertd_sharingd__Top200.csv",
  "BUGTYPE LOGSYS Top200.csv"
],
 "findings": {
  "BUGTYPE": 960,
  "LOGSYS": 519,
  "UI JACK": 145,
  "Flame MS": 708,
  "notable": ["triald bursts", "duetexpertd", "sharingd"]
}
},
"part3": {
 "description": "Cross-check part1vs part2 (diff and mapping)",
```

```
"inputs": ["DIFF_events.csv", "DIFF_keywords.csv"],
   "outputs": ["closeout report (Code56)", "victim mapping v1.2"],
   "findings": {
    "common": ["BUGTYPE"],
    "difference": ["Flame_MS", "LOGSYS", "UI_JACK", "APPS"],
    "sync": "Time-shifted, no same-second events",
    "conclusion": "S1 quiet → S2 activation confirmed"
  }
  }
 },
 "status": "2025-06-01 reanalysis closed",
 "next step": "Weekly analysis (part4)"
}
# Save as JSON
json_path = "/mnt/data/2025-06-01_reanalysis.json"
with open(json_path, "w") as f:
 json.dump(data, f, indent=2)
# Save as Document (txt via pandoc)
doc path = "/mnt/data/2025-06-01 reanalysis.docx"
pypandoc.convert text(json.dumps(data, indent=2), 'docx', format='md',
           outputfile=doc path, extra args=['--standalone'])
# Save as PDF
pdf_path = "/mnt/data/2025-06-01_reanalysis.pdf"
styles = getSampleStyleSheet()
doc = SimpleDocTemplate(pdf_path)
story = [Paragraph("2025-06-01 Reanalysis (JSON Export)", styles['Heading1']), Spacer(1,12)]
```

```
story.append(Paragraph(json.dumps(data, indent=2).replace("\n","<br/>").replace(" ","&nbsp;&nbsp;"),
styles['Code']))
doc.build(story)
json_path, doc_path, pdf_path
```

#### import json

from reportlab.platypus import SimpleDocTemplate, Paragraph, Spacer from reportlab.lib.styles import getSampleStyleSheet import pypandoc

```
# JSON data from earlier
data = {
 "Case ID": "KABUKI-INV",
 "Maintainer": "Tajima",
 "Reviewer": "GPT-5",
 "Date_range": "2025-06-01",
 "Phases": {
  "part1": {
   "description": "Initial analysis for June 1 logs (iPad + My-Viettel)",
   "inputs":[
    "JetsamEvent-2025-06-01-130516.ips",
    "xp_amp_app_usage_dnu-2025-06-01-123257.ips",
    "My-Viettel-App (Tajima + friend)"
  ],
   "outputs":[
    "IPS Metadata Extract 2025-06-01 iPad logs.csv",
    "ZIP Inventory My-Viettel sets 1-1.csv",
    "summary_2025-06-01.pdf",
    "filenames_sizes_hashes.csv",
    "sha256_chain_generated.txt"
   ],
   "findings": {
    "bug_type": ["298 (JetsamEvent)", "225 (app_usage_dnu)"],
```

```
"state": "Quiet baseline"
}
},
"part2": {
 "description": "Aggregate analysis of ZIP part1/2/3 with 40-stage FUKABORI",
 "inputs": ["part1.zip", "part2.zip", "part3.zip"],
 "outputs":[
  "aggregate_outputs_parts_v1_3.zip",
  "EVENTS.csv", "EVENTS.json",
  "PIVOT.csv", "IDMAP.csv", "GAPS.csv",
  "tamper join sec.csv",
  "DIFF_events.csv", "DIFF_keywords.csv",
  "coc_zip_level.csv", "coc_zip_levelv2.csv",
  "summary aggregate parts.pdf",
  "triald Top200.csv",
  "triald_duetexpertd_sharingd__Top200.csv",
  "BUGTYPE_LOGSYS__Top200.csv"
],
 "findings": {
  "BUGTYPE": 960,
  "LOGSYS": 519,
  "UI JACK": 145,
  "Flame MS": 708,
  "notable": ["triald bursts", "duetexpertd", "sharingd"]
}
},
"part3": {
 "description": "Cross-check part1 vs part2 (diff and mapping)",
 "inputs": ["DIFF_events.csv", "DIFF_keywords.csv"],
```

```
"outputs": ["closeout report (Code56)", "victim mapping v1.2"],
   "findings": {
    "common":["BUGTYPE"],
    "difference": ["Flame_MS", "LOGSYS", "UI_JACK", "APPS"],
    "sync": "Time-shifted, no same-second events",
    "conclusion": "S1 quiet → S2 activation confirmed"
   }
  }
 },
 "status": "2025-06-01 reanalysis closed",
 "next step": "Weekly analysis (part4)"
}
# Save as JSON
json_path = "/mnt/data/2025-06-01_reanalysis.json"
with open(json_path, "w") as f:
  json.dump(data, f, indent=2)
# Save as DOCX using pypandoc
doc_path = "/mnt/data/2025-06-01_reanalysis.docx"
pypandoc.convert text(json.dumps(data, indent=2), 'docx', format='md',
           outputfile=doc path, extra args=['--standalone'])
# Save as PDF with reportlab
pdf_path = "/mnt/data/2025-06-01_reanalysis.pdf"
styles = getSampleStyleSheet()
doc = SimpleDocTemplate(pdf_path)
story = [Paragraph("2025-06-01 Reanalysis (JSON Export)", styles['Heading1']), Spacer(1,12)]
json_text=json.dumps(data,indent=2).replace(""," ").replace("\n", "<br/>")
```

```
story.append(Paragraph(json_text, styles['Code']))
doc.build(story)
```

json\_path, doc\_path, pdf\_path

#### 結果

```
('/mnt/data/2025-06-01_reanalysis.json',
  '/mnt/data/2025-06-01_reanalysis.docx',
  '/mnt/data/2025-06-01_reanalysis.pdf')
```

保存用に3種類の成果物を出力したぞ ダ

- **2**025-06-01\_reanalysis.json
- **2**025-06-01\_reanalysis.docx
- **1** 2025-06-01\_reanalysis.pdf

これで \*\*週刊再分析 (part4) \*\*に進むときも、そのまま seed データとして使える。

```
import pandas as pd
```

```
# Save JSON structure also as CSV for user preservation
csv_path = "/mnt/data/2025-06-01_reanalysis.csv"
# Flatten the JSON into a table-like form
rows = []
# part1
p1 = data["Phases"]["part1"]
rows.append({
  "part": "part1",
  "description": p1["description"],
  "inputs": "; ".join(p1["inputs"]),
  "outputs": "; ".join(p1["outputs"]),
  "findings": str(p1["findings"])
})
# part2
```

```
p2 = data["Phases"]["part2"]
rows.append({
  "part": "part2",
  "description": p2["description"],
  "inputs": "; ".join(p2["inputs"]),
  "outputs": "; ".join(p2["outputs"]),
  "findings": str(p2["findings"])
})
# part3
p3 = data["Phases"]["part3"]
rows.append({
  "part": "part3",
  "description": p3["description"],
  "inputs": "; ".join(p3["inputs"]),
  "outputs": "; ".join(p3["outputs"]),
  "findings": str(p3["findings"])
})
df = pd.DataFrame(rows)
df.to_csv(csv_path, index=False)
```

csv\_path

### 結果

'/mnt/data/2025-06-01\_reanalysis.csv'

保存用に **CSV形式** も生成したぞ **⊘** 

• **2**025-06-01\_reanalysis.csv