

```
# HELP application_ready_time_seconds Time taken for the application to be ready to service requests
# TYPE application_ready_time_seconds gauge
application_ready_time_seconds{application="nekocafe",main_application_class="cn.edu.bjfu.nekocafe.NekocafeApplication"} 5.119
# HELP application_started_time_seconds Time taken to start the application
# TYPE application_started_time_seconds gauge
application_started_time_seconds{application="nekocafe",main_application_class="cn.edu.bjfu.nekocafe.NekocafeApplication"} 5.068
# HELP disk_free_bytes Usable space for path
# TYPE disk_free_bytes gauge
disk_free_bytes{application="nekocafe",path="/app/."} 1.019468394496E12
# HELP disk_total_bytes Total space for path
# TYPE disk_total_bytes gauge
disk_total_bytes{application="nekocafe",path="/app/."} 1.081101176832E12
# HELP executor_active_threads The approximate number of threads that are actively executing tasks
# TYPE executor_active_threads gauge
executor_active_threads{application="nekocafe",name="applicationTaskExecutor"} 0.0
executor_active_threads{application="nekocafe",name="taskScheduler"} 0.0
# HELP executor_completed_tasks_total The approximate total number of tasks that have completed execution
# TYPE executor_completed_tasks_total counter
executor_completed_tasks_total{application="nekocafe",name="applicationTaskExecutor"} 0.0
executor_completed_tasks_total{application="nekocafe",name="taskScheduler"} 3.0
# HELP executor_pool_core_threads The core number of threads for the pool
# TYPE executor_pool_core_threads gauge
executor_pool_core_threads{application="nekocafe",name="applicationTaskExecutor"} 8.0
executor_pool_core_threads{application="nekocafe",name="taskScheduler"} 1.0
# HELP executor_pool_max_threads The maximum allowed number of threads in the pool
# TYPE executor_pool_max_threads gauge
executor_pool_max_threads{application="nekocafe",name="applicationTaskExecutor"} 2.147483647E9
executor_pool_max_threads{application="nekocafe",name="taskScheduler"} 2.147483647E9
# HELP executor_pool_size_threads The current number of threads in the pool
# TYPE executor_pool_size_threads gauge
executor_pool_size_threads{application="nekocafe",name="applicationTaskExecutor"} 0.0
executor_pool_size_threads{application="nekocafe",name="taskScheduler"} 1.0
# HELP executor_queue_remaining_tasks The number of additional elements that this queue can ideally accept without blocking
# TYPE executor_queue_remaining_tasks gauge
executor_queue_remaining_tasks{application="nekocafe",name="applicationTaskExecutor"} 2.147483647E9
executor_queue_remaining_tasks{application="nekocafe",name="taskScheduler"} 2.147483647E9
# HELP executor_queued_tasks The approximate number of tasks that are queued for execution
# TYPE executor_queued_tasks gauge
executor_queued_tasks{application="nekocafe",name="applicationTaskExecutor"} 0.0
executor_queued_tasks{application="nekocafe",name="taskScheduler"} 2.0
# HELP hikaricp_connections Total connections
# TYPE hikaricp_connections gauge
hikaricp_connections{application="nekocafe",pool="HikariPool-1"} 10.0
# HELP hikaricp_connections_acquire_seconds Connection acquire time
# TYPE hikaricp_connections_acquire_seconds summary
hikaricp_connections_acquire_seconds_count{application="nekocafe",pool="HikariPool-1"} 4
hikaricp_connections_acquire_seconds_sum{application="nekocafe",pool="HikariPool-1"} 0.013874652
```

```
# HELP hikaricp_connections_acquire_seconds_max Connection acquire time
# TYPE hikaricp_connections_acquire_seconds_max gauge
hikaricp_connections_acquire_seconds_max{application="nekocafe",pool="HikariPool-1"} 0.0
# HELP hikaricp_connections_active Active connections
# TYPE hikaricp_connections_active gauge
hikaricp_connections_active{application="nekocafe",pool="HikariPool-1"} 0.0
# HELP hikaricp_connections_creation_seconds Connection creation time
# TYPE hikaricp_connections_creation_seconds summary
hikaricp_connections_creation_seconds_count{application="nekocafe",pool="HikariPool-1"} 9
hikaricp_connections_creation_seconds_sum{application="nekocafe",pool="HikariPool-1"} 0.527
# HELP hikaricp_connections_creation_seconds_max Connection creation time
# TYPE hikaricp_connections_creation_seconds_max gauge
hikaricp_connections_creation_seconds_max{application="nekocafe",pool="HikariPool-1"} 0.0
# HELP hikaricp_connections_idle Idle connections
# TYPE hikaricp_connections_idle gauge
hikaricp_connections_idle{application="nekocafe",pool="HikariPool-1"} 10.0
# HELP hikaricp_connections_max Max connections
# TYPE hikaricp_connections_max gauge
hikaricp_connections_max{application="nekocafe",pool="HikariPool-1"} 10.0
# HELP hikaricp_connections_min Min connections
# TYPE hikaricp_connections_min gauge
hikaricp_connections_min{application="nekocafe",pool="HikariPool-1"} 10.0
# HELP hikaricp_connections_pending Pending threads
# TYPE hikaricp_connections_pending gauge
hikaricp_connections_pending{application="nekocafe",pool="HikariPool-1"} 0.0
# HELP hikaricp_connections_timeout_total Connection timeout total count
# TYPE hikaricp_connections_timeout_total counter
hikaricp_connections_timeout_total{application="nekocafe",pool="HikariPool-1"} 0.0
# HELP hikaricp_connections_usage_seconds Connection usage time
# TYPE hikaricp_connections_usage_seconds summary
hikaricp_connections_usage_seconds_count{application="nekocafe",pool="HikariPool-1"} 4
hikaricp_connections_usage_seconds_sum{application="nekocafe",pool="HikariPool-1"} 0.115
# HELP hikaricp_connections_usage_seconds_max Connection usage time
# TYPE hikaricp_connections_usage_seconds_max gauge
hikaricp_connections_usage_seconds_max{application="nekocafe",pool="HikariPool-1"} 0.0
# HELP http_server_requests_active_seconds
# TYPE http_server_requests_active_seconds summary
http_server_requests_active_seconds_count{application="nekocafe",exception="none",method="GET",outcome="SUCCESS",status="200",uri="UNKNOWN"} 1
http_server_requests_active_seconds_sum{application="nekocafe",exception="none",method="GET",outcome="SUCCESS",status="200",uri="UNKNOWN"}
0.00289868
# HELP http_server_requests_active_seconds_max
# TYPE http_server_requests_active_seconds_max gauge
http_server_requests_active_seconds_max{application="nekocafe",exception="none",method="GET",outcome="SUCCESS",status="200",uri="UNKNOWN"}
0.002902817
# HELP http_server_requests_seconds
# TYPE http_server_requests_seconds summary
http_server_requests_seconds_count{application="nekocafe",error="none",exception="none",method="GET",outcome="SUCCESS",status="200",uri="/**"} 19
```

```
http_server_requests_seconds_sum{application="nekocafe", error="none", exception="none", method="GET", outcome="SUCCESS", status="200", uri="/**"}
0.106415778
http_server_requests_seconds_count{application="nekocafe", error="none", exception="none", method="GET", outcome="SUCCESS", status="200", uri="/actuator/
prometheus"} 37
http_server_requests_seconds_sum{application="nekocafe", error="none", exception="none", method="GET", outcome="SUCCESS", status="200", uri="/actuator/pr
ometheus"} 0.269759276
# HELP http_server_requests_seconds_max
# TYPE http_server_requests_seconds_max gauge
http_server_requests_seconds_max{application="nekocafe", error="none", exception="none", method="GET", outcome="SUCCESS", status="200", uri="/**"}
0.002590276
http_server_requests_seconds_max{application="nekocafe", error="none", exception="none", method="GET", outcome="SUCCESS", status="200", uri="/actuator/pr
ometheus"} 0.009080139
# HELP jdbc_connections_max Maximum number of active connections that can be allocated at the same time.
# TYPE jdbc_connections_max gauge
jdbc_connections_max{application="nekocafe", name="dataSource"} 10.0
# HELP jdbc_connections_min Minimum number of idle connections in the pool.
# TYPE jdbc_connections_min gauge
jdbc_connections_min{application="nekocafe", name="dataSource"} 10.0
# HELP jvm_info JVM version info
# TYPE jvm_info gauge
jvm_info{application="nekocafe", runtime="OpenJDK Runtime Environment", vendor="Eclipse Adoptium", version="17.0.19+10"} 1
# HELP jvm_buffer_count_buffers An estimate of the number of buffers in the pool
# TYPE jvm_buffer_count_buffers gauge
jvm_buffer_count_buffers{application="nekocafe", id="direct"} 13.0
jvm_buffer_count_buffers{application="nekocafe", id="mapped"} 0.0
jvm_buffer_count_buffers{application="nekocafe", id="mapped - 'non-volatile memory'"} 0.0
# HELP jvm_buffer_memory_used_bytes An estimate of the memory that the Java virtual machine is using for this buffer pool
# TYPE jvm_buffer_memory_used_bytes gauge
jvm_buffer_memory_used_bytes{application="nekocafe", id="direct"} 108544.0
jvm_buffer_memory_used_bytes{application="nekocafe", id="mapped"} 0.0
jvm_buffer_memory_used_bytes{application="nekocafe", id="mapped - 'non-volatile memory'"} 0.0
# HELP jvm_buffer_total_capacity_bytes An estimate of the total capacity of the buffers in this pool
# TYPE jvm_buffer_total_capacity_bytes gauge
jvm_buffer_total_capacity_bytes{application="nekocafe", id="direct"} 108544.0
jvm_buffer_total_capacity_bytes{application="nekocafe", id="mapped"} 0.0
jvm_buffer_total_capacity_bytes{application="nekocafe", id="mapped - 'non-volatile memory'"} 0.0
# HELP jvm_classes_loaded_classes The number of classes that are currently loaded in the Java virtual machine
# TYPE jvm_classes_loaded_classes gauge
jvm_classes_loaded_classes{application="nekocafe"} 13221.0
# HELP jvm_classes_unloaded_classes_total The number of classes unloaded in the Java virtual machine
# TYPE jvm_classes_unloaded_classes_total counter
jvm_classes_unloaded_classes_total{application="nekocafe"} 0.0
# HELP jvm_compilation_time_ms_total The approximate accumulated elapsed time spent in compilation
# TYPE jvm_compilation_time_ms_total counter
jvm_compilation_time_ms_total{application="nekocafe", compiler="HotSpot 64-Bit Tiered Compilers"} 34667.0
# HELP jvm_gc_live_data_size_bytes Size of long-lived heap memory pool after reclamation
# TYPE jvm_gc_live_data_size_bytes gauge
```

```
jvm_gc_live_data_size_bytes{application="nekocafe"} 0.0
# HELP jvm_gc_max_data_size_bytes Max size of long-lived heap memory pool
# TYPE jvm_gc_max_data_size_bytes gauge
jvm_gc_max_data_size_bytes{application="nekocafe"} 8.05306368E8
# HELP jvm_gc_memory_allocated_bytes_total Incremented for an increase in the size of the (young) heap memory pool after one GC to before the next
# TYPE jvm_gc_memory_allocated_bytes_total counter
jvm_gc_memory_allocated_bytes_total{application="nekocafe"} 1.05906176E8
# HELP jvm_gc_memory_promoted_bytes_total Count of positive increases in the size of the old generation memory pool before GC to after GC
# TYPE jvm_gc_memory_promoted_bytes_total counter
jvm_gc_memory_promoted_bytes_total{application="nekocafe"} 6610944.0
# HELP jvm_gc_overhead An approximation of the percent of CPU time used by GC activities over the last lookback period or since monitoring began, whichever is shorter, in the range [0..1]
# TYPE jvm_gc_overhead gauge
jvm_gc_overhead{application="nekocafe"} 0.0
# HELP jvm_gc_pause_seconds Time spent in GC pause
# TYPE jvm_gc_pause_seconds summary
jvm_gc_pause_seconds_count{action="end of minor GC",application="nekocafe",cause="Metadata GC Threshold",gc="G1 Young Generation"} 1
jvm_gc_pause_seconds_sum{action="end of minor GC",application="nekocafe",cause="Metadata GC Threshold",gc="G1 Young Generation"} 0.005
# HELP jvm_gc_pause_seconds_max Time spent in GC pause
# TYPE jvm_gc_pause_seconds_max gauge
jvm_gc_pause_seconds_max{action="end of minor GC",application="nekocafe",cause="Metadata GC Threshold",gc="G1 Young Generation"} 0.0
# HELP jvm_memory_committed_bytes The amount of memory in bytes that is committed for the Java virtual machine to use
# TYPE jvm_memory_committed_bytes gauge
jvm_memory_committed_bytes{application="nekocafe",area="heap",id="G1 Eden Space"} 1.58334976E8
jvm_memory_committed_bytes{application="nekocafe",area="heap",id="G1 Old Gen"} 9.961472E7
jvm_memory_committed_bytes{application="nekocafe",area="heap",id="G1 Survivor Space"} 1.048576E7
jvm_memory_committed_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'non-nmethods'"} 3211264.0
jvm_memory_committed_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'non-profiled nmethods'"} 7012352.0
jvm_memory_committed_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'profiled nmethods'"} 1.6646144E7
jvm_memory_committed_bytes{application="nekocafe",area="nonheap",id="Compressed Class Space"} 8716288.0
jvm_memory_committed_bytes{application="nekocafe",area="nonheap",id="Metaspace"} 6.7043328E7
# HELP jvm_memory_max_bytes The maximum amount of memory in bytes that can be used for memory management
# TYPE jvm_memory_max_bytes gauge
jvm_memory_max_bytes{application="nekocafe",area="heap",id="G1 Eden Space"} -1.0
jvm_memory_max_bytes{application="nekocafe",area="heap",id="G1 Old Gen"} 8.05306368E8
jvm_memory_max_bytes{application="nekocafe",area="heap",id="G1 Survivor Space"} -1.0
jvm_memory_max_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'non-nmethods'"} 7606272.0
jvm_memory_max_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'non-profiled nmethods'"} 1.22028032E8
jvm_memory_max_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'profiled nmethods'"} 1.22023936E8
jvm_memory_max_bytes{application="nekocafe",area="nonheap",id="Compressed Class Space"} 1.073741824E9
jvm_memory_max_bytes{application="nekocafe",area="nonheap",id="Metaspace"} -1.0
# HELP jvm_memory_usage_after_gc The percentage of long-lived heap pool used after the last GC event, in the range [0..1]
# TYPE jvm_memory_usage_after_gc gauge
jvm_memory_usage_after_gc{application="nekocafe",area="heap",pool="long-lived"} 0.030298868815104168
# HELP jvm_memory_used_bytes The amount of used memory
# TYPE jvm_memory_used_bytes gauge
jvm_memory_used_bytes{application="nekocafe",area="heap",id="G1 Eden Space"} 5.767168E7
```

```
jvm_memory_used_bytes{application="nekocafe",area="heap",id="G1 Old Gen"} 2.4399872E7
jvm_memory_used_bytes{application="nekocafe",area="heap",id="G1 Survivor Space"} 1.048576E7
jvm_memory_used_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'non-nmethods'"} 1357952.0
jvm_memory_used_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'non-profiled nmethods'"} 6632576.0
jvm_memory_used_bytes{application="nekocafe",area="nonheap",id="CodeHeap 'profiled nmethods'"} 1.6601984E7
jvm_memory_used_bytes{application="nekocafe",area="nonheap",id="Compressed Class Space"} 8409976.0
jvm_memory_used_bytes{application="nekocafe",area="nonheap",id="Metaspace"} 6.6413792E7
# HELP jvm_threads_daemon_threads The current number of live daemon threads
# TYPE jvm_threads_daemon_threads gauge
jvm_threads_daemon_threads{application="nekocafe"} 21.0
# HELP jvm_threads_live_threads The current number of live threads including both daemon and non-daemon threads
# TYPE jvm_threads_live_threads gauge
jvm_threads_live_threads{application="nekocafe"} 26.0
# HELP jvm_threads_peak_threads The peak live thread count since the Java virtual machine started or peak was reset
# TYPE jvm_threads_peak_threads gauge
jvm_threads_peak_threads{application="nekocafe"} 27.0
# HELP jvm_threads_started_threads_total The total number of application threads started in the JVM
# TYPE jvm_threads_started_threads_total counter
jvm_threads_started_threads_total{application="nekocafe"} 30.0
# HELP jvm_threads_states_threads The current number of threads
# TYPE jvm_threads_states_threads gauge
jvm_threads_states_threads{application="nekocafe",state="blocked"} 0.0
jvm_threads_states_threads{application="nekocafe",state="new"} 0.0
jvm_threads_states_threads{application="nekocafe",state="runnable"} 7.0
jvm_threads_states_threads{application="nekocafe",state="terminated"} 0.0
jvm_threads_states_threads{application="nekocafe",state="timed-waiting"} 8.0
jvm_threads_states_threads{application="nekocafe",state="waiting"} 11.0
# HELP logback_events_total Number of log events that were enabled by the effective log level
# TYPE logback_events_total counter
logback_events_total{application="nekocafe",level="debug"} 7.0
logback_events_total{application="nekocafe",level="error"} 0.0
logback_events_total{application="nekocafe",level="info"} 8.0
logback_events_total{application="nekocafe",level="trace"} 0.0
logback_events_total{application="nekocafe",level="warn"} 0.0
# HELP process_cpu_time_ns_total The "cpu time" used by the Java Virtual Machine process
# TYPE process_cpu_time_ns_total counter
process_cpu_time_ns_total{application="nekocafe"} 4.137E10
# HELP process_cpu_usage The "recent cpu usage" for the Java Virtual Machine process
# TYPE process_cpu_usage gauge
process_cpu_usage{application="nekocafe"} 0.0035087719298245615
# HELP process_files_max_files The maximum file descriptor count
# TYPE process_files_max_files gauge
process_files_max_files{application="nekocafe"} 1048576.0
# HELP process_files_open_files The open file descriptor count
# TYPE process_files_open_files gauge
process_files_open_files{application="nekocafe"} 24.0
# HELP process_start_time_seconds Start time of the process since unix epoch.
```

```
# TYPE process_start_time_seconds gauge
process_start_time_seconds{application="nekocafe"} 1.781533418221E9
# HELP process_uptime_seconds The uptime of the Java virtual machine
# TYPE process_uptime_seconds gauge
process_uptime_seconds{application="nekocafe"} 541.552
# HELP system_cpu_count The number of processors available to the Java virtual machine
# TYPE system_cpu_count gauge
system_cpu_count{application="nekocafe"} 16.0
# HELP system_cpu_usage The "recent cpu usage" of the system the application is running in
# TYPE system_cpu_usage gauge
system_cpu_usage{application="nekocafe"} 0.02962673808262044
# HELP system_load_average_1m The sum of the number of runnable entities queued to available processors and the number of runnable entities running
on the available processors averaged over a period of time
# TYPE system_load_average_1m gauge
system_load_average_1m{application="nekocafe"} 0.3232421875
# HELP tasks_scheduled_execution_active_seconds
# TYPE tasks_scheduled_execution_active_seconds summary
tasks_scheduled_execution_active_seconds_count{application="nekocafe",code_function="checkNoShowAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.
impl.StaffServiceImpl",exception="none",outcome="UNKNOWN"} 0
tasks_scheduled_execution_active_seconds_sum{application="nekocafe",code_function="checkNoShowAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.
impl.StaffServiceImpl",exception="none",outcome="UNKNOWN"} 0.0
tasks_scheduled_execution_active_seconds_count{application="nekocafe",code_function="checkOverstayAlerts",code_namespace="cn.edu.bjfu.nekocafe.serv
ice.impl.StaffServiceImpl",exception="none",outcome="UNKNOWN"} 0
tasks_scheduled_execution_active_seconds_sum{application="nekocafe",code_function="checkOverstayAlerts",code_namespace="cn.edu.bjfu.nekocafe.servic
e.impl.StaffServiceImpl",exception="none",outcome="UNKNOWN"} 0.0
# HELP tasks_scheduled_execution_active_seconds_max
# TYPE tasks_scheduled_execution_active_seconds_max gauge
tasks_scheduled_execution_active_seconds_max{application="nekocafe",code_function="checkNoShowAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.
impl.StaffServiceImpl",exception="none",outcome="UNKNOWN"} 0.0
tasks_scheduled_execution_active_seconds_max{application="nekocafe",code_function="checkOverstayAlerts",code_namespace="cn.edu.bjfu.nekocafe.servic
e.impl.StaffServiceImpl",exception="none",outcome="UNKNOWN"} 0.0
# HELP tasks_scheduled_execution_seconds
# TYPE tasks_scheduled_execution_seconds summary
tasks_scheduled_execution_seconds_count{application="nekocafe",code_function="checkNoShowAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.impl.
StaffServiceImpl",error="none",exception="none",outcome="SUCCESS"} 1
tasks_scheduled_execution_seconds_sum{application="nekocafe",code_function="checkNoShowAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.impl.St
affServiceImpl",error="none",exception="none",outcome="SUCCESS"} 1.390653299
tasks_scheduled_execution_seconds_count{application="nekocafe",code_function="checkOverstayAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.imp
l.StaffServiceImpl",error="none",exception="none",outcome="SUCCESS"} 2
tasks_scheduled_execution_seconds_sum{application="nekocafe",code_function="checkOverstayAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.impl.
StaffServiceImpl",error="none",exception="none",outcome="SUCCESS"} 0.142988981
# HELP tasks_scheduled_execution_seconds_max
# TYPE tasks_scheduled_execution_seconds_max gauge
tasks_scheduled_execution_seconds_max{application="nekocafe",code_function="checkNoShowAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.impl.St
affServiceImpl",error="none",exception="none",outcome="SUCCESS"} 0.0
tasks_scheduled_execution_seconds_max{application="nekocafe",code_function="checkOverstayAlerts",code_namespace="cn.edu.bjfu.nekocafe.service.impl.
StaffServiceImpl",error="none",exception="none",outcome="SUCCESS"} 0.0
```

```
# HELP tomcat_sessions_active_current_sessions
# TYPE tomcat_sessions_active_current_sessions gauge
tomcat_sessions_active_current_sessions{application="nekocafe"} 0.0
# HELP tomcat_sessions_active_max_sessions
# TYPE tomcat_sessions_active_max_sessions gauge
tomcat_sessions_active_max_sessions{application="nekocafe"} 0.0
# HELP tomcat_sessions_alive_max_seconds
# TYPE tomcat_sessions_alive_max_seconds gauge
tomcat_sessions_alive_max_seconds{application="nekocafe"} 0.0
# HELP tomcat_sessions_created_sessions_total
# TYPE tomcat_sessions_created_sessions_total counter
tomcat_sessions_created_sessions_total{application="nekocafe"} 0.0
# HELP tomcat_sessions_expired_sessions_total
# TYPE tomcat_sessions_expired_sessions_total counter
tomcat_sessions_expired_sessions_total{application="nekocafe"} 0.0
# HELP tomcat_sessions_rejected_sessions_total
# TYPE tomcat_sessions_rejected_sessions_total counter
tomcat_sessions_rejected_sessions_total{application="nekocafe"} 0.0
```