

PUESTA EN PRODUCCIÓN SEGURA

Unidad 3. Actividad 16



29 DE ENERO DE 2024

CARLOS DÍAZ MONTES
ESPECIALIZACIÓN DE CIBERSEGURIDAD

Índice

| Enunciado | 2 |
|-----------|---|
| Fiercicio | |

Enunciado


Repita los pasos anteriores y genere un fichero para ejecutar con Jenkins.

Ejercicio

Editamos Hola_mundo:

```
Pipeline script
  Script ?
      1 → pipeline {
      2 agent any
       3 → stages {
      4 - stage('First Stage') {
      5 → steps {
       6 echo 'Step 1. Hello World' }
      8 - stage('Second Stage') {
      9 → steps {
     10 echo 'Step 2. Second time Hello'
         echo 'Step 3. Third time Hello'
     11
     12
      13
      14
     15
   Use Groovy Sandbox ?
```

Y comprobamos que funciona:



La salida por consola:

```
Started by user admin1
[Pipeline] Start of Pipeline (hide)
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/Hola_mundo
[Pipeline] {
[Pipeline] stage
[Pipeline] { (First Stage)
[Pipeline] echo
Step 1. Hello World
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Second Stage)
[Pipeline] echo
Step 2. Second time Hello
[Pipeline] echo
Step 3. Third time Hello
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```