



PUESTA EN PRODUCCIÓN SEGURA

Unidad 3. Actividad 1



14 DE DICIEMBRE DE 2023
CARLOS DÍAZ MONTES
ESPECIALIZACIÓN DE CIBERSEGURIDAD

Índice

| | |
|----------------|---|
| Enunciado..... | 2 |
| Ejercicio..... | 2 |

Enunciado

Actividad. Repita los pasos anteriores e instale el servicio de contenedores en una maquina OpenSuse.

Ejercicio

Instalamos Docker

```
pps@localhost:~> sudo systemctl start docker.service
[sudo] contraseña para root:
pps@localhost:~> sudo systemctl status docker.service
● docker.service - Docker Application Container Engine
   Loaded: loaded (/usr/lib/systemd/system/docker.service; enabled; vendor preset: disabled)
   Active: active (running) since Thu 2023-12-14 20:04:28 CET; 8s ago
     Docs: http://docs.docker.com
    Main PID: 5177 (dockerd)
      Tasks: 19
    CGroup: /system.slice/docker.service
            └─ 5177 /usr/bin/dockerd --add-runtime oci=/usr/sbin/docker-runc
               5183 containerd --config /var/run/docker/containerd/containerd.toml --log-level warn

dic 14 20:04:24 localhost.localdomain systemd[1]: Starting Docker Application Container Engine...
dic 14 20:04:24 localhost.localdomain dockerd[5177]: time="2023-12-14T20:04:24+01:00" level=info msg="SUSE:secrets :: enabled"
dic 14 20:04:25 localhost.localdomain dockerd[5183]: time="2023-12-14T20:04:25.060392091+01:00" level=warning msg="failed to load plug-
dic 14 20:04:25 localhost.localdomain dockerd[5183]: time="2023-12-14T20:04:25.063099151+01:00" level=warning msg="could not use snaps
dic 14 20:04:28 localhost.localdomain systemd[1]: Started Docker Application Container Engine.

pps@localhost:~> Soy Carlos Diaz M0ntes
```