Buildings

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Trees

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Low vegetation

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Roads

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Pedestrian space

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Barriers

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Water

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Terrain

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Transport structures

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Utilities

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Signs

Parent semantic family | 30 x 30 normalized city grid | 6-city comparison | circle area = matching-panorama proportion (shared 0-100% scale)



Categories group semantically related dimension labels into parent landscape families. Faint dots mark observed cells. Each city is independently mapped to 30 x 30 equal-width bins; physical bin widths vary by city and are not fixed kilometers. Circle area is proportional to the within-cell share of sampled panoramas matching this family. This is an SAE-response share, not physical object prevalence.

Landscape combination classes

184 recurrent fine-grained patterns grouped into 70 unordered parent-family signatures



Class = the unordered set of semantic parent families in a combination. Bar length counts distinct subtype-level patterns; marker shows their mean city-level rate, weighting observed 1-km cells equally within each city and cities equally. The subtype patterns within one class are mutually exclusive under the one-unit-per-family assignment.

City distribution of the 20 most common landscape combination classes



Showing 20 of 70 parent-family signatures. Class rates sum the mutually exclusive fine-grained patterns with the same parent-family signature. These are SAE-response retrieval rates, not physical object counts, patch coverage, or human-validated landscape prototypes.

C01 | Pedestrian space + Roads

4 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C02 | Barriers + Buildings

9 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C03 | Buildings + Pedestrian space

8 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C04 | Low vegetation + Trees

2 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C05 | Barriers + Pedestrian space

11 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C06 | Barriers + Utilities

8 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C07 | Buildings + Utilities

6 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C08 | Barriers + Roads

4 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C09 | Roads + Utilities

3 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C10 | Pedestrian space + Utilities

8 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C11 | Low vegetation + Roads

2 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C12 | Buildings + Roads

4 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C13 | Roads + Trees

1 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C14 | Barriers + Trees

3 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C15 | Pedestrian space + Trees

4 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C16 | Trees + Utilities

3 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C17 | Low vegetation + Pedestrian space

3 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C18 | Low vegetation + Utilities

3 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C19 | Barriers + Buildings + Utilities

3 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.

C20 | Buildings + Trees

2 subtype-level patterns | 30 x 30 normalized city grid | circle area = matching-panorama proportion (shared 0-100% scale)



Buenos Aires

Melbourne

Dhaka

Lisbon

Cape Town

Chicago

Faint circles mark observed grid bins with no matching panorama. Each city is independently mapped to 30 x 30 equal-width bins; bin widths vary by city and are not fixed kilometers. Colored-circle area is proportional to matching sampled panoramas divided by all sampled panoramas in that bin. This is an SAE-response share, not physical object prevalence or validated landscape prevalence.