

Resultater fra QH1 for Hilde Celine Løvland

Resultat for dette forsøket: 3 av 9

Innlevert 27. aug. i 16.36

Dette forsøket tok 49 minutter

Feil svar



Spørsmål 1

0 / 1 poeng

Hydraulic pump, ideal, basic relations . Pump pressure difference (dp_P) = 288 bar . Pump supply power ($P_{PS \rightarrow P}$) = 44.1 kW . What is the pump flow (Q_P) in l/min?

153,125

91,875 (med marginen: 0,9188)

Riktig svar



Spørsmål 2

1 / 1 poeng

Hydraulic pump, basic relations . Pump displacement (D) = 80 cm³/rev . Pump speed (n) = 1709.0 rev/min . Pump volumetric efficiency (η_{vP}) = 0.84 . What is the pump flow (Q_P) in l/min?

114,8448

114,8448 (med marginen: 1,1484)

Riktig svar



Spørsmål 3

1 / 1 poeng

Pump, ideal, variable displacement . Pump max displacement (D_{Max}) = 10 cm³/rev . Pump speed (n) = 1652.1 rev/min . Pump flow (Q_P) = 7.6 l/min . What is the pump displacement parameter (α)?

0,46

0,46 (med marginen: 0,0046)

Feil svar



Spørsmål 4

0 / 1 poeng

Hydraulic motor, ideal, basic relations . Motor pressure difference (dp_M) = 290 bar . The motor is subjected to a resistive (positive) load . Power delivered by the motor to the load ($P_{M \rightarrow L}$) = 269 kW . What is the motor flow (Q_M) in l/min?

556,5517 (med marginen: 5,5655)

Riktig svar



Spørsmål 5

1 / 1 poeng

Hydraulic motor, basic relations . Motor displacement (D) = $28 \text{ cm}^3/\text{rev}$. Motor speed (n) = $4921.0 \text{ rev}/\text{min}$. Motor volumetric efficiency (η_{vM}) = 0.96 . The motor is subjected to an assistive (negative) load . What is the motor flow (Q_M) in l/min ?

132,2765 (med marginen: 1,3227)

Feil svar



Spørsmål 6

0 / 1 poeng

Hydraulic motor, power transfer . The motor is subjected to an assistive (negative) load . Power delivered by the load to the motor ($P_{L \rightarrow M}$) = 488 kW . Motor speed (n) = $854.6 \text{ rev}/\text{min}$. Motor displacement (D) = $710 \text{ cm}^3/\text{rev}$. Motor hydromechanical efficiency (η_{hmM}) = 0.89 . What is the motor pressure difference (dp_M) in bar?

429,4769 (med marginen: 4,2948)

Ubesvart



Spørsmål 7

0 / 2 poeng

Hydrostatic transmission, ideal components . Pump shaft torque (M_P) = 58 Nm . Pump displacement (D) = $23 \text{ cm}^3/\text{rev}$. Motor displacement (D) = $80 \text{ cm}^3/\text{rev}$. What is the motor shaft torque (M_M) in Nm ?

201,7391 (med marginen: 2,0174)

Feil svar



Spørsmål 8

0 / 1 poeng

Hydrostatic transmission . Pump speed (n) = $1255.0 \text{ rev}/\text{min}$. Pump displacement (D) = $5 \text{ cm}^3/\text{rev}$. Pump volumetric efficiency (η_{vP}) = 0.98 . The motor is subjected to a resistive (positive) load . Motor displacement (D) = $125 \text{ cm}^3/\text{rev}$. Motor volumetric efficiency (η_{vM}) = 0.93 . What is the motor speed (n) in rev/min ?

4 575,228

45,7523 (med marginen: 0,4575)

Quizresultat: 3 av 9