

IMDB – Exam Preparation

You have been tasked to create a simple application for the IMDB (Internet Movie Database). The application should hold **films**, which are the main app **entities**. The app is called **IMDB**.

The functionality of the application should support **creating**, **listing**, **editing** and **deleting** films.

The application should **persist** the data into a **database**.

Overview

Your application should be built on **each one** of the **following technologies**:

PHP

- **Symfony** framework
- **Twig** view engine
- **Doctrine** ORM
- **MySQL** database

JavaScript

- **NodeJS + ExpressJS** frameworks
- **Handlebars.js** view engine
- **Mongoose** data access library
- **MongoDB** database

Java

- **Spring** framework (**Spring MVC + Spring Boot + Spring Data**)
- **Thymeleaf** view engine
- **JPA / Hibernate ORM + Spring Data** data access
- **MySQL** database

C#

- **ASP.NET** framework (**ASP.NET MVC + Entity Framework**)
- **Razor** view engine
- **Entity Framework** ORM
- **MS SQL Server** database

Data Model

The **Film** entity holds **5 properties**:

- **id** – technology-dependent identifier (**ObjectID** for JavaScript, **int** for all other technologies)
- **name** – non-empty text
- **genre** – non-empty text
- **director** – non-empty text
- **year** – non-null integer

Project Skeletons

You will be given the applications' **skeletons**, which holds about **90%** of the logic. You'll be given some **files** (**controllers**, **models** etc.). The files will have **partially implemented logic**, so you'll need to write some code for the application to **function properly**.

The application's views will be given to you fully implemented. You only need to include them in your business logic.

Each technology will have its **own skeleton**, and the **different skeletons** may **differ** in terms of **what is given to you** and **what is to be implemented**.

Everything that has been given to you inside the skeleton is **correctly implemented** and if you write your code **correctly**, the application should work just fine. You are free to change anything in the Skeleton on your account.

User Interface

This is the user interface or how the application's pages should look in their final form (fully implemented). You have several pages, described below:

Index Page

Route: **“/”**

Displays **all** the **films** from the database with **2 options** as **actions** to **modify** them.

All Films				
Create New Film				
Name	Genre	Director	Year	Actions
X-Men	Action	Bryan Singer	2000	<button>Edit</button> <button>Delete</button>
Wasabi	Comedy	Gérard Krawczyk	2001	<button>Edit</button> <button>Delete</button>
Need For Speed	Action	Someone	2014	<button>Edit</button> <button>Delete</button>
Scream	Horror	Wes Craven	1996	<button>Edit</button> <button>Delete</button>

Create Page

Route: “/create”

Create Film

Name

Genre

Director

Year

Create

Cancel

Edit Page

Route: “/edit/{id}”

Edit Film

Name

X-Men

Genre

Action

Director

Bryan Singer

Year


2000

Edit

Cancel

Delete Page

Route: “/delete/{id}”



Delete Film

Name
X-Men

Genre
Action

Director
Bryan Singer

Year
2000

Delete Cancel

Problem

As you can see the different pages are on different routes. Most of the routing logic will be given to you in the **Skeleton**, but you should make sure that the application **works properly**.

Implement the “**IMDB**” app using all the above described **4 technologies**.

Setup

Before you start working, make sure you **download all the dependencies** (packages) required for each technology and **set up** the **databases**! Below are instructions on how to do this:

PHP and Symfony

1. Go into the **root directory** of the project (where the **bin** folder resides)
2. Make sure you’ve started your **MySQL server** (either from **XAMPP** or standalone)
3. Open a **shell / command prompt / PowerShell** window in the **root directory**: [Shift] + [Right click] → [Open command window here]
4. Enter the “**php composer.phar install**” command to restore its **Composer dependencies** (described in **composer.json**)
5. Enter the “**php bin/console doctrine:database:create --if-not-exists**” command
6. Done!

JavaScript and Node.js

1. Go into the **root directory** of the project (where the **bin** folder resides)
2. Make sure you’ve started your **MongoDB server** (**mongod.exe --dbpath path/to/db/directory**)
3. Open a **shell / command prompt / PowerShell** window in the **root directory**: [Shift] + [Right click] → [Open command window here]

4. Enter the “**npm install**” command to restore its **Node.js dependencies** (described in **package.json**)
5. Done!

C# and ASP.NET MVC

The C# project will automatically resolve its **NuGet dependencies** (described in **packages.config**) using the NuGet package restore when the project is built.

Java and Spring MVC

The Java project will automatically resolve its **Maven dependencies** (described in **pom.xml**) when the project is built.