STANDARD OPERATING PROCEDURE

DAMAGED CEMENTRETURN PROCESS

DOCUMENT CONTROL	DETAILS
Document Number	SOP-OPS-008
Version	1.2 — Draft for review and approval – 2nd Revision
Process Owner	Operations / Warehouse
Applies To	All [redacted] warehouses and personnel involved in cement returns
Effective Date	Upon approval
Review Cycle	Annually or when supplier requirements / company processes change
Approved By	_____

IMPORTANT This SOP reflects the stated [redacted] practice. Confirm the supplier's written 30-day return policy, including how the first and last days are counted, before issuing this document as final.

CONFIDENTIAL — INTERNAL BUSINESS USE

Document Revision History

Version	Date	Description	Prepared / Reviewed By
1.0	July 08, 2026	Drafting of actual process based on standard practices	Cesar Azucenas /
1.1	September 14, 2026	Revised, Confirm from vendors side's SOP to match filing process	Cesar Azucenas /
1.2	October 2, 2026	Revised, access to google drive granted.	Cesar Azucenas /

Contents

1. Purpose
2. Scope
3. Definitions
4. Roles and Responsibilities
5. Policy and Control Requirements
6. End-to-End Process Flow
7. Detailed Operating Procedure
8. Status Definitions and Follow-up
9. Records and Filing Standards
10. Exceptions and Escalation
11. Monitoring Checklist
12. Email Template
13. Daily Damage Log Template
14. Final Return Closure Checklist
15. Approval

1. Purpose

This Standard Operating Procedure (SOP) establishes a consistent method for identifying, segregating, counting, documenting, submitting, monitoring, and completing returns of damaged cement handled by [redacted]. It is intended to protect inventory accuracy, maintain batch and delivery traceability, meet the supplier's return deadline, and provide a complete audit trail from discovery through physical return.

2. Scope

This procedure applies to damaged cement identified at any [redacted] warehouse or receiving location and covers the process from initial segregation to final supplier acknowledgment and system closure. It applies to warehouse, sales, operations / administrative, and logistics personnel who participate in the return process.

3. Definitions

Term	Definition
Damaged cement	Cement sacks identified as torn, wet, broken, contaminated, deteriorated, or otherwise not fit for normal sale or use, subject to inspection.
SO Number	Sales Order reference associated with the cement transaction.
DR	Delivery Receipt or sorted delivery receipt used to verify the delivery and completion date.
Batch Number	Production / batch identifier printed on the cement sack.
BO Form	Bad Order Form or the supplier / company-prescribed form used to request return of damaged goods.
Day 0	The delivery completion date recorded on the applicable DR.
Day 1	The first calendar day immediately after Day 0.
Day 25 target	Target date to reconcile the damage record and prepare / submit the return request.
Day 30 deadline	The stated final day of the supplier's 30-day return window, subject to confirmation of the supplier's counting rule.
FILES tag	Company system tag indicating the return record has been filed with the supporting documents / links.
POD / return acknowledgment	Proof of delivery, receiving acknowledgment, or other evidence confirming the supplier received the returned cement.

4. Roles and Responsibilities

Role	Key Responsibilities
Warehouse Personnel	Identify and segregate damaged cement; protect it from further damage; count and record daily quantities; capture clear photographs; assist with physical reconciliation and loading.
Warehouse Supervisor / In-Charge	Validate physical count, batch grouping, DR details, storage segregation, daily log accuracy, and final quantity before submission and loading.
Assigned Return Processor / Admin	Verify SO / DR / batch details; create and maintain the Google Drive folder; update the daily log; prepare the BO Form and email; encode and monitor the system record; maintain the audit trail.
Sales Officer	Receive the return request; review the submitted details and supporting documents; coordinate supplier acknowledgment / approval; communicate decisions, requirements, and next steps.
Logistics Personnel	Coordinate schedule and vehicle / loading arrangements after approval; support loading and dispatch; secure applicable transport and return documentation.
Approving Authority / Supplier	Review the request and supporting evidence and provide the required approval or disposition under applicable supplier and company rules.

5. Policy and Control Requirements

- Damaged cement must be physically separated from saleable stock and clearly identified as HOLD / DAMAGED — NOT FOR SALE OR ISSUE.
- Group and document cement by batch number. Do not combine records for different batches; if one SO contains multiple batches, maintain separate batch-level quantities and evidence.
- The return eligibility check must be based on the delivery completion date shown on the corresponding DR and the supplier's applicable written return policy.
- The stated target is to prepare and submit the return request on Day 25. Do not wait until Day 25 if the return window, evidence, or approval lead time is at risk.
- Daily counts must be cumulative and traceable. The cumulative quantity is the sum of the daily quantities recorded for the same SO and batch; it is not a repeated recount of the same sacks.
- The Google Drive folder must contain readable photographs and the supporting documents. Access must be limited to authorized personnel.
- The BO Form, email, system entry, and physical quantity must agree. Differences must be investigated and resolved before submission or loading.
- No damaged cement may be returned, disposed of, donated, sold, or otherwise released under this return process without the required authorization.
- The system status must be updated at every material movement. Use RETURNED only after physical return is confirmed and proof is filed.

DEADLINE CONTROL Day 0 = delivery completion date. Day 1 = next calendar day. Day 25 = delivery date + 25 calendar days. Day 30 = delivery date + 30 calendar days, if the supplier confirms this counting convention. Validate the supplier's exact interpretation; if its policy counts the delivery date as Day 1 or uses business days, recalculate and follow the supplier rule.

6. End-to-End Process Flow




Figure 1. High-level damaged cement return process.



Figure 2. Day-counting guide based on the stated Day 1 convention.

7. Detailed Operating Procedure

Phase A — Identify, segregate, and inspect

A1. Identify damaged cement

When damaged cement is discovered during receiving, storage, handling, or stock inspection, notify the Warehouse Supervisor / In-Charge. Do not place the affected sacks back into saleable stock.

A2. Consolidate and segregate

Move the affected sacks to the designated damaged-goods holding area. Keep them dry, protected, accessible for inspection, and physically separated from good stock. Place a visible HOLD / DAMAGED label or sign.

A3. Inspect and classify

Inspect the sacks and record the observable condition (for example: torn sack, wet cement, broken / leaking sack, hardened cement, or other). Do not alter or conceal the condition before photographs are taken.

A4. Identify batch number

Read the batch number printed on the sack. Photograph the batch marking where possible. Sort the damaged sacks by batch number and keep separate counts for each batch. If the batch number is missing or unreadable, flag it for Sales Officer / supplier guidance; do not guess.

A5. Count and validate

Count the actual number of damaged sacks per batch. The Warehouse Supervisor / In-Charge should verify the count and record the date, location, and person who performed the count.

Phase B — Verify delivery reference and eligibility

B1. Retrieve the sorted Delivery Receipt

Locate the sorted DR associated with the affected cement. Confirm the delivery completion date, DR number, supplier, product / cement type, and delivered quantity where available.

B2. Verify the return window

Calculate the Day 25 target and Day 30 deadline using the approved supplier counting convention. Under the stated [redacted] practice, Day 1 is the calendar day after delivery completion. If the DR has multiple delivery dates or partial deliveries, use the date applicable to the affected goods and confirm with the Sales Officer.

B3. Confirm the SO number

Retrieve the SO number linked to the DR. Cross-check the SO, DR, delivery date, product type, and batch number. If references do not match, stop the request preparation and resolve the discrepancy with Sales / the relevant records custodian.

B4. Eligibility exception

If the delivery is outside the allowable 30-day period, or the date cannot be established, refer the case to the Sales Officer immediately for written direction. Do not represent the goods as eligible until the supplier / authorized party confirms.

Phase C — Create evidence folder and daily damage log

C1. Create the Google Drive folder

Create one dedicated folder for the SO. Recommended name: DAMAGED CEMENT RETURN - SO# [SO NUMBER]. If there are several batches under one SO, create separate batch subfolders to preserve traceability.

C2. Recommended folder structure

01 - Delivery Receipt and SO; 02 - Batch Identification; 03 - Damage Photos; 04 - Daily Damage Log; 05 - BO Form; 06 - Email and Approval; 07 - Loading and Return Proof.

C3. Upload photographs

Take clear, dated photographs showing (a) overall quantity / stack, (b) close-up of the damage, and (c) batch number marking. Name files consistently, for example: YYYY-MM-DD_SO123456_BATCH789_Damage_01.jpg. Upload original images where practical; avoid edits that could misrepresent the condition.

C4. Start the daily log

Start Day 1 on the first calendar day after delivery completion. Record the number of newly identified damaged sacks for that day, by batch. If no new damage is found, enter zero or 'No additional damage' so that monitoring remains continuous.

C5. Maintain cumulative quantity

Maintain both daily additional quantity and cumulative quantity. Do not add the same damaged sacks again on later days. If the physical count changes due to additional discovery, correction, or authorized movement, record the adjustment in remarks with date, reason, and responsible person.

C6. Add the Drive link

Place the Google Drive folder link in the daily log and the company system record. Test the link using an authorized account before submission. Ensure the Sales Officer and required reviewers have appropriate access.

Phase D — Day 25 reconciliation and request preparation

D1. Review the full record

On Day 25, review the DR, SO number, batch number, daily log, photographs, and current physical stock. Confirm that all evidence relates to the same delivery and batch.

D2. Reconcile the quantity

Conduct a fresh physical count with the Warehouse Supervisor / In-Charge. Compare the physical count with the cumulative daily log. Resolve any difference and document the correction before completing the BO Form.

D3. Complete the BO Form

Obtain the current official soft-copy BO Form. Complete every applicable field accurately, including SO number, DR number, delivery completion date, cement type, batch number, damaged quantity, damage description, warehouse / location, and date of request. Do not invent information for blank fields; confirm with the responsible party.

D4. Save the BO Form

Save the completed form in the SO / batch Google Drive folder using a consistent filename, such as SO123456_BATCH789_BO_Form_YYYY-MM-DD.pdf. Retain the editable source file if company practice requires it.

D5. Prepare the email

Prepare an email to the assigned Sales Officer requesting processing / return approval. State the SO number, DR number, delivery completion date, batch number, damaged quantity, brief damage description, and the Google Drive link. Attach the completed BO Form.

D6. Send and retain evidence

Send the email to the correct Sales Officer. Save or upload the sent email / message as PDF or screenshot, where permitted, into the correspondence folder. Record the date and time sent and the recipient in the tracker.

Phase E — Encode the request and monitor status

E1. Encode the return record

Create or update the damaged cement return entry in the designated company system. Enter the SO, DR, delivery completion date, Day 25 target, Day 30 deadline, batch number, cement type, warehouse, damaged quantity, request date, Sales Officer, and Google Drive link.

E2. Attach supporting documents and tag FILES

Attach the BO Form and other required files or links in the system. Apply the FILES tag after the supporting documentation has been filed. The tag does not replace the requirement to confirm that the request was actually sent to the Sales Officer.

E3. Update each status movement

Use the status definitions in Section 8. Record the status date, person updating, follow-up / response, and next action. Update the record promptly whenever acknowledgment, approval, loading arrangements, or return confirmation is received.

E4. Follow up

If acknowledgment or approval is delayed, follow up with the Sales Officer before the Day 30 deadline. Escalate time-sensitive cases to the Warehouse Supervisor / Operations Manager. Keep follow-up correspondence in the same Drive folder.

Phase F — Approval, loading, and physical return

F1. Confirm approval

Do not schedule or release the cement for return based only on an informal assumption. Obtain the required approval / authorization and record the approving party, date, and reference.

F2. Prepare for loading

Once approved, coordinate with the Sales Officer and Logistics. Confirm the approved quantity, batch number, loading date, vehicle / trip reference if applicable, and receiving destination / supplier instructions.

F3. Pre-loading verification

Before loading, jointly verify the actual sacks against the approved BO Form and system entry. Record any variance. Do not load quantities beyond the approved quantity without written authorization.

F4. Load and dispatch

Load the approved damaged cement safely and in accordance with warehouse and transport safety requirements. Secure the applicable gate pass, return slip, DR, trip ticket, or other dispatch document required by company / supplier procedure.

F5. Obtain proof of return

Secure supplier receiving acknowledgment, signed return document, POD, or equivalent proof showing the actual quantity received and date. If the supplier records a different quantity, document the variance and obtain clarification.

F6. Close the record

Upload the final documents, enter the actual return date and quantity, record the receiving acknowledgment reference, and change the system status to RETURNED only after physical return has been verified.

8. Status Definitions and Follow-up

System Status	When to Use	Required Evidence / Next Action
ACKNOWLEDGE	The Sales Officer / receiving party has confirmed receipt of the request.	Record acknowledgment date, name, and email / message reference. Follow up for review and decision.
WAITING APPROVAL	The request is under review and formal approval has not yet been received.	Record submission and follow-up dates. Monitor the Day 30 deadline and escalate delays.
APPROVED	Written or system-recorded approval has been received.	Save approval evidence. Confirm approved quantity and instructions; coordinate loading.
FOR LOADING	The approved goods are being prepared, scheduled, or physically loaded for return.	Record schedule, actual loading date, quantity, vehicle / trip reference, and dispatch documents.
RETURNED	The goods have physically reached the supplier / designated receiving point and receipt is evidenced.	Record actual quantity and date; file signed acknowledgment / POD; close the case.

STATUS CONTROL Do not mark a request as RETURNED merely because it is approved, scheduled, or loaded. The final status requires confirmation of physical receipt / return and supporting proof.

9. Records and Filing Standards

Record / Document	Minimum Filing Requirement
Delivery Receipt	Readable copy showing DR number and delivery completion date.
SO reference	SO number and supporting transaction reference.
Batch identification	Batch number recorded and photo evidence where available.
Damage photographs	Dated photos of overall quantity, close-up damage, and batch marking.
Daily damage log	Daily additions, cumulative quantity, remarks, responsible person, and Drive link.
BO Form	Completed and saved soft copy; final submitted version retained.
Email / correspondence	Sent request, recipient, date, follow-ups, acknowledgment, approval, and instructions.
Loading / dispatch proof	Approved quantity, loading date, dispatch reference, and related documents.
Return acknowledgment / POD	Evidence of physical receipt and final quantity returned.

Folder access should be granted only to personnel who need the records for processing, review, approval, or audit. Do not store unrelated personal information in the return folder. Follow the company's document retention and privacy requirements.

10. Exceptions and Escalation

Exception	Required Action
DR missing or delivery date unclear	Request a verified copy from the responsible department / Sales Officer. Do not calculate the deadline from an assumed date.
Batch number missing / unreadable	Photograph the sack and refer to Sales Officer / supplier for identification guidance. Keep the affected sacks segregated.
SO and DR do not match	Stop filing until the discrepancy is resolved and documented.
Return window close to expiry	Immediately notify the Sales Officer and Warehouse Supervisor / Operations Manager; submit complete available evidence as early as possible under approved practice.
Damage discovered after Day 25	Record the discovery date and quantity immediately; notify Sales Officer for guidance. Do not backdate the log.
Quantity differs from BO Form or system	Recount with the Warehouse Supervisor; correct all records consistently and retain an explanation of the adjustment.
Request rejected / not eligible	Save the written disposition, keep the cement on hold, and obtain an authorized instruction for its next disposition. Do not dispose of or release it without approval.
Supplier approves less than requested	Update the approved quantity and coordinate the balance's disposition separately under authorized instructions.
Return is loaded but POD is unavailable	Keep status at FOR LOADING / pending confirmation as applicable; request proof from Logistics / supplier before closure.

11. Monitoring Checklist

- ☐ Damaged cement physically segregated and labeled HOLD / DAMAGED.
- ☐ Sacks sorted by batch number; batch markings photographed or recorded.
- ☐ Sorted DR located and delivery completion date verified.
- ☐ 30-day eligibility and Day 25 target calculated using confirmed supplier rules.
- ☐ SO number verified against DR.
- ☐ Google Drive folder created with correct SO / batch naming.
- ☐ Damage photos uploaded and link access tested.
- ☐ Daily log started on Day 1; daily and cumulative quantities maintained.
- ☐ Day 25 physical count reconciled with the daily log.
- ☐ BO Form completed, saved, and checked.
- ☐ Email sent to the correct Sales Officer with BO Form attached and Drive link included.
- ☐ System record encoded and tagged FILES.
- ☐ Status, follow-up dates, responses, and next actions kept current.
- ☐ Approval saved before loading.
- ☐ Loading quantity reconciled with approved quantity.

- ☐ Return acknowledgment / POD received and filed.
- ☐ System updated to RETURNED and record closed.

12. Email Template

USE Replace bracketed fields with verified information. Attach the completed BO Form and test the Google Drive link before sending.

Subject: Damaged Cement Return Request – SO# [SO NUMBER]

Good day, [Sales Officer Name].

May we respectfully request your assistance in processing the return of the damaged cement under SO# [SO NUMBER].

For your reference, the details are as follows:

• Delivery Receipt No.: [DR NUMBER]
• Delivery Completion Date: [DATE]
• Cement Type: [PRODUCT / TYPE]
• Batch Number: [BATCH NUMBER]
• Total Damaged Quantity: [NUMBER] sacks
• Reason / Description of Damage: [BRIEF DESCRIPTION]

Attached is the completed BO Form for your review and processing. Photographs and other supporting records are available through the Google Drive link below:
[INSERT GOOGLE DRIVE LINK]

Kindly acknowledge receipt and advise us of the approval status and any further requirements or instructions.

Thank you for your assistance.

Best regards,
[NAME]
[redacted]

13. Daily Damage Log Template

Date	Day No.	SO No.	DR No.	Batch No.	Daily Qty	Cumulative Qty	Condition / Remarks	Photo / Drive Link	Recorded By

Suggested additional fields in the master tracker: warehouse / location, cement type, delivery completion date, Day 25 target, Day 30 deadline, BO Form filename, date emailed, Sales Officer, current status, last follow-up, next action, approval reference, actual loading date, actual return date, actual returned quantity, and POD link.

14. Final Return Closure Checklist

Closure Requirement	Yes / No	Remarks / Reference
Approval evidence saved		
Approved quantity verified		
Physical quantity loaded reconciled		
Dispatch / loading document saved		
Supplier acknowledgment / POD received		
Actual returned quantity and date recorded		
Google Drive folder complete		
System status updated to RETURNED		
Final record reviewed by Warehouse Supervisor / In-Charge		

15. Approval

Prepared By	Reviewed By	Approved By
Name: _____	Name: _____	Name: _____
Position: _____	Position: _____	Position: _____
Date: _____	Date: _____	Date: _____

IMPLEMENTATION NOTE Before formal release, [redacted] should confirm the official BO Form, responsible Sales Officer / approver, system fields and status names, supplier's exact 30-day counting rule, and required return / POD documents. Once approved, communicate this SOP to all affected warehouse and office personnel.