Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ▾] ☐ css

```
<!doctype html>
<html lang="en">

<head>


  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
  <meta name="description"
  content="Explore and experience our unique at-home adventures for everyone!
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. ↵
3. ↵
4. `<!doctype html>`↵
5. `<html lang="en">`↵
6. ↵
7. `<head>`↵
8. ↵
9. ↵
10. `<meta http-equiv="X-UA-Compatible" content="ie=edge">`↵
11. `<meta charset="utf-8">`↵
12. `<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">`↵

```
13.    <meta name="description"↵
14.    content="Explore and experience our unique at-home adventures for everyone!
       Something for all ages and interests. Join us on this active adventure! ">↵
15.    <meta name="keywords"↵
16.    content="Adventure, at home adventure, experience, active, activate, active
       adventure, active8, active at home, exploring, explorer, mystery, at home
       mystery, problem solving, familiy activity ">↵
17.    ↵
18.    ↵
19.    ↵
20.    ↵
21.    ↵
22.    ↵
23.    <link rel="stylesheet"
       href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"↵
24.        integrity="sha384-
       Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
       crossorigin="anonymous">↵
25.    <link rel="preconnect" href="https://fonts.googleapis.com">↵
26.    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↵
27.    <link href="https://fonts.googleapis.com/css2?
       family=Raleway&family=Water+Brush&display=swap" rel="stylesheet">↵
28.    <link rel="stylesheet" href="https://active8-
       adventures.s3.amazonaws.com/static/css/base.css">↵
29.    ↵
30.    ↵
31.    ↵
32.    ↵
33.    ↵
34.    ↵
35.    <script src="https://kit.fontawesome.com/e9c73d7092.js"
       crossorigin="anonymous"></script>↵
36.    <script src="https://code.jquery.com/jquery-3.6.0.min.js"↵
37.        integrity="sha256-/xUj+3OJU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
       crossorigin="anonymous"></script>↵
38.    <script
       src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"↵
39.        integrity="sha384-
       Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
       crossorigin="anonymous">↵
40.    </script>↵
41.    <script
       src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"↵
42.        integrity="sha384-
       wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
       crossorigin="anonymous">↵
43.    </script>↵
44.    ↵
45.    <!-- Stripe -->↵
46.    <script src="https://js.stripe.com/v3/"></script>↵
47.    ↵
48.    ↵
49.    ↵
50.    ↵
51.    ↵
52.    <title>Active8</title>↵
53.  </head>↵
54.  ↵
55.  <body class="d-flex flex-column min-vh-100">↵
56.    <div class="px-3 py-2 bg-dark text-white">↵
57.      <div class="container">↵
58.        <nav class="navbar navbar-expand-sm navbar-dark bg-dark">↵
59.          <div class="d-flex flex-wrap align-items-center justify-content-
       between">↵
60.            <a class="navbar-brand d-flex my-2 mx-0 my-lg-0 me-lg-auto text-white
       text-decoration-none"↵
```

```
61.              href="/">↵
62.                <h2 class="my-heading-font ps-2 mr-5 left">Active8</h2>↵
63.            </a>↵
64.          </div>↵
65.          <button class="navbar-toggler" type="button" data-toggle="collapse"
        data-target="#navbarNavDropdown"↵
66.            aria-controls="navbarNavDropdown" aria-expanded="false" aria-
        label="Toggle navigation">↵
67.            <span class="navbar-toggler-icon"></span>↵
68.          </button>↵
69.          <div class="collapse navbar-collapse " id="navbarNavDropdown">↵
70.            <ul class="navbar-nav ml-auto">↵
71.              <li class="nav-item active mr-3">↵
72.                <a class="nav-link text-white" href="/">↵
73.                  <div class="text-center">↵
74.                    <div><i class="fas fa-home"></i></div>↵
75.                    <p class="my-0">↵
76.                      Home↵
77.                    </p>↵
78.                  </div> <span class="sr-only">(current)</span>↵
79.                </a>↵
80.              </li>↵
81.              <li class="nav-item dropdown mr-3">↵
82.                <a class="nav-link dropdown-toggle text-white" href="#"
        id="navbarDropdownMenuLinkShop"↵
83.                  data-toggle="dropdown" aria-haspopup="true" aria-
        expanded="false">↵
84.                  <div class="text-center">↵
85.                    <div><i class="fas fa-store-alt"></i></div>↵
86.                    <p class="my-0">Shop</p>↵
87.                  </div>↵
88.                </a>↵
89.                <div class="dropdown-menu" aria-
        labelledby="navbarDropdownMenuLinkShop">↵
90.                  <a class="dropdown-item" href="/products/?
        category=kids,adolescents,Adults">All Adventures</a>↵
91.                  <a class="dropdown-item" href="/products/?
        category=kids">Kids</a>↵
92.                  <a class="dropdown-item" href="/products/?
        category=adolescents">Adolescents</a>↵
93.                  <a class="dropdown-item" href="/products/?
        category=Adults">Adults</a>↵
94.                </div>↵
95.              </li>↵
96.              <li class="nav-item active mr-3">↵
97.                <a class="nav-link text-white" href="/questions/">↵
98.                  <div class="text-center">↵
99.                    <div><i class="fas fa-question"></i></div>↵
100.                   <p class="my-0">↵
101.                     Q&A↵
102.                   </p>↵
103.                 </div> <span class="sr-only">(current)</span>↵
104.               </a>↵
105.             </li>↵
106.             <li class="nav-item dropdown mr-3">↵
107.               <a class="nav-link dropdown-toggle text-white" href="#"
        id="navbarDropdownMenuLinkProfile"↵
108.                 data-toggle="dropdown" aria-haspopup="true" aria-
        expanded="false">↵
109.                 <div class="text-center">↵
110.                   <div><i class="fas fa-user fa-lg"></i></div>↵
111.                   ↵
112.                   <p class="my-0 text-uppercase">↵
113.                     admin1</p>↵
114.                   ↵
115.                 </div>↵
```

```
116.                </a>↵
117.                <div class="dropdown-menu border-0" aria-
      labelledby="navbarDropdownMenuLinkProfile">↵
118.                    ↵
119.                    ↵
120.                    <a href="/products/add/" class="dropdown-item">Product
      Management</a>↵
121.                    <a href="/questions/manage/" class="dropdown-item">Q&A
      Management</a>↵
122.                    ↵
123.                    <a href="/profile/" class="dropdown-item">Order History</a>↵
124.                    <a href="/accounts/logout/" class="dropdown-item">Sign Out</a>↵
125.                    ↵
126.                </div>↵
127.            </li>↵
128.            <li class="nav-item mr-3">↵
129.              <a class="text-white nav-link"↵
130.                href="/cart/">↵
131.                <div class="text-center">↵
132.                  <div><i class="fas fa-shopping-cart"></i></div>↵
133.                  <p class="my-0">↵
134.                    ↵
135.                    Empty↵
136.                    ↵
137.                  </p>↵
138.                </div>↵
139.              </a>↵
140.            </li>↵
141.          </ul>↵
142.        </div>↵
143.      </nav>↵
144.    </div>↵
145.  </div>↵
146.  ↵
147.    ↵
148.  ↵
149.    ↵
150. <div class="container header-container">↵
151.   <div class="col-12 col-md-6 offset-md-3 text-center mt-3">↵
152.     <h2 class=" my-4">Add Question</h2>↵
153.     <hr>↵
154.   </div>↵
155. </div>↵
156.  ↵
157.  ↵
158.    ↵
159. <div class="container">↵
160.    ↵
161.  ↵
162.    <div class="row ">↵
163.        <div class="col-md-2">↵
164.        </div>↵
165.        <!-- forms starts here -->↵
166.        <div class="col-md-8 col-lg-8">↵
167.          <form action="/questions/add/" enctype="multipart/form-data"
      method="POST" id="question-form">↵
168.            ↵
169. <input type="hidden" name="csrfmiddlewaretoken"
      value="ARkmZQE6DrVDCKzcZV6Cf2cZU9tpDRc9uDZ4uoSZA681zmN24UE9VlR8iCQHxlDX">↵
170. <div class="row g-3">↵
171.    <div class="col-12">↵
172.        ↵
173.  ↵
174.  ↵
175.      ↵
176.      <div id="div_id_header" class="form-group">↵
```

```
177.              ↵
178.              ↵
179.          <label for="id_header" class=" requiredField">↵
180.                  Header<span class="asteriskField">*</span>↵
181.          </label>↵
182.              ↵
183. ↵
184.              ↵
185. ↵
186.              ↵
187. ↵
188.              ↵
189.                ↵
190.                  <div>↵
191.                      ↵
192.                          ↵
193.                              <input type="text" name="header" maxlength="254"
     class="textinput textInput form-control" required id="id_header">↵
194.                          ↵
195.                      ↵
196.                      ↵
197. ↵
198. ↵
199.          ↵
200. ↵
201. ↵
202. ↵
203. ↵
204.          ↵
205. ↵
206. ↵
207. ↵
208.                  </div>↵
209.                ↵
210.              ↵
211.      </div>↵
212.          ↵
213. ↵
214. ↵
215.      </div>↵
216.      <div class="col-12">↵
217.          ↵
218. ↵
219. ↵
220.          ↵
221.      <div id="div_id_detail" class="form-group">↵
222.          ↵
223.              ↵
224.          <label for="id_detail" class=" requiredField">↵
225.                  Detail<span class="asteriskField">*</span>↵
226.          </label>↵
227.          ↵
228. ↵
229.          ↵
230. ↵
231.          ↵
232. ↵
233.          ↵
234.                ↵
235.                  <div>↵
236.                      ↵
237.                          ↵
238.                              <textarea name="detail" cols="40" rows="10"
     class="textarea form-control" required id="id_detail">↵
239. </textarea>↵
240.                          ↵
```

```
241.                              ↵
242.                              ↵
243.    ↵
244.    ↵
245.          ↵
246.    ↵
247.    ↵
248.    ↵
249.    ↵
250.        ↵
251.    ↵
252.    ↵
253.    ↵
254.                  </div>↵
255.              ↵
256.          ↵
257.      </div>↵
258.        ↵
259.    ↵
260.    ↵
261.      </div>↵
262.    ↵
263.      <!-- only superuser can see answer field and status field-->↵
264.      ↵
265.      <div class="col-12">↵
266.          ↵
267.    ↵
268.    ↵
269.        ↵
270.      <div id="div_id_answer" class="form-group">↵
271.          ↵
272.            ↵
273.          <label for="id_answer" class="">↵
274.                  Answer↵
275.              </label>↵
276.          ↵
277.    ↵
278.          ↵
279.    ↵
280.          ↵
281.    ↵
282.          ↵
283.            ↵
284.                  <div>↵
285.                    ↵
286.                      ↵
287.                            <textarea name="answer" cols="40" rows="10"
      class="textarea form-control" id="id_answer">↵
288. </textarea>↵
289.                            ↵
290.                      ↵
291.                      ↵
292.    ↵
293.    ↵
294.        ↵
295.    ↵
296.    ↵
297.    ↵
298.    ↵
299.        ↵
300.    ↵
301.    ↵
302.    ↵
303.                  </div>↵
304.              ↵
305.          ↵
```

```
306.          </div>↵
307.          ↵
308.     ↵
309.     ↵
310.          </div>↵
311.          <div class="col-12">↵
312.              ↵
313.     ↵
314.     ↵
315.          ↵
316.          <div id="div_id_status" class="form-group">↵
317.              ↵
318.                  ↵
319.          <label for="id_status" class="">↵
320.                  Status↵
321.              </label>↵
322.              ↵
323.     ↵
324.                  ↵
325.     ↵
326.                  ↵
327.     ↵
328.                  ↵
329.                  ↵
330.                      <div>↵
331.                          ↵
332.                          ↵
333.                              <select name="status" class="select form-control"
     id="id_status">↵
334.    <option value="">---------</option>↵
335.    ↵
336.    <option value="0" selected>Draft</option>↵
337.    ↵
338.    <option value="1">Published</option>↵
339.    ↵
340.    </select>↵
341.                          ↵
342.                          ↵
343.                          ↵
344.    ↵
345.    ↵
346.        ↵
347.    ↵
348.    ↵
349.    ↵
350.    ↵
351.        ↵
352.    ↵
353.    ↵
354.    ↵
355.                      </div>↵
356.                  ↵
357.              ↵
358.          </div>↵
359.          ↵
360.     ↵
361.     ↵
362.          </div>↵
363.     ↵
364.          ↵
365.          <div class="col-12">↵
366.              <input type="hidden" value="2" name="author">↵
367.          </div>↵
368.     ↵
369.    </div>↵
370.                      <div class="row gy-3">↵
```

```
371.                         <!-- buttons at the end of the form -->↵
372.                         <div class="col-12 my-4 text-center">↵
373.                             <button type="reset" class="btn btn-custom-secondary me-
     2 rounded-2">↵
374.                                 <span class="font-weight-bold">Clear↵
375.                                 </span>↵
376.                             </button>↵
377.                             <button id="submit-button" class="btn btn-custom
     rounded-2">↵
378.                                 <span class="font-weight-bold">Save↵
379.                                 </span>↵
380.                             </button>↵
381.                         </div>↵
382.                     </div>↵
383.                 </form>↵
384.             </div>↵
385.         </div>↵
386. ↵
387.         ↵
388. </div>↵
389. ↵
390. ↵
391.    <!-- FOOTER -->↵
392. ↵
393.    <footer id="sticky-footer" class="flex-shrink-0 py-1 bg-white text-dark">↵
394.      <div class="container text-center">↵
395.        <hr>↵
396.        <p> Active8 &middot;↵
397.          <a class="footer-link" href="/contact/">Contact Us↵
398.          </a> &middot;↵
399.          <a class="footer-link" href="/newsletter/">Newsletter↵
400.          </a> &middot; Follow us on↵
401.          <a class="footer-link" href="https://www.facebook.com/" rel="noopener"↵
402.            target="_blank" aria-label="go to our facebook page (opens in new
     window)">Facebook</a>↵
403.        </p>↵
404.      </div>↵
405.    </footer>↵
406. ↵
407. ↵
408.    ↵
409.    <script>↵
410.      $('.toast').toast('show');↵
411.    </script>↵
412.    ↵
413. ↵
414. ↵
415. </body>↵
416. ↵
417. </html>
```

Used the HTML parser.

Total execution time 24 milliseconds.