

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼ ☐ css

```
<!doctype html>
<html lang="en">

<head>

  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
  <meta name="description"
content="Explore and experience our unique at-home adventures for everyone!"
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. ↵
4. <!doctype html>↵
5. <html lang="en">↵
6. ↵
7. <head>↵
8. ↵
9.   ↵
10.   <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
11.   <meta charset="utf-8">↵
12.   <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
    fit=no">↵
```

```

13.   <meta name="description">
14.   content="Explore and experience our unique at-home adventures for everyone!
Something for all ages and interests. Join us on this active adventure! ">
15.   <meta name="keywords">
16.   content="Adventure, at home adventure, experience, active, activate, active
adventure, active8, active at home, exploring, explorer, mystery, at home
mystery, problem solving, familiy activity ">
17.   <
18.   <
19.   <
20.   <
21.   <
22.   <
23.   <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css">
24.   integrity="sha384-
Vkoo8x4CGs03+HhXv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
25.   <link rel="preconnect" href="https://fonts.googleapis.com">
26.   <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
27.   <link href="https://fonts.googleapis.com/css2?
family=Raleway&family=Water+Brush&display=swap" rel="stylesheet">
28.   <link rel="stylesheet" href="/static/css/base.css">
29.   <
30.   <
31.   <
32.   <
33.   <
34.   <
35.   <script src="https://kit.fontawesome.com/e9c73d7092.js"
crossorigin="anonymous"></script>
36.   <script src="https://code.jquery.com/jquery-3.6.0.min.js">
37.   integrity="sha256-/xUj+30JU5yExlq6GSYGSHk7tPXikynS7ogEvDej/m4="
crossorigin="anonymous"></script>
38.   <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js">
39.   integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>
40.   </script>
41.   <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js">
42.   integrity="sha384-
wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
crossorigin="anonymous"></script>
43.   </script>
44.   <
45.   <!-- Stripe -->
46.   <script src="https://js.stripe.com/v3/"></script>
47.   <
48.   <
49.   <
50.   <
51.   <
52.   <title>Active8</title>
53. </head>
54. <
55. <body class="d-flex flex-column min-vh-100">
56.   <div class="px-3 py-2 bg-dark text-white">
57.     <div class="container">
58.       <nav class="navbar navbar-expand-sm navbar-dark bg-dark">
59.         <div class="d-flex flex-wrap align-items-center justify-content-
between">
60.           <a class="navbar-brand d-flex my-2 mx-0 my-lg-0 me-lg-auto text-white
text-decoration-none">
61.             href="/">

```

```

62.         <h2 class="my-heading-font ps-2 mr-5 left">Active8</h2><↵
63.         </a><↵
64.     </div><↵
65.     <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#navbarNavDropdown">↵
66.         aria-controls="navbarNavDropdown" aria-expanded="false" aria-
label="Toggle navigation"><↵
67.         <span class="navbar-toggler-icon"></span><↵
68.     </button><↵
69.     <div class="collapse navbar-collapse " id="navbarNavDropdown"><↵
70.         <ul class="navbar-nav ml-auto"><↵
71.             <li class="nav-item active mr-3"><↵
72.                 <a class="nav-link text-white" href="/"><↵
73.                     <div class="text-center"><↵
74.                         <div><i class="fas fa-home"></i></div><↵
75.                         <p class="my-0"><↵
76.                             Home<↵
77.                         </p><↵
78.                     </div> <span class="sr-only">(current)</span><↵
79.                 </a><↵
80.             </li><↵
81.             <li class="nav-item dropdown mr-3"><↵
82.                 <a class="nav-link dropdown-toggle text-white" href="#"
id="navbarDropdownMenuLinkShop">↵
83.                     data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false"><↵
84.                         <div class="text-center"><↵
85.                             <div><i class="fas fa-store-alt"></i></div><↵
86.                             <p class="my-0">Shop</p><↵
87.                         </div><↵
88.                     </a><↵
89.                     <div class="dropdown-menu" aria-
labelledby="navbarDropdownMenuLinkShop"><↵
90.                         <a class="dropdown-item" href="/products/?
category=kids,adolescents,Adults">All Adventures</a><↵
91.                         <a class="dropdown-item" href="/products/?
category=kids">Kids</a><↵
92.                         <a class="dropdown-item" href="/products/?
category=adolescents">Adolescents</a><↵
93.                         <a class="dropdown-item" href="/products/?
category=Adults">Adults</a><↵
94.                     </div><↵
95.                 </li><↵
96.                 <li class="nav-item active mr-3"><↵
97.                     <a class="nav-link text-white" href="/questions/"><↵
98.                         <div class="text-center"><↵
99.                             <div><i class="fas fa-question"></i></div><↵
100.                             <p class="my-0"><↵
101.                                 Q&A<↵
102.                             </p><↵
103.                         </div> <span class="sr-only">(current)</span><↵
104.                     </a><↵
105.                 </li><↵
106.                 <li class="nav-item dropdown mr-3"><↵
107.                     <a class="nav-link dropdown-toggle text-white" href="#"
id="navbarDropdownMenuLinkProfile">↵
108.                         data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false"><↵
109.                             <div class="text-center"><↵
110.                                 <div><i class="fas fa-user fa-lg"></i></div><↵
111.                                 <↵
112.                                 <p class="my-0">Sign In</p><↵
113.                                 <↵
114.                             </div><↵
115.                     </a><↵

```

```

116.         <div class="dropdown-menu border-0" aria-
labelledby="navbarDropdownMenuLinkProfile">↵
117.             ↵
118.             <a href="/accounts/signup/" class="dropdown-item">Sign
Up/Register</a>↵
119.             <a href="/accounts/login/" class="dropdown-item">Sign In</a>↵
120.             ↵
121.         </div>↵
122.     </li>↵
123.     <li class="nav-item mr-3">↵
124.         <a class="text-info font-weight-bold nav-link" ↵
125.             href="/cart/">↵
126.             <div class="text-center">↵
127.                 <div><i class="fas fa-shopping-cart"></i></div>↵
128.                 <p class="my-0">↵
129.                     ↵
130.                     SEK 80↵
131.                     ↵
132.                 </p>↵
133.             </div>↵
134.         </a>↵
135.     </li>↵
136. </ul>↵
137. </div>↵
138. </nav>↵
139. </div>↵
140. </div>↵
141. ↵
142. ↵
143.     <div class="message-container">↵
144.         ↵
145.         ↵
146.         ↵
147.         <div aria-live="polite" aria-atomic="true" style="position:
relative; min-height: 100px;">↵
148.             <div class="toast rounded-0 border-top-0 border-success" data-
autohide="false">↵
149.                 <div class="w-100 toast-capper bg-success"></div>↵
150.                 <div class="toast-header bg-white fw-bold text-dark border border-5
border-success">↵
151.                     <strong class="mr-auto">Success <i class="fas fa-check"></i>
</strong>↵
152.                     <button type="button" class="ml-2 mb-1 close text-dark" data-
dismiss="toast" aria-label="Close">↵
153.                         <span aria-hidden="true">&times;</span>↵
154.                     </button>↵
155.                 </div>↵
156.                 <div class="toast-body bg-dark text-white border border-5 border-
success">↵
157.                     Updated quantity of Underwater Escape↵
158.                 </div>↵
159.             </div>↵
160.         </div>↵
161.         ↵
162.         ↵
163.         ↵
164.     </div>↵
165.     ↵
166.     ↵
167.     ↵
168. <div class="container header-container">↵
169.     <div class="row">↵
170.         <div class="col-12 col-md-6 offset-md-3 text-center mb-0">↵
171.             <h2 class="my-4">Shopping cart</h2>↵
172.             <h5 class="text-muted">Cart summary below</h5>↵
173.             <hr>↵

```

```

174.         </div><↵
175.     </div><↵
176. </div><↵
177. ↵
178. ↵
179. ↵
180. ↵
181. <div class="container vh-100 pt-5">↵
182.     ↵
183.     <div class="card p-4 shadow-lg">↵
184.         <h4 class="text-uppercase">↵
185.             <strong>Grand Total: SEK 80↵
186.         </strong><↵
187.         </h4><↵
188.         <div class="row mt-3 px-0">↵
189.             <a href="/products/" class="btn btn-custom-secondary rounded-2 btn-
sm">↵
190.                 <span class="icon">↵
191.                     <i class="fas fa-chevron-left"></i>↵
192.                 </span>↵
193.                 <span class="text-uppercase">Back</span>↵
194.             </a>↵
195.             <a href="/payment/" class="btn btn-custom rounded-2 btn-sm">↵
196.                 <span class="text-uppercase"> Secure Payment</span>↵
197.                 <span class="icon">↵
198.                     <i class="fas fa-credit-card"></i>↵
199.                 </span>↵
200.             </a>↵
201.         </div>↵
202.     </div>↵
203.     <div class="card p-4 shadow-lg">↵
204.         <div class="row">↵
205.             <div class="col">↵
206.                 <!-- Small screens -->↵
207.                 <div class="d-block d-md-none">↵
208. ↵
209.                     ↵
210.                     <div class="row">↵
211.                         <div class="col-4">↵
212.                             <div>↵
213.                                 ↵
214.                                 ↵
215.                             ↵
216.                             </div>↵
217.                         </div>↵
218.                         <div class="col-8">↵
219.                             <span class="my-0"><strong>Underwater Escape
</strong></span>↵
220.                             <span class="my-0"> x 4 á SEK20.00 each</span>↵
221.                             <p><strong>Subtotal: </strong>SEK80.00</p>↵
222. ↵
223.                         </div>↵
224.                         <div class="col-12">↵
225.                             <form class="form update-form" method="POST"
action="/cart/update/4/">↵
226.                                 <input type="hidden" name="csrfmiddlewaretoken"
value="CTzZuQbP9jAHPGV5l6YRhXgMjv0BQyv1lVZ8GBvnbRuV83zaYpqm6QigG3Hcx14q">↵
227.                                 <div class="form-group">↵
228.                                     <div class="input-group">↵
229.                                         <input class="form-control form-control-
sm qty_input ml-0" type="number">↵
230.                                             name="quantity" value="4" min="1"
max="99"↵
231.                                             data-item_id="4" id="id_qtysm_4">↵
232.                                         </div>↵

```

```

233.         </div><↵
234.     </form><↵
235.     <a class="update-link text-info btn btn-delete-
update mx-1"><↵
236.         <small>Update</small><↵
237.         <i class="fas fa-redo"></i><↵
238.     </a><↵
239.     <div class="text-danger my-0 float-right"><↵
240.         <a href="/cart/remove/4/" class="text-danger">
<small> Remove<↵
241.             <i class="far fa-trash-alt"></i></small>
</a><↵
242.         </div><↵
243.     </div><↵
244. </div><↵
245. <div class="row"><↵
246.     <div class="col"><↵
247.         <hr><↵
248.     </div><↵
249. </div><↵
250. ↵
251. ↵
252. </div><↵
253. <!-- Medium and up screens --><↵
254. <div class="table-responsive rounded d-none d-md-block"><↵
255.     <table class="table table-sm table-borderless"><↵
256.         <thead class="text-black"><↵
257.             <tr><↵
258.                 <th scope="col">Adventure Info</th><↵
259.                 <th scope="col">Adventure Name</th><↵
260.                 <th scope="col">Price</th><↵
261.                 <th scope="col">Qty</th><↵
262.                 <th scope="col">Subtotal</th><↵
263.                 <th scope="col">Remove</th><↵
264.             ↵
265.             </tr><↵
266.         </thead><↵
267.         ↵
268.         <tr><↵
269.             <td class="p-3 w-25"><↵
270.                 ↵
271.                 <↵
272.                 ↵
273.             ↵
274.             </td><↵
275.             <td class="py-3 w-15"><↵
276.                 <p class="my-0"><strong>Underwater
Escape</strong></p><↵
277.             </td><↵
278.             <td class="py-3"><↵
279.                 <p class="my-0">SEK 20.00</p><↵
280.             </td><↵
281.             <td class="py-3 w-10"><↵
282.                 <div class="row"><↵
283.                     <div class="input-group"><↵
284.                         <input class="form-control form-
control-sm qty_input" type="number"<↵
285.                         action="/cart/update/4/"><↵
286.                         <input type="hidden"
name="csrfmiddlewaretoken"
value="CTzZuQbP9jAHPGV5l6YRhXgMjv0BQyv1lVZ8GBvnbRuV83zaYpQm6QigG3Hcx14q"><↵
287.                         <div class="form-group"><↵
288.                             <div class="input-group"><↵
289.                                 <input class="form-control form-

```

```

290.                                     name="quantity" value="4"
    min="1" max="99">
291.                                     data-item_id="4"
    id="id_qty_4">
292.                                     </div>
293.                                     </div>
294.                                </form>
295.                                <a class="update-link text-info btn btn-
delete-update mx-1">
296.                                    <small>Update</small>
297.                                    <i class="fas fa-redo"></i>
298.                                </a>
299.                                </div>
300.                            </td>
301.                            <td class="py-3">
302.                                <p class="my-0">SEK 80.00</p>
303.                            </td>
304.                            <td class="py-3">
305.                                <div class="text-danger my-0">
306.                                    <a href="/cart/remove/4/" class="text-
danger"> <small>
307.                                        Remove <i class="far fa-trash-
alt"></i></small></a>
308.                                </div>
309.                            </td>
310.                        </tr>
311.                    <
312.                </table>
313.            </div>
314.        </div>
315.    </div>
316. </div>
317. <
318. </div>
319. <
320. <
321. <!-- FOOTER -->
322. <
323. <footer id="sticky-footer" class="flex-shrink-0 py-1 bg-white text-dark">
324.     <div class="container text-center">
325.         <hr>
326.         <p> Active8 &middot;
327.             <a class="footer-link" href="/contact/">Contact Us
328.             </a> &middot;
329.             <a class="footer-link" href="/newsletter/">Newsletter
330.             </a> &middot; Follow us on
331.             <a class="footer-link" href="https://www.facebook.com/" rel="noopener"
332.                 target="_blank" aria-label="go to our facebook page (opens in new
window)">Facebook</a>
333.         </p>
334.     </div>
335. </footer>
336. <
337. <
338. <
339. <
340. <script>
341.     $(''.toast').toast('show');
342. </script>
343. <
344. <
345. <
346. <script>
347.     // Update quantity on click - from walkthrough
348.     $(''.update-link').click(function (e) {
349.         var form = $(this).prev(''.update-form');

```

```
350.         form[0].requestSubmit();↵
351.     })↵
352. </script>↵
353. ↵
354. ↵
355. ↵
356. </body>↵
357. ↵
358. </html>
```

Used the HTML parser.

Total execution time 33 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.5.11