
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ←
 2. ←
 3. ←
 4. <!doctype html>←
 5. <html lang="en">↔
 6. ←
 7. <head>←
8. ←
9.
      <meta http-equiv="X-UA-Compatible" content="ie=edge">←
10.
      <meta charset="utf-8">↔
11.
      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-</pre>
12.
    fit=no">↔
```

```
13.
      <meta name="description"↔
14.
      content="Explore and experience our unique at-home adventures for everyone!
    Something for all ages and interests. Join us on this active adventure! ">\leftrightarrow
15.
      <meta name="keywords"↔
      content="Adventure, at home adventure, experience, active, activate, active
16.
    adventure, active8, active at home, exploring, explorer, mystery, at home
    mystery, problem solving, familiy activity ">↔
17.
18. ←
19.
      \leftarrow
20.
      \downarrow
21. ←
22.
23.
      <link rel="stylesheet"</pre>
    href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"↔
24.
        integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/O5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23O9Ifih"
    crossorigin="anonymous">←
25.
      <link rel="preconnect" href="https://fonts.googleapis.com">←
      <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>↔
26.
27.
      <link href="https://fonts.googleapis.com/css2?</pre>
    family=Raleway&family=Water+Brush&display=swap" rel="stylesheet">↔
      <link rel="stylesheet" href="https://active8-</pre>
28.
    adventures.s3.amazonaws.com/static/css/base.css">↔
29.
      \leftarrow
30. ←
31.
     \leftarrow
32.
      \leftarrow
33. ←
34.
35.
      <script src="https://kit.fontawesome.com/e9c73d7092.js"</pre>
    crossorigin="anonymous"></script>↔
36.
      <script src="https://code.jquery.com/jquery-3.6.0.min.js"
</pre>
        integrity="sha256-/xUj+30JU5yEx1q6GSYGSHk7tPXikynS7ogEvDej/m4="
37.
    crossorigin="anonymous"></script>↔
38.
      <script
    src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"

39.
        integrity="sha384-
    Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9I0Yy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
    crossorigin="anonymous">↔
40.
      </script>↩
41.
      <script
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"

42.
        integrity="sha384-
    wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCEx130g8ifwB6"
    crossorigin="anonymous">↔
43.
      </script>↔
44. ←
45.
      <!-- Stripe -->↔
46.
      <script src="https://js.stripe.com/v3/"></script>↔
47.
48. ←
49.
      \leftarrow
50.
      \downarrow
51. ←
52.
      <title>Active8</title>←
53. </head>↔
54. ←
55. <body class="d-flex flex-column min-vh-100">↔
      <div class="px-3 py-2 bg-dark text-white">↔
57.
        <div class="container">↔
58.
          <nav class="navbar navbar-expand-sm navbar-dark bg-dark">←
59.
             <div class="d-flex flex-wrap align-items-center justify-content-</pre>
    between">↩
60.
               <a class="navbar-brand d-flex my-2 mx-0 my-lg-0 me-lg-auto text-white</pre>
    text-decoration-none"←
```

```
61.
               href="/">↩
62.
               <h2 class="my-heading-font ps-2 mr-5 left">Active8</h2>↔
63.
              </a>←
64.
            </div>←
65.
            <button class="navbar-toggler" type="button" data-toggle="collapse"</pre>
    data-target="#navbarNavDropdown"↔
66.
             aria-controls="navbarNavDropdown" aria-expanded="false" aria-
    label="Toggle navigation">↔
67.
              <span class="navbar-toggler-icon"></span>↔
68.
            </button>←
69.
            <div class="collapse navbar-collapse " id="navbarNavDropdown">←
70.
              ←
71.
               ←
72.
                 <a class="nav-link text-white" href="/">←
                   <div class="text-center">←
73.
                     <div><i class="fas fa-home"></i></div>↔
74.
75.
                     ←
76.
                       Home↔
                     ←
77.
78.
                   </div> <span class="sr-only">(current)</span>↔
79.
                 </a>←
80.
               ←
81.
               ←
82.
                 <a class="nav-link dropdown-toggle text-white" href="#"</pre>
    id="navbarDropdownMenuLinkShop"↔
83.
                   data-toggle="dropdown" aria-haspopup="true" aria-
    expanded="false">↔
84.
                   <div class="text-center">←
85.
                     <div><i class="fas fa-store-alt"></i></div>↔
86.
                     Shop←
87.
                   </div>↩
88.
                 </a>←
89.
                 <div class="dropdown-menu" aria-</pre>
    labelledby="navbarDropdownMenuLinkShop">↔
90.
                   <a class="dropdown-item" href="/products/?</pre>
    category=kids,adolescents,Adults">All Adventures</a>↔
                   <a class="dropdown-item" href="/products/?</pre>
91.
    category=kids">Kids</a>↔
92.
                   <a class="dropdown-item" href="/products/?</pre>
    category=adolescents">Adolescents</a>↔
93.
                   <a class="dropdown-item" href="/products/?</pre>
    category=Adults">Adults</a>↔
94.
                 </div>←
95.
               ←
96.
               ←
97.
                 <a class="nav-link text-white" href="/questions/">←
98.
                   <div class="text-center">↔
99.
                     <div><i class="fas fa-question"></i></div>←
100.
                     ↔
101.
                       Q&A←
102.
                     ←
103.
                   </div> <span class="sr-only">(current)</span>↔
104.
                 </a>←
105.
               ←
106.
               ←
107.
                 <a class="nav-link dropdown-toggle text-white" href="#"</pre>
    id="navbarDropdownMenuLinkProfile"↔
108.
                   data-toggle="dropdown" aria-haspopup="true" aria-
    expanded="false">↔
109.
                   <div class="text-center">←
110.
                     <div><i class="fas fa-user fa-lg"></i></div>↔
111.
112.
                     ←
113.
                       admin1←
114.
                     ے
115.
                   </div>←
```

```
116.
                    </a>←
                    <div class="dropdown-menu border-0" aria-</pre>
117.
     labelledby="navbarDropdownMenuLinkProfile">←
118.
119.
                      ب
120.
                      <a href="/products/add/" class="dropdown-item">Product
     Management</a>↔
121.
                      <a href="/questions/manage/" class="dropdown-item">Q&A
     Management</a>↔
122.
                      <a href="/profile/" class="dropdown-item">Order History</a>↔
123.
124.
                      <a href="/accounts/logout/" class="dropdown-item">Sign Out</a>↔
125.
126.
                    </div>←
127.
                  ↔
                  class="nav-item mr-3">↔
128.
129.
                    <a class="text-white nav-link"↔</pre>
                      href="/cart/">↔
130.
                      <div class="text-center">←
131.
132.
                        <div><i class="fas fa-shopping-cart"></i></div>↔
133.
                        ↔
134.
135.
                          Empty↩
136.
                          \hookrightarrow
137.
                        ←
138.
                      </div>←
139.
                    </a>←
140.
                  ←
                ↩
141.
142.
              </div>←
143.
           </nav>↔
144.
         </div>←
145.
       </div>←
146. ←
147.
148.
         <div class="message-container">←
149.
150.
             \downarrow
151.
                  <div aria-live="polite" aria-atomic="true" style="position:</pre>
152.
     relative; min-height: 100px;">↔
153.
         <div class="toast custom-toast rounded-0 border-top-0 border-info</pre>
     background" data-autohide="false">↔
154.
              <div class="w-100 toast-capper bg-info"></div>←
155.
             <div class="toast-header bg-white fw-bold text-dark border border-5</pre>
     border-info">↩
156.
                  <strong class="mr-auto">Info <i class="fas fa-info-circle"></i></i></or>
     </strong>←
157.
                  <button type="button" class="ml-2 mb-1 close text-dark" data-</pre>
     dismiss="toast" aria-label="Close">↔
158.
                      <span aria-hidden="true">&times;</span>←
159.
                  </button>←
160.
161.
              <div class="toast-body bg-dark text-white border-info border border-5">↔
162.
                  You are editing Princess Adventure↔
163.
              </div>↩
         </div>↩
164.
165. </div>↔
166.
             \downarrow
167.
           ے
168.
169.
         </div>↔
170.
171. ←
172.
173. <div class="container header-container">↔
```

```
174.
          <div class="row">↔
175.
              <div class="col"></div>↔
176.
          </div>↔
177. </div>↔
178. ←
179. ←
180.
181. <div class="container h-100">←
          <div class="row">↔
182.
183.
              <div class="col-12 col-md-6 offset-md-3 text-center mt-3">←
184.
                  <h2 class=" my-4">Product Management</h2>↔
185.
                  <h5 class="text-muted">Edit Product</h5>↔
                  <hr>→
186.
              </div>↩
187.
              <div class="col-md-8 offset-md-2 mt-2 ">↔
188.
                  <div class="card mb-4 mt-5">←
189.
190.
                       <div class="card-body">←
                           <form method="POST" action="/products/edit/9/" class="form</pre>
191
     mb-2" enctype="multipart/form-data">↔
                                <input type="hidden" name="csrfmiddlewaretoken"</pre>
192.
     value="jMMX96n7s6jyPWQkDSvtxINphMpcWsBwdyrFEEB0pLwWMy4aIR30d1syFfMuQW2k">↔
193.
194
195.
                                        \leftarrow
196. ←
197. ←
198.
199.
          <div id="div_id_category" class="form-group">←
200.
201.
202.
              <label for="id category" class="">←
203.
                       Category←
204.
                  </label>↩
205.
206. ←
207.
              \hookrightarrow
208. ←
209.
              \downarrow
210. ←
211.
              ے
212.
213.
                       <div>←
214.
215.
216.
                                    <select name="category" class="border-black rounded-</pre>
     0 select form-control" id="id category">←
217.
       <option value="1" selected>Kids</option>←
218.
219.
       <option value="2">Adolescents</option>←
220. ←
221.
       <option value="3">Adults</option>←
222. ←
223.
       <option value="4">All</option>←
224. ←
225. </select>↔
226.
227.
                           \leftarrow
228.
229. ←
230. ←
231.
232. ←
233. ←
234. ←
235.
     \leftarrow
236.
```

```
237. ←
238. ←
239.
                         </div>←
240.
241.
242.
243.
          </div>↔
244.
245.
     \leftarrow
246.
247.
248.
249.
250.
251. ←
252.
253.
254.
          <div id="div_id_name" class="form-group">←
255.
               \downarrow
256.
               <label for="id name" class=" requiredField">←
257.
258.
                         Name<span class="asteriskField">*</span>↔
259.
                    </label>↩
260.
261. ←
262.
263. ←
264.
               ب
265. ←
266.
               \leftarrow
267.
268.
                         <div>←
269.
270.
271.
                                       <input type="text" name="name" value="Princess</pre>
     Adventure" maxlength="254" class="border-black rounded-0 textinput textInput
     form-control" required id="id_name">↔
272.
273.
274.
                              \leftarrow
275. ←
276.
277.
278.
279.
     \leftarrow
280.
     \leftarrow
281.
282.
          \leftarrow
     \leftarrow
283.
284. ←
285. ←
286.
                         </div>↔
287.
288.
289.
          </div>↩
290.
291.
292. ←
293.
294.
295.
296.
297. ←
298.
     \leftarrow
299.
300.
          <div id="div_id_description" class="form-group">←
```

```
301.
302.
303.
              <label for="id_description" class=" requiredField">←
304.
                       Description<span class="asteriskField">*</span>↔
305.
                   </label>↩
306.
307. ←
308.
              \hookrightarrow
309. ←
310.
311. ←
312.
313.
314.
                       <div>←
315.
316.
317.
                                    <textarea name="description" cols="40" rows="10"
     class="border-black rounded-0 textarea form-control" required
     id="id description">↔
318. Join the brave princesses as they take on this epic adventure! \leftrightarrow
319. Will you be the princess of this adventure? Or perhaps the evil queen?↔
320. Let glitter and darkness guide your way!</textarea>↔
321.
322.
323.
                            \downarrow
324. ←
325. ←
326.
          \downarrow
327. ←
328. ←
329. ←
330. ←
331.
332. ←
333. ←
334. ←
335.
                       </div>←
336.
337.
338.
          </div>↔
339.
340. ←
341. ←
342.
343.
344.
345.
346. ←
347. ←
348.
349.
          <div id="div id price" class="form-group">←
350.
351.
352.
              <label for="id_price" class=" requiredField">←
353.
                       Price<span class="asteriskField">*</span>↔
354.
                   </label>↩
355.
356. ←
357.
              \downarrow
358. ←
359.
              ب
360. ←
361.
362.
363.
                       <div>←
364.
```

```
365.
366.
                                      <input type="number" name="price" value="180.00"</pre>
      step="0.01" class="border-black rounded-0 numberinput form-control" required
      id="id price">↔
367.
368.
                             \downarrow
369.
                             \leftarrow
370. ←
371. ←
372.
373. ←
374. ←
375.
     \downarrow
     \leftarrow
376.
377.
378.
     \leftarrow
379.
     \downarrow
380. ←
381.
                        </div>↩
382.
383.
384.
          </div>←
385.
386. ←
387.
     \leftarrow
388.
389.
390.
391.
392. ←
393. ←
394.
395.
          <div id="div_id_difficulty" class="form-group">←
396.
397.
               <label for="id_difficulty" class=" requiredField">←
398.
                        Difficulty<span class="asteriskField">*</span>↔
399.
                    </label>↩
400.
401.
402. ←
403.
               \leftarrow
404. ←
405.
406. ←
407.
               ب
408.
409.
                        <div>↔
410.
411.
412.
                                       <select name="difficulty" class="border-black</pre>
      rounded-0 select form-control" id="id difficulty">↔
413.
        <option value="1">1</option>←
414.
415.
        <option value="2" selected>2</option>←
416. ←
417.
        <option value="3">3</option>↔
418. ←
419.
        <option value="4">4</option>←
420. ←
421.
        <option value="5">5</option>←
422.
     \leftarrow
423.
     </select>↔
424.
425.
426.
                             \leftarrow
427. ←
```

```
428. ←
429.
430. ←
431. ←
432. ←
433. ←
434.
         \leftarrow
435. ←
436. ←
437. ←
438.
                      </div>←
439.
440.
441.
         </div>↔
442.
443. ←
444. ←
445.
446.
447.
448.
                                      Currently: <a href="https://active8-
     adventures.s3.amazonaws.com/media/princess tiny.jpg">princess tiny.jpg</a>↔
449. <input type="checkbox" name="image-clear" id="image-clear id">↔
450. <label for="image-clear_id">Clear</label><br>↔
451. Change: ←
452. <input type="file" name="image" accept="image/*" class="border-black rounded-0"
     id="id image">↔
453.
454.
455.
                              <div class="text-right">↔
456.
                                  <a class="btn btn-custom-secondary rounded-2"</pre>
     href="/products/">Cancel</a>↔
                                  <button class="btn btn-custom rounded-2"</pre>
457.
     type="submit">Update Product</button>↔
458.
                              </div>←
459.
                          </form>←
460. ←
                      </div>↩
461.
                 </div>↩
462.
463.
             </div>↩
464.
         </div>←
465. </div>↔
466. <div class="container">↔
467. ←
468. ←
469.
         <div class="row">↔
470.
             <div class="col-12 col-md-6">↔
471. ←
             </div>↩
472.
473.
         </div>↔
474. </div>↔
475. ←
476. ←
       <!-- FOOTER -->↔
477.
478. ←
479.
       <footer id="sticky-footer" class="flex-shrink-0 py-1 bg-white text-dark">←
480.
         <div class="container text-center">←
481.
           <hr>→
482.
            Active8 · ←
             <a class="footer-link" href="/contact/">Contact Us↔
483.
484.
             </a> &middot; ↔
             <a class="footer-link" href="/newsletter/">Newsletter←
485.
486.
             </a> &middot; Follow us on↔
487.
             <a class="footer-link" href="https://www.facebook.com/" rel="noopener"↔
488.
               target="_blank" aria-label="go to our facebook page (opens in new
     window)">Facebook</a>↔
```

```
489.
           ↔
490.
         </div>←
491.
       </footer>↩
492. ←
493.
494.
       <script>↩
495.
496.
         $('.toast').toast('show'); ↔
497.
       </script>←
498.
499. ←
500. ←
501. </body>←
502. ←
503. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

About this checker • Report an issue • Version: 22.5.26