

**Intelligent Systems Engineering
ECE 449
Dr. Scott Dick
Fall 2023**

KESSLER GAME© Development Guide

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright © 2024 Scott Dick
All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Table of Contents

Apache License	ii
Table of Contents	1
Preface	2
Acknowledgements	2
1. KESSLER GAME INSTALLATION	3
1.1 Acquiring and Installing the Kessler Game Codebase	3
1.2 Test Installation Using the Game Examples Provided	3
2. FUZZY INFERENTIAL CONTROL OF TURN_RATE AND FIRING	12
2.1 Inputs to the Fuzzy Controller	12
2.2 Fuzzy Controller Design	14
2.3 Control Actions	15

PREFACE

This document is a user guide for the Kessler Game©, a Python-based implementation of the classic asteroid-smasher video game. Kessler Game was developed and is maintained as open-source software under the Apache 2.0 license by Thales North America, as a resource for the Explainable Fuzzy Challenge (XFC) competition, hosted by the Annual Meeting of the North American Fuzzy Information Processing Society (NAFIPS).

The purpose of this guide is principally to support students in the course ECE 449 Intelligent Systems Engineering, taught by Dr. Scott Dick at the University of Alberta. In particular, this document supports the class term project, in which teams of 3 students must build an intelligent agent to play the Kessler Game. This agent is required to be a fuzzy inferential system that at a minimum controls all four outputs of the action loop (thrust, turn rate, firing a bullet, drop mine); for higher marks, the agent must be optimized via a genetic algorithm (resulting in a genetic-fuzzy agent).

Optionally, the groups may participate in an intra-class tournament between their agents. Their agents are entered into head-to-head competition with each other two at a time; a round-robin phase is used to determine seedings for a final round of 16, which then proceeds as a typical single-elimination tournament with gold and bronze medal games.

This document is also intended for contribution to the Kessler Game project, to also be governed by the Apache 2.0 license. All other rights are reserved.

ACKNOWLEDGEMENTS

Our thanks to Thales North America for their assistance in setting up the competition infrastructure used in ECE 449, and for conceptual guidance in developing related course materials.

1. KESSLER GAME INSTALLATION

1.1 Acquiring and Installing the Kessler Game Codebase

The Kessler Game (hereafter “the game”) is published on GitHub at <https://github.com/ThalesGroup/kessler-game>, and is also distributed as a Python package. Two methods for installing the game to a local host are available; installing a prebuilt library (wheel) using pip install, or directly downloading a source tarball. The former is the simplest, and will be covered in this guide. We advise that only students with a good working knowledge of the Python ecosystem attempt to download and install the game from a source tarball.

Wheel files (*.whl) are a method of distributing Python code, with all of its dependencies resolved. The Kessler game project wheel is distributed via the Python Package Index, (PyPI for short). This is an open-source community repository for Python projects. In brief, there are two steps to installing a wheel file:

1. Download the *.whl file (current version is KesslerGame-2.1.9-py3-none-any.whl)
2. Issue the pip install command from your Python environment, with the pathname of the wheel file as the argument.

Each Python IDE has its own approach to executing a pip install command; it is usually not sufficient to simply perform a pip install from the command line outside of the IDE, as the IDEs create their own virtual environment. However, you should check the documentation for your specific IDE to confirm this.

For those with more experience in Python, it’s good practice to set up your own virtual environment for each separate project; this allows you to have different library versions in your dependency trees without breaking all of your projects. In our own test system, we first set up a new virtual environment with venv (Anaconda would work too, but you will need to modify these instructions as necessary). We then install the dependencies for Kessler (these are found in the requirements.txt file on the Github page), followed by the Kessler wheel file, in the virtual environment. Finally, we point our IDE’s Python interpreter to that virtual environment for this project. Again, we recommend this approach only for those with sufficient experience in the Python ecosystem.

1.2 Test Installation Using the Game Examples Provided

To verify correct installation of the game libraries, we found it most useful to download the example controller from the Kessler Game Github, and run the game using it. The example controller (test_controller.py) is the simplest possible control agent for the game: the ship does not move, but is ordered to spin at a constant rate, firing constantly, at every game step. It does, however, exercise the game control loop, and demonstrate that the game library is successfully working. (**Note:** Students in ECE 449 will be expected to create a genetic-fuzzy agent that can defeat this simple agent over the course of five games for full credit on the group project).

To begin with, after installing the game, create a new project in your Python IDE, and then download the files scenario_test.py, graphics_both.py, and test_controller.py into your project’s source directory. Load all three into the IDE for editing. The source code for test_controller.py

and `scenario_test.py` (the latter modified to also accept Dr. Dick's own controller) are copied in Figures 1 and 2 below for convenience.

```

# -*- coding: utf-8 -*-
# Copyright © 2022 Thales. All Rights Reserved.
# NOTICE: This file is subject to the license agreement defined in file 'LICENSE', which is part of
# this source code package.

from kesslergame import KesslerController # In Eclipse, the name of the library is kesslergame, not src.kesslergame
from typing import Dict, Tuple
import skfuzzy as fuzz

class TestController(KesslerController):
    def __init__(self):
        self.eval_frames = 0

    def actions(self, ship_state: Dict, game_state: Dict) -> Tuple[float, float, bool]:
        """
        Method processed each time step by this controller.
        """

        thrust = 0
        turn_rate = 90
        fire = True
        self.eval_frames += 1

        return thrust, turn_rate, fire

    @property
    def name(self) -> str:
        return "Test Controller"

```

Figure 1: Source Code for test_controller.py

```

# -*- coding: utf-8 -*-

```

```

# Copyright © 2022 Thales. All Rights Reserved.
# NOTICE: This file is subject to the license agreement defined in file 'LICENSE', which is part of
# this source code package.

import time
from kesslergame import Scenario, KesslerGame, GraphicsType
from test_controller import TestController
from scott_dick_controller import ScottDickController
from graphics_both import GraphicsBoth

my_test_scenario = Scenario(name='Test Scenario',
                           num_asteroids=5,
                           ship_states=[
                               {'position': (400, 400), 'angle': 90, 'lives': 3, 'team': 1},
                               {'position': (600, 400), 'angle': 90, 'lives': 3, 'team': 2},
                           ],
                           map_size=(1000, 800),
                           time_limit=60,
                           ammo_limit_multiplier=0,
                           stop_if_no_ammo=False)

game_settings = {'perf_tracker': True,
                 'graphics_type': GraphicsType.Tkinter,
                 'realtime_multiplier': 1,
                 'graphics_obj': None}
game = KesslerGame(settings=game_settings) # Use this to visualize the game scenario
# game = TrainerEnvironment(settings=game_settings) # Use this for max-speed, no-graphics simulation
pre = time.perf_counter()
score, perf_data = game.run(scenario=my_test_scenario, controllers = [TestController(), ScottDickController()])
print('Scenario eval time: ' + str(time.perf_counter()-pre))
print(score.stop_reason)
print('Asteroids hit: ' + str([team.asteroids_hit for team in score.teams]))
print('Deaths: ' + str([team.deaths for team in score.teams]))
print('Accuracy: ' + str([team.accuracy for team in score.teams]))
print('Mean eval time: ' + str([team.mean_eval_time for team in score.teams]))
print('Evaluated frames: ' + str([controller.eval_frames for controller in score.final_controllers]))

```

Figure 2: Source Code for scenario_test.py

Let us begin by examining `test_controller.py`. This is a Python class, meaning (for simplicity) it is a new data type that contains both data and methods that operate on the data. An outside program (in this case `scenario_test.py`) will be able to create a new instance object of this type, and access it like any other Python object. Our class name will be `TestController`, and it will be a subclass of `KesslerController`, meaning it will inherit all of the methods and *class and instance variables*¹ belonging to `KesslerController`.

This is the first time we are referencing something from the game library we installed, and thus we have to tell Python where to find this name. That is the purpose of the `from kesslergame import KesslerController` line. `kesslergame` is the name of the library we ended up with after pip install finished. However, note that this is not *exactly* what was written in `test_controller.py` when it was downloaded from Github. From that source, the `from` command was searching for `src.kesslergame`. In the Eclipse IDE (on Windows 10 at least), this didn't work; the IDE could not find `src.kesslergame`. Our solution was to delete the “src.” prefix, which solved the problem. (Note that we found the same issue with PyCharm on Windows 11).

There are three methods in `TestController`: `init()`, `actions()`, and `name()`. `init()` is the constructor method, defined for every class in Python; this method is automatically called whenever an object of this class is instantiated. Instance variables are defined and initialized in this method using the keyword `self`; this is simply a reference to the object. `name()` is an accessor method (a “getter”), whose job is simply to return the assigned name of the object.

The real action in `TestController` happens in the `actions()` method, which is called on every time step of the game loop. Video games may seem to a player like a continuous stream of actions and reactions, but the reality is different. Video games have a frame rate, which is the rate at which a new frame is drawn and presented on the screen; 30 frames per second (fps) is a minimum standard, most games run at 60 fps for smoothness, and the highest-end titles might go as high as 240 fps if the screen supports it (most don't until the monitor gets very expensive). Even then, however, that leaves over 4 milliseconds per frame of time for computation, and a modern computer can do a lot of work in that amount of time. So, before each frame is drawn and presented, there is time for a game agent to make decisions that will be reflected in that next frame. That's the purpose of the `actions()` method; the arguments to this method contain the complete game state at the end of the last frame, and `actions()` will decide what the next player action to take will be.

Consider the method signature (i.e. function prototype) for `actions()`:

```
def actions(self, ship_state: Dict, game_state: Dict)->Tuple[float,float,bool,bool]:
```

As discussed, `self` is just a reference to the current object. `ship_state` is a data collection (specifically a Dictionary) that gives the current state of the player ship object. `game_state`, meanwhile, provides all the rest of the game state information as another Dictionary. This method

¹ There is a distinction between class variables and instance variables in Python. A class variable is bound to the definition of the class itself; there is only one copy, that all of the various objects instantiated from the class could access. Instance variables are bound to a specific object of that class type (i.e. an instance of the class). No other instance of the class can access that instance variable; it is private to that single object.

returns three floating-point values and a Boolean value. These are, respectively, the *thrust* to be applied (in m/sec²), the *turn_rate* for the ship (in degrees per second), whether or not to *fire* a bullet, and whether or not to *drop_mine*. It is the task of the `actions()` method to determine these four control values for the next frame of the game. The game library will interpret these values and execute the appropriate changes to the video frame and game state; you the developer need not worry about any of this. As can be seen in `TestController.actions()`, the basic controller always sets *thrust* to zero (the player ship does not move); *turn_rate* is a constant +90 degrees per second; a bullet is fired at every time step; and no mines are dropped (they explode at the location where they are dropped). The resulting spray of bullets is comical, but somewhat effective in destroying asteroids. In theory, an intelligent controller should consistently defeat this *unintelligent* algorithm.

The other file that developers need to be concerned with is `scenario_test.py`. This file defines an initial game state (starting positions and velocities for whatever number of asteroids will be added to the game), instantiates and adds `KesslerController` objects (or objects from a subclass of `KesslerController`) to the game as players, launches the main game loop, and records & reports the performance of each player. Notice that this is not a Python class, but rather a script; this is the driver file that starts the game program (and thus the “main” method for running and debugging the game in your IDE). The two things you will need to do are:

- Import your controller class:
`from test_controller import TestController`
 - Note the syntax: import the controller class name from the filename where it resides (drop the `.py` extension), which should be in the same project directory as `scenario_test.py`.
- Add the name of your controller class to the list of controllers passed to `game.run()`.

The version of `scenario_test.py` above includes both `TestController` and `ScottDickController`, written by Dr. Dick. This will run Dr. Dick’s controller head-to-head against the `TestController`.

Figure 3: scott_dick_controller.py

```
# ECE 449 Intelligent Systems Engineering
# Fall 2023
# Dr. Scott Dick
from pickle import FALSE

# Demonstration of a fuzzy tree-based controller for Kessler Game.
# Please see the Kessler Game Development Guide by Dr. Scott Dick for a
# detailed discussion of this source code.

from kesslgame import KesslerController # In Eclipse, the name of the library is kesslgame, not src.kesslgame
from typing import Dict, Tuple
from cmath import sqrt
import skfuzzy as fuzz
from skfuzzy import control as ctrl
import math
import numpy as np
import matplotlib as plt

class ScottDickController(KesslerController):

    def __init__(self):
        self.eval_frames = 0 #What is this?

        # self.targeting_control is the targeting rulebase, which is static in this controller.
        # Declare variables
        bullet_time = ctrl.Antecedent(np.arange(0,1.0,0.002), 'bullet_time')
        theta_delta = ctrl.Antecedent(np.arange(-1*math.pi/30,math.pi/30,0.1), 'theta_delta') # Radians due to Python
        ship_turn = ctrl.Consequent(np.arange(-180,180,1), 'ship_turn') # Degrees due to Kessler
        ship_fire = ctrl.Consequent(np.arange(-1,1,0.1), 'ship_fire')

        #Declare fuzzy sets for bullet_time (how long it takes for the bullet to reach the intercept point)
        bullet_time['S'] = fuzz.trimf(bullet_time.universe,[0,0,0.05])
        bullet_time['M'] = fuzz.trimf(bullet_time.universe, [0,0.05,0.1])
        bullet_time['L'] = fuzz.smf(bullet_time.universe,0.0,0.1)

        # Declare fuzzy sets for theta_delta (degrees of turn needed to reach the calculated firing angle)
        # Hard-coded for a game step of 1/30 seconds
        theta_delta['NL'] = fuzz.zmf(theta_delta.universe, -1*math.pi/30,-2*math.pi/90)
        theta_delta['NM'] = fuzz.trimf(theta_delta.universe, [-1*math.pi/30, -2*math.pi/90, -1*math.pi/90])
        theta_delta['NS'] = fuzz.trimf(theta_delta.universe, [-2*math.pi/90,-1*math.pi/90,math.pi/90])
        # theta_delta['Z'] = fuzz.trimf(theta_delta.universe, [-1*math.pi/90,0,math.pi/90])
        theta_delta['PS'] = fuzz.trimf(theta_delta.universe, [-1*math.pi/90,math.pi/90,2*math.pi/90])
        theta_delta['PM'] = fuzz.trimf(theta_delta.universe, [math.pi/90,2*math.pi/90, math.pi/30])
        theta_delta['PL'] = fuzz.smf(theta_delta.universe,2*math.pi/90,math.pi/30)

        # Declare fuzzy sets for the ship_turn consequent; this will be returned as turn_rate.
        # Hard-coded for a game step of 1/30 seconds
        ship_turn['NL'] = fuzz.trimf(ship_turn.universe, [-180,-180,-120])
        ship_turn['NM'] = fuzz.trimf(ship_turn.universe, [-180,-120,-60])
        ship_turn['NS'] = fuzz.trimf(ship_turn.universe, [-120,-60,60])
        # ship_turn['Z'] = fuzz.trimf(ship_turn.universe, [-60,0,60])
        ship_turn['PS'] = fuzz.trimf(ship_turn.universe, [-60,60,120])
        ship_turn['PM'] = fuzz.trimf(ship_turn.universe, [60,120,180])
        ship_turn['PL'] = fuzz.trimf(ship_turn.universe, [120,180,180])

        #Declare singleton fuzzy sets for the ship_fire consequent; -1 -> don't fire, +1 -> fire; this will be thresholded
        # and returned as the boolean 'fire'
        ship_fire['N'] = fuzz.trimf(ship_fire.universe, [-1,-1,0.0])
        ship_fire['Y'] = fuzz.trimf(ship_fire.universe, [0.0,1,1])

        #Declare each fuzzy rule
        rule1 = ctrl.Rule(bullet_time['L'] & theta_delta['NL'], (ship_turn['NL'], ship_fire['N']))
```

```

rule2 = ctrl.Rule(bullet_time['L'] & theta_delta['NM'], (ship_turn['NM'], ship_fire['N']))
rule3 = ctrl.Rule(bullet_time['L'] & theta_delta['NS'], (ship_turn['NS'], ship_fire['Y']))
# rule4 = ctrl.Rule(bullet_time['L'] & theta_delta['Z'], (ship_turn['Z'], ship_fire['Y']))
rule5 = ctrl.Rule(bullet_time['L'] & theta_delta['PS'], (ship_turn['PS'], ship_fire['Y']))
rule6 = ctrl.Rule(bullet_time['L'] & theta_delta['PM'], (ship_turn['PM'], ship_fire['N']))
rule7 = ctrl.Rule(bullet_time['L'] & theta_delta['PL'], (ship_turn['PL'], ship_fire['N']))
rule8 = ctrl.Rule(bullet_time['M'] & theta_delta['NL'], (ship_turn['NL'], ship_fire['N']))
rule9 = ctrl.Rule(bullet_time['M'] & theta_delta['NM'], (ship_turn['NM'], ship_fire['N']))
rule10 = ctrl.Rule(bullet_time['M'] & theta_delta['NS'], (ship_turn['NS'], ship_fire['Y']))
# rule11 = ctrl.Rule(bullet_time['M'] & theta_delta['Z'], (ship_turn['Z'], ship_fire['Y']))
rule12 = ctrl.Rule(bullet_time['M'] & theta_delta['PS'], (ship_turn['PS'], ship_fire['Y']))
rule13 = ctrl.Rule(bullet_time['M'] & theta_delta['PM'], (ship_turn['PM'], ship_fire['N']))
rule14 = ctrl.Rule(bullet_time['M'] & theta_delta['PL'], (ship_turn['PL'], ship_fire['N']))
rule15 = ctrl.Rule(bullet_time['S'] & theta_delta['NL'], (ship_turn['NL'], ship_fire['Y']))
rule16 = ctrl.Rule(bullet_time['S'] & theta_delta['NM'], (ship_turn['NM'], ship_fire['Y']))
rule17 = ctrl.Rule(bullet_time['S'] & theta_delta['NS'], (ship_turn['NS'], ship_fire['Y']))
# rule18 = ctrl.Rule(bullet_time['S'] & theta_delta['Z'], (ship_turn['Z'], ship_fire['Y']))
rule19 = ctrl.Rule(bullet_time['S'] & theta_delta['PS'], (ship_turn['PS'], ship_fire['Y']))
rule20 = ctrl.Rule(bullet_time['S'] & theta_delta['PM'], (ship_turn['PM'], ship_fire['Y']))
rule21 = ctrl.Rule(bullet_time['S'] & theta_delta['PL'], (ship_turn['PL'], ship_fire['Y']))

#DEBUG
#bullet_time.view()
#theta_delta.view()
#ship_turn.view()
#ship_fire.view()

# Declare the fuzzy controller, add the rules
# This is an instance variable, and thus available for other methods in the same object. See notes.
# self.targeting_control = ctrl.ControlSystem([rule1, rule2, rule3, rule4, rule5, rule6, rule7, rule8, rule9, rule10, rule11, rule12, rule13, rule14, rule15])

self.targeting_control = ctrl.ControlSystem()
self.targeting_control.addrule(rule1)
self.targeting_control.addrule(rule2)
self.targeting_control.addrule(rule3)
# self.targeting_control.addrule(rule4)
self.targeting_control.addrule(rule5)
self.targeting_control.addrule(rule6)
self.targeting_control.addrule(rule7)
self.targeting_control.addrule(rule8)
self.targeting_control.addrule(rule9)
self.targeting_control.addrule(rule10)
# self.targeting_control.addrule(rule11)
self.targeting_control.addrule(rule12)
self.targeting_control.addrule(rule13)
self.targeting_control.addrule(rule14)
self.targeting_control.addrule(rule15)
self.targeting_control.addrule(rule16)
self.targeting_control.addrule(rule17)
# self.targeting_control.addrule(rule18)
self.targeting_control.addrule(rule19)
self.targeting_control.addrule(rule20)
self.targeting_control.addrule(rule21)

def actions(self, ship_state: Dict, game_state: Dict) -> Tuple[float, float, bool]:
    """
    Method processed each time step by this controller.
    """
    # These were the constant actions in the basic demo, just spinning and shooting.
    #thrust = 0 <- How do the values scale with asteroid velocity vector?
    #turn_rate = 90 <- How do the values scale with asteroid velocity vector?

    # Answers: Asteroid position and velocity are split into their x,y components in a 2-element ?array each.
    # So are the ship position and velocity, and bullet position and velocity.
    # Units appear to be meters relative to origin (where?), m/sec, m/sec^2 for thrust.
    # Everything happens in a time increment: delta_time, which appears to be 1/30 sec; this is hardcoded in many places.

```



```

# So, position is updated by multiplying velocity by delta_time, and adding that to position.
# Ship velocity is updated by multiplying thrust by delta time.
# Ship position for this time increment is updated after the the thrust was applied.

# My demonstration controller does not move the ship, only rotates it to shoot the nearest asteroid.
# Goal: demonstrate processing of game state, fuzzy controller, intercept computation
# Intercept-point calculation derived from the Law of Cosines, see notes for details and citation.

# Find the closest asteroid (disregards asteroid velocity)
ship_pos_x = ship_state["position"][0] # See src/kesslergame/ship.py in the KesslerGame Github
ship_pos_y = ship_state["position"][1]
closest_asteroid = None

for a in game_state["asteroids"]:
    # Loop through all asteroids, find minimum Eudclidean distance
    curr_dist = math.sqrt((ship_pos_x - a["position"][0])**2 + (ship_pos_y - a["position"][1])**2)
    if closest_asteroid is None:
        # Does not yet exist, so initialize first asteroid as the minimum. Ugh, how to do?
        closest_asteroid = dict(aster = a, dist = curr_dist)

    else:
        # closest_asteroid exists, and is thus initialized.
        if closest_asteroid["dist"] > curr_dist:
            # New minimum found
            closest_asteroid["aster"] = a
            closest_asteroid["dist"] = curr_dist

# closest_asteroid is now the nearest asteroid object.
# Calculate intercept time given ship & asteroid position, asteroid velocity vector, bullet speed (not direction).
# Based on Law of Cosines calculation, see notes.

# Side D of the triangle is given by closest_asteroid.dist. Need to get the asteroid-ship direction
# and the angle of the asteroid's current movement.
# REMEMBER TRIG FUNCTIONS ARE ALL IN RADAINS!!!

asteroid_ship_x = ship_pos_x - closest_asteroid["aster"]["position"][0]
asteroid_ship_y = ship_pos_y - closest_asteroid["aster"]["position"][1]

asteroid_ship_theta = math.atan2(asteroid_ship_y, asteroid_ship_x)

asteroid_direction = math.atan2(closest_asteroid["aster"]["velocity"][1], closest_asteroid["aster"]["velocity"][0]) # Velocity is a 2-element array [vx,vy].
my_theta2 = asteroid_ship_theta - asteroid_direction
cos_my_theta2 = math.cos(my_theta2)
# Need the speeds of the asteroid and bullet. speed * time is distance to the intercept point
asteroid_vel = math.sqrt(closest_asteroid["aster"]["velocity"][0]**2 + closest_asteroid["aster"]["velocity"][1]**2)
bullet_speed = 800 # Hard-coded bullet speed from bullet.py

# Determinant of the quadratic formula b^2-4ac
targ_det = (-2 * closest_asteroid["dist"] * asteroid_vel * cos_my_theta2)**2 - (4*(asteroid_vel**2 - bullet_speed**2) * closest_asteroid["dist"])

# Combine the Law of Cosines with the quadratic formula for solve for intercept time. Remember, there are two values produced.
intrcpt1 = ((2 * closest_asteroid["dist"] * asteroid_vel * cos_my_theta2) + math.sqrt(targ_det)) / (2 * (asteroid_vel**2 - bullet_speed**2))
intrcpt2 = ((2 * closest_asteroid["dist"] * asteroid_vel * cos_my_theta2) - math.sqrt(targ_det)) / (2 * (asteroid_vel**2 - bullet_speed**2))

# Take the smaller intercept time, as long as it is positive; if not, take the larger one.
if intrcpt1 > intrcpt2:
    if intrcpt2 >= 0:
        bullet_t = intrcpt2
    else:
        bullet_t = intrcpt1
else:
    if intrcpt1 >= 0:
        bullet_t = intrcpt1
    else:
        bullet_t = intrcpt2

# Calculate the intercept point. The work backwards to find the ship's firing angle my_theta1.
# Velocities are in m/sec, so bullet_t is in seconds. Add one tik, hardcoded to 1/30 sec.
intrcpt_x = closest_asteroid["aster"]["position"][0] + closest_asteroid["aster"]["velocity"][0] * (bullet_t + 1/30)

```

```

intrcpt_y = closest_asteroid["aster"]["position"][1] + closest_asteroid["aster"]["velocity"][1] * (bullet_t+1/30)

my_theta1 = math.atan2((intrcpt_y - ship_pos_y),(intrcpt_x - ship_pos_x))

# Lastly, find the difference between firing angle and the ship's current orientation. BUT THE SHIP HEADING IS IN DEGREES.
shooting_theta = my_theta1 - ((math.pi/180)*ship_state["heading"])

# Wrap all angles to (-pi, pi)
shooting_theta = (shooting_theta + math.pi) % (2 * math.pi) - math.pi

# Pass the inputs to the rulebase and fire it
shooting = ctrl.ControlSystemSimulation(self.targeting_control,flush_after_run=1)

shooting.input['bullet_time'] = bullet_t
shooting.input['theta_delta'] = shooting_theta

shooting.compute()

# Get the defuzzified outputs
turn_rate = shooting.output['ship_turn']

if shooting.output['ship_fire'] >= 0:
    fire = True
else:
    fire = False

# And return your four outputs to the game simulation. Controller algorithm complete.
thrust = 0.0

drop_mine = False

self.eval_frames +=1

#DEBUG
print(thrust, bullet_t, shooting_theta, turn_rate, fire)

return thrust, turn_rate, fire, drop_mine

@property
def name(self) -> str:
    return "ScottDick Controller"

```

2. FUZZY INFERENCE CONTROL OF TURN_RATE AND FIRING

2.1 Inputs to the Fuzzy Controller

Before discussing the construction of the fuzzy control algorithm in `scott_dick_controller.py`, it is necessary to define the inputs to the controller. These are the length of time it will take for a bullet fired in this time step to reach the nearest asteroid, and the angle (in degrees) from the ships current heading to the *correct* heading for the bullet to hit the asteroid. These need to be calculated by finding the closest asteroid (which is moving in the same 2D plane as the stationary ship), and calculating the intercept point of a bullet and the asteroid at some future time step. Obviously, the first step is to find *which* asteroid is the closest.

All asteroids, including their position, velocity, size and mass, form part of the game state that is passed to the `actions()` method when it is invoked. The entire collection of asteroids is passed as a Dictionary object, with each asteroid then being a Dictionary of its own. Dictionaries are Iterable objects, which means you can loop through all of their contents one by one. We do so with the command

```
for a in game_state["asteroids"]:
```

which iteratively retrieves each element in the Dictionary `game_state["asteroids"]`, and assigns it to the variable 'a', which is itself a Dictionary. The element `a["position"]` is the current position of asteroid a. However, this position is stored as a two-element Tuple, which can only be accessed by its numeric index. Thus, `a["position"][0]` is the x-coordinate of the asteroid's position, and `a["position"][1]` is the y-coordinate. Likewise, before starting the loop, we stored the x- and y-coordinate of the ship's position in `ship_pos_x` and `ship_pos_y`, for clarity in our code. We execute the usual algorithm for finding a minimum of a list, scanning through the list and keeping a running track of the closest asteroid to the ship's position found so far. At the end of the loop, the Dictionary object `closest_asteroid` records the closest asteroid to the ship, and what that closest distance is (we will need this in the next step).

The interception point between the closest asteroid and a bullet fired from the ship is a point somewhere along the future path of the asteroid, which is fully defined because the velocity of every asteroid is constant. We simply need to find the moment in time where that interception will happen; since our game happens in a flat 2D surface, we can do this using the Law of Cosines. Consider the diagram in Figure 4, showing the relationships between the ship, asteroid, and bullet to be fired.




Figure 4: Bullet & Asteroid Intercept Problem

The bullet will start from the current position of the ship, P_s . When the bullet is fired, it immediately has a velocity V_b of 800 m/sec (hardcoded value), traveling in the same direction as the ship was oriented at that time step. Meanwhile, the asteroid is at position P_a , traveling in a known, constant direction at a known, constant speed, all given by the velocity vector V_a . Because the positions P_s and P_a and the velocity vector V_a are known, we can immediately determine the length of side D , and the angle θ_2 . What we do not know is the proper orientation of the ship to fire a bullet (represented by angle θ_1), nor the length of time t that the bullet and asteroid must remain on their separate courses in order to meet at the interception point P_I (as the intercept point itself is unknown). However, as this is a triangle, we can use the Law of Cosines to determine a quadratic expression for t , which we then solve using the quadratic formula. That value of t can then be used to determine the point P_I , as a point on the future position of the asteroid, given by

$$P_I = P_a + V_a \cdot t \quad (1)$$

The Law of Cosines tells us that length of side C of a triangle is given by

$$C^2 = A^2 + B^2 - 2 \cdot A \cdot B \cdot \cos(\theta_{AB}) \quad (2)$$

where A and B are the lengths of the other two sides, and θ_{AB} is the angle between A and B (and so opposite to side C). If in Figure 4 we assign $C = |V_b \cdot t|$, $A = |D|$, $B = |V_a \cdot t|$, and $\theta_2 = \theta_{AB}$, we have the equation

$$(V_b \cdot t)^2 = |D|^2 + (V_a \cdot t)^2 - 2 \cdot |D| \cdot (V_a \cdot t) \cdot \cos(\theta_2) \quad (3)$$

This is a quadratic equation, with a single unknown (t), and so we can directly solve it. We set the equation equal to zero and rearrange the terms into the canonical form $ax^2 + bx + c$. We then solve the equation using the quadratic formula

$$t = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \quad (4)$$

We compute the determinant $b^2 - 4ac$ on one line, and then each of the solutions on a line of their own, producing `intrcpt1` and `intrcpt2`. You may recall that the solutions to the quadratic formula might both be real-valued, or complex-valued (technically a pair of complex conjugates); in our case, complex values would indicate that no intercept is possible. However, since the player ship is stationary and the bullets are far faster than the asteroids, this won't happen. What *could* happen is that one of the values is negative, indicating that one possible intercept is a point the asteroid has already passed. Alternatively, both possible intercepts may yet lie in the future. We want the soonest possible intercept, so we take the smallest solution for t that is still positive, yielding `bullet_t`; this is one of the inputs to the fuzzy controller. Substitute this value for t in Eq. (1), and we have the intercept position. However, there is a slight complication: at the time tick ($1/30^{\text{th}}$ of a second) where we should fire that bullet, the ship will be pointing in the direction from the *previous* time tick. To deal with this, we actually substitute (`bullet_t` + $1/30$) into Eq. (1), as

```
intrcpt_x = closest_asteroid["aster"]["position"][0] + closest_asteroid["aster"]["velocity"][0] * (bullet_t+1/30)
intrcpt_y = closest_asteroid["aster"]["position"][1] + closest_asteroid["aster"]["velocity"][1] * (bullet_t+1/30)
```

which computes the x and y coordinates of the position along the asteroids trajectory that is one time tick further than the calculated intercept. Finally, the line

```
my_theta1 = math.atan2((intrcpt_y - ship_pos_y),(intrcpt_x - ship_pos_x))
```

gives us θ_1 , the direction we need to shoot in. We take the difference between the ship's current angle and θ_1 , normalize it to $[-\pi, \pi]$, producing `shooting_theta`, the other input to our fuzzy controller.

In running this file, you will likely notice that when the ship is *almost* pointed at an asteroid, it will continually shoot right behind it for a period of time (let's call this *aim lag*).; however, if the ship turns towards the asteroid from a large angle it will nail the target immediately. After some tinkering I've come to the conclusion that this is a weakness in the form of the controller I have programmed; I'll discuss this during the next section.

2.2 Fuzzy Controller Design

The controller design code for `scott_dick_controller.py` is contained in the `init()` method, and thus runs once at object creation time. The code follows the control examples from the SKFUZZY documentation fairly closely; we first declare the universal sets for our two inputs (`bullet_time` and `theta_delta`) and two outputs (`ship_turn` and `ship_fire`). We then create our linguistic variables by defining fuzzy subsets of the universal sets, build our rules, and finally collect them into a `ControlSystem` object that we define as an instance variable (making it visible to the `actions()` method).

The universes of discourse for the input and output variables are not uniform. For instance, the `theta_delta` universe of discourse only runs from -6° to $+6^\circ$ (translated to radians, because that's how Python returns values from `math.atan2`). These are the limits of how much the ship can turn in a single time tick (the ship's maximum rotation speed is $180^\circ/\text{sec}$, times a $1/30$ sec time tick, hardcoded throughout the Kessler game code). `ship_turn`, however, is defined over the $[-180^\circ, 180^\circ]$ unit circle. This is in degrees, because that's what the Kessler game code requires. SKFUZZY does not actually have singleton fuzzy sets, so our Boolean firing output `ship_fire` has to be represented by fuzzy sets in $[-1, 1]$. Finally, the range of values for `bullet_time` was determined by trial and error.

The fuzzy sets for `theta_delta` are `trimf` functions for all but NL and PL, which are a `zmf` and an `smf`, respectively. Those latter two need to be open-ended because the actual angle to the firing azimuth is almost certainly larger than 6° . However, the action for that situation is simply to rotate at max speed. At angles less than 6° , I designed NM, NS, Z, PS and PM to be triangular memberships creating a uniform partition of the interval $[-5^\circ, 5^\circ]$. Since `bullet_time` is exclusively positive, I only define the fuzzy sets L, M, and S for it. `ship_fire` receives two `trimf` fuzzy sets, each with their maximum at the extremes, falling to 0 at 0.

For the rules, I turn the ship to reduce the value of `theta_delta`, at a rate proportional to the size of `theta_delta`. I mostly hold fire when `theta_delta` is Large, to improve accuracy; however, if `bullet_time` is Small, I will fire regardless of the value of `theta_delta`. This seems to help when there are a lot of asteroids starting to crowd around the ship; spraying bullets in every direction is a survival trait!

To try and correct the aim lag problem, I tried deleting the Z fuzzy set for `theta_delta` and `ship_turn`, and only having NS and PS, with their parameters changed to cross at the 0.5 level at $x=0$. This was an attempt to tune the controller to move faster when chasing those asteroids where the ship is almost correctly aligned. The theory was that the Z fuzzy set was dominating the others, and resulting in hardly any movement. However, the revised fuzzy sets and rules did not solve the problem. Notice that I have only created a fuzzy Proportional controller; I have not designed it to be a fuzzy PD or PI controller. This now seems like the main problem; the more complex designs would probably fix the aim lag. I leave experimenting with this possibility as an exercise for the reader.

2.3 Control Actions

Returning to the `actions()` method, once `bullet_t` and `shooting_theta` have been determined, I create a new `ControlSystemSimulation` object, and pass them in as inputs. The defuzzified rule outputs are available from the Dictionary object `shooting.output`. I directly pass `shooting.output['ship_turn']` as the `turn_rate` output, while I have to threshold the `shooting.output['ship_fire']` output to convert it to the Boolean fire. I set `thrust` to zero, and `drop_mine` to False (mines drop and explode at your current location, not a good idea for a ship that does not move). I then return all four as the outputs of the `actions()` method.