




Introduction to Git & GitHub

Tiago Silva


David Ryder

Stephen Gregory

Session 3


03 June 2026

Recap from Sessions 1 & 2 ...



```
git init                :: turn current directory into git repository.
git add <file>          :: stage the file for commit i.e. track changes.
git commit              :: confirm changes with message/explanation.
git push                :: publish/back-up changes on GitHub (remote server).

git status              :: show which files have been tracked or modified.
git diff <file>         :: show difference between current file and last commit.
git log <file>          :: show commit history [for file]
```



Clearing up mistakes

Restore previous version of file

```
git checkout [<commit>] -- <path>
```

Go back to last commit, discarding all changes in working directory
Discard all commits after [<commit>]

```
git reset --hard HEAD  
git reset --hard [<commit>]
```

Undo git add (undo staging or tracking file)

```
git reset [HEAD] <path>
```

Undo changes introduced by single commit, recording this in history


```
git revert <commit>
```

<code>git branch</code>	<code>:: List local branches</code> <code>(* = you are here).</code>
<code>git branch <branch-name></code>	<code>:: Create new branch</code>
<code>git checkout <branch-name></code>	<code>:: Change to <branch-name></code> <code>(updates local directory)</code>
<code>git diff <branch1>..<branch2> <path></code>	<code>:: Check difference between two branches</code> <code>(in optional <path>)</code>
<code>git merge <branch-name></code>	<code>:: Merge changes from <branch-name></code> <code>into current branch</code>


How to collaborate?

Collaboration models


Personal account +
add collaborator



GitHub Organization
(CefasRepRes, UEABIO, UeaPy)




Forked + pull request
original repo forked repo



Organisations

- Organisations can add further functionality on GitHub.
 - For those at Cefas, we have [CefasRepRes](#).
 - Further guidance here: <https://www.github.com/CefasRepRes/cefas-guides/>
 - For those elsewhere, if you don't have one already, you can always [create your own...](#)
- Develop private repositories that are still visible to all members.
- Easily share and organise work within the organisation.
- Repositories are technically “owned” by the organisation rather than person creating them.
 - NB. Select the correct “owner” on creation.



The screenshot shows the GitHub repository creation interface. At the top, there are two labels: "Owner *" and "Repository name". Below "Owner *" is a dropdown menu currently showing "jenniferagraham". Below this is a list of suggestions for the owner, each with a checkmark icon to its left. The suggestions are: "jenniferagraham", "CefasRepRes", and "ueapy". The "jenniferagraham" suggestion is currently selected, indicated by a checkmark. The "Repository name" field is empty and located to the right of the owner dropdown.

Centre for Environment Fisheries

github.com/CefasRepRes

github.com

to search

Overview

Repositories504

Projects26

Packages

Teams20

People116



Centre for Environment Fisheries and Aquaculture Science (Cefas)

Cefas is a world leader in marine science and technology, providing innovative solutions for the aquatic environment, biodiversity and food security

51 followers

UK

https://www.cefas.co.uk

github@cefas.gov.uk

Follow

Pinned

cefas-guides

Private

Everything you need to know about how to use GitHub and CefasRepRes

2

wiki

Private

Experimental Cefas wide wiki documentation

1

View as: Member

You are viewing the README and pinned repositories as a member of the Centre for Environment Fisheries and Aquaculture Science (Cefas) organization.

You can [create a README file](#) visible only to members of the organization.

Repositories

Find a repository...

Type

Language

Sort

New

gbelsham-shellfish-classification-application

Private

A tkinter Python GUI script that brings together numerous scripts used by the Shellfish Hygiene Classification team in a user friendly application

Jupyter Notebook

0

0

0

0


Updated 37 minutes ago

gbelsham-shellfish-classification-carmarthan-labs-results-import-checks

Private

Used to check Carmarthan lab uploads against data uploaded to the SHS database

People



View all

Top languages

R

Python

Jupyter Notebook

HTML

Fortran

11

Controlling repository access...

- Collaborators can be added to each repository.

The screenshot shows the GitHub repository settings page for 'jenniferagraham / jag_hello_world'. The 'Settings' tab is selected, and the 'Access' section is highlighted with a yellow box. The 'Collaborators' option is selected. The 'Who has access' section shows 'PUBLIC REPOSITORY' and 'DIRECT ACCESS' (1 collaborator). The 'Manage access' section shows a list of collaborators, including 'tiagoams'.

Who has access

PUBLIC REPOSITORY

This repository is public and visible to anyone.

[Manage](#)

DIRECT ACCESS

1 has access to this repository. [1 collaborator](#).

Manage access

☐ Select all

Find a collaborator...

☐ **tiagoams**
Collaborator

[Add people](#)

The screenshot shows the GitHub repository settings for 'jag_hello_world' by user 'jenniferagraham'. The 'Settings' tab is active, and the 'Collaborators' section is selected in the left sidebar. The 'Who has access' section shows that the repository is public and has direct access for 1 collaborator, 'collaborator'. The 'Manage access' section is highlighted with a yellow box, showing a list of collaborators. The first collaborator, 'tiagoams', is highlighted with a yellow box. The 'Add people' button is visible in the top right of the 'Manage access' section.

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Who has access

PUBLIC REPOSITORY

This repository is public and visible to anyone.

[Manage](#)

DIRECT ACCESS

1 has access to this repository. [1 collaborator](#).

Manage access

[Add people](#)

☐ Select all Type ▾

☐	tiagoams Collaborator	
--------------------------	---------------------------------	--

[< Previous](#) [Next >](#)

- For personal repositories, there are two levels of permission:
 - **Repository owners** (Admin permissions)
 - **Collaborators** (aka Write access etc.)
- Only the owner can invite new collaborators.

- For organisation repositories, there are many levels available:

Role	Access
Admin	Full access i.e. repository owners
Maintain	Manage the repository with access to all but most sensitive settings.
Write	Can push changes to repo
Triage	Can manage issues but no write access.
Read	View code, make comments, but not change

- Only those with **Admin** access can invite new collaborators.
- Access can be grouped via “teams” as well as individuals.
- NB. Outside collaborators can be invited (don’t need to be a member to collaborate)

Manage access

[Create team](#)
[Invite teams or people](#)

☐ Select all
 Type ▾ Role ▾

☐



David Ryder
 davidryderuk2

Role: Write ▾

✕

☐



Jennifer Graham
 jenniferagraham

✕

☐



tiagoams

✕

Choose role

Read

Can read and clone this repository. Can also open and comment on issues and pull requests.

Triage

Can read and clone this repository. Can also manage issues and pull requests.

✓ Write

Can read, clone, and push to this repository. Can also manage issues and pull requests.

Maintain

Can read, clone, and push to this repository. They can also manage issues, pull requests, and some repository settings.

Admin

Can read, clone, and push to this repository. Can also manage issues, pull requests, and repository settings, including adding collaborators.

[< Previous](#)
[Next >](#)

[Security](#)
[Status](#)
[Docs](#)

[Contact GitHub](#)
[About](#)

Restricted admin access

- Within an organisation, repositories are technically owned by the organisation, not individual.
 - Some settings can only be changed/managed by the **organisation owner** e.g.

Danger Zone

Change repository visibility Organization members can't change repo visibility.	
Transfer ownership Organization members cannot transfer repositories	
Archive this repository Mark this repository as archived and read-only.	Archive this repository
Delete this repository Organization members cannot delete repositories.	




- Organisation owners can decide on the level of access for members.
- Only owners of the organisation can invite/approve new members.

(How) can I modify someone
else's repository?

It depends on your access...

Admin, write or collaborator access...

- Use the same workflow discussed already.
 - You can push changes to main, and create branches for developments.
- Use `git clone` to make a local copy.



```
git clone <copied-url>
```

download into new local repository

fetch, merge (or pull)



- Once you start collaborating, you need to be aware that others may (will) commit and push changes.
 - If you try to push changes, you may see an error message...
- To bring your local repository up to date with remote changes:

```
git fetch          :: brings in information on changes from the remote
git merge          :: merge those changes into your repository
--
git pull           :: short cut to fetch and merge in one step (if confident
                    that there are no conflicts)
```

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git status

On branch master

Your branch is ahead of 'origin/master' by 1 commit.

(use "git push" to publish your local commits)

nothing to commit, working tree clean

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git status

On branch master

Your branch is ahead of 'origin/master' by 1 commit.

(use "git push" to publish your local commits)

nothing to commit, working tree clean

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git push

To https://github.com/jenniferagraham/jag_hello_world.git

! [rejected] master -> master (fetch first)

error: failed to push some refs to 'https://github.com/jenniferagraham/jag_hello_world.git'

hint: Updates were rejected because the remote contains work that you do

hint: not have locally. This is usually caused by another repository pushing

hint: to the same ref. You may want to first integrate the remote changes

hint: (e.g., 'git pull ...') before pushing again.

hint: See the 'Note about fast-forwards' in 'git push --help' for details.

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$

git pull

:: fetch updates from remote and merge in one step

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git fetch

git fetch

:: fetch retrieves updates from remote server,
but does not change your local repository files.

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git fetch

remote: Enumerating objects: 5, done.

remote: Counting objects: 100% (5/5), done.

remote: Compressing objects: 100% (3/3), done.

remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

Unpacking objects: 100% (3/3), done.

From https://github.com/jenniferagraham/jag_hello_world

ddd7a97..c07fb9d master -> origin/master

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git status

On branch master

Your branch and 'origin/master' have diverged,
and have 1 and 1 different commits each, respectively.
(use "git pull" to merge the remote branch into yours)

nothing to commit, working tree clean

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git fetch

remote: Enumerating objects: 5, done.

remote: Counting objects: 100% (5/5), done.

remote: Compressing objects: 100% (3/3), done.

remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

Unpacking objects: 100% (3/3), done.

From https://github.com/jenniferagraham/jag_hello_world

ddd7a97..c07fb9d master -> origin/master

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git status

On branch master

Your branch and 'origin/master' have diverged,
and have 1 and 1 different commits each, respectively.

(use "git pull" to merge the remote branch into yours)

nothing to commit, working tree clean

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git merge

git merge

:: merge retrieved commits into local repository.

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git fetch

remote: Enumerating objects: 5, done.

remote: Counting objects: 100% (5/5), done.

remote: Compressing objects: 100% (3/3), done.

remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0

Unpacking objects: 100% (3/3), done.

From https://github.com/jenniferagraham/jag_hello_world

ddd7a97..c07fb9d master -> origin/master

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git status

On branch master

Your branch and 'origin/master' have diverged,
and have 1 and 1 different commits each, respectively.

(use "git pull" to merge the remote branch into yours)

nothing to commit, working tree clean

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)

\$ git merge

Auto-merging README.md

Merge made by the 'recursive' strategy.

README.md | 2 +-
1 file changed, 1 insertion(+), 1 deletion(-)

JG10@G6W1YF2 MINGW64 ~/OneDrive - CEFAS/GitHub/Repos/jag_hello_world (master)


\$


```
git clone <copied-url>      :: download into new local repository
```

```
git fetch                  :: brings in information on changes from the remote
```

```
git merge                  :: merge changes into your local repository
```

```
git pull                   :: short cut to fetch and merge in one step
```



If you have only read access...

e.g. For public repositories, or those within your organisation.

- You can still clone the repository, then track locally as normal.
- However, if you modify the repository, you won't be able to push changes back to the remote repository.
- If you want to make a copy and intend to make developments, consider forking...

What is a fork?



- Similar to a branch, in that both can be used to develop new features, away from the main branch.
- In basic terms, the difference is:
 - If you have write access for the repository -> branch.
 - If you don't have write access -> fork.
- Forking creates a copy of the original repository in your ownership (including its history).
- Repository remains linked to the original (main) so you can see how the developments diverge.
- From a fork, you must create a “pull request” to merge changes.
 - This will notify the code owner, and allow them to review changes before deciding whether or not to accept/merge (i.e. request them to pull changes into their repository).

How to create a fork?

Note: you can't create a fork owned by the same individual or organisation as the original.

The screenshot shows the GitHub interface for the repository 'jenniferagraham / jag_hello_world'. The 'Fork' button is highlighted with a yellow box, and a tooltip is visible: 'Fork your own copy of jenniferagraham/jag_hello_world to your account'. The repository details show 5 commits, 1 branch, and 0 releases. The commit history lists two commits: 'Testing commit with vi' (2 hours ago) and 'Fixing typo' (7 days ago). The README content is visible at the bottom.

My first repository [Manage topics](#) [Edit](#)

5 commits 1 branch 0 releases

Branch: master [New pull request](#) [Create new file](#) [Upload files](#) [Find File](#) [Clone or download](#)

[jenniferagraham](#) Testing commit with vi Latest commit 024d609 2 hours ago

README.md	Testing commit with vi	2 hours ago
hello_world.py	Fixing typo	7 days ago

[README.md](#)

This is Jenny's first repository test.

 **CefasRepRes / jag_hello_world** Private
forked from [jenniferagraham/jag_hello_world](#)

 Watch 0  Star 0  Fork 1

 Code  Pull requests 0  Projects 0  Security  Insights  Settings

My first repository Edit

[Manage topics](#)

5 commits

1 branch

0 releases

Branch: master New pull request

Create new file Upload files Find File Clone or download

This branch is even with jenniferagraham:master.

 Pull request  Compare

 jenniferagraham testing commit with vi Latest commit 024d609 19 hours ago

 [README.md](#) Testing commit with vi 19 hours ago

 [hello_world.py](#) Fixing typo 8 days ago

 [README.md](#) 

This is Jenny's first repository test.

 CefasRepRes / jag_hello_world Private
forked from jenniferagraham/jag_hello_world

 Watch 0  Star 0  Fork 1

<> Code  Pull requests 0  Projects 0  Security  Insights  Settings

My first repository

Edit

[Manage topics](#)

 5 commits

 1 branch

 0 releases

Branch: master ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾

This branch is 2 commits behind jenniferagraham:master.

 Pull request  Compare

 jenniferagraham testing commit with vi

Latest commit 024d609 19 hours ago

 [README.md](#)

Testing commit with vi

19 hours ago

 [hello_world.py](#)

Fixing typo

8 days ago

 [README.md](#) 

This is Jenny's first repository test.



 [jenniferagraham](#) / [jag_hello_world](#) Private

 Watch 0  Star 0  Fork 1

[Code](#) [Issues](#) 0 [Pull requests](#) 0 [Projects](#) 0 [Security](#) [Insights](#) [Settings](#)

- Pulse
- Contributors
- Traffic
- Commits
- Code frequency
- [Dependency graph](#)
- Network
- Forks**

 [jenniferagraham / jag_hello_world](#)
 [CefasRepRes / jag_hello_world](#)

Note: You can't create a private fork, it will always be visible to the original owner.




Branch	Fork
● Created in your repository ● You have total control over what you merge ● Pull requests are sent to your own repository ● Always intended to merge successful branches into master	● Creates an independent copy of another person's repository on your account so you can make changes ● You can suggest changes to the original project but they don't have to merge them ● Pull requests automatically go back to the original project ● Allows you to take a GitHub project in a different direction - may never intend to merge with original project

Collaboration workflows...


Collaboration workflows...

- git is just the tool
- Many workflows can be used, making use of various features available, and will depend on:
 - number of collaborators
 - frequency code is written
 - type of organisation (community, corporation)
 - criticality of the code


Bad workflow: competitors vs. collaborators




Bad workflow: competitors vs. collaborators



Bad workflow: competitors vs. collaborators



Shared access workflow: feature branches



Shared access workflow: creating and pushing a branch

1. Make a local repo

```
$ git clone https://github.com/jenniferagraham/jag_hello_world.git
Cloning into 'jag_hello_world'...
$ cd jag_hello_world/
$
```


Shared access workflow: creating and pushing a branch

1. Make a local repo

2. Create branch

```
$ git clone https://github.com/jenniferagraham/jag_hello_world.git
Cloning into 'jag_hello_world'...
$ cd jag_hello_world/
$ git branch fixreadme
$ git checkout fixreadme
$ git branch
* fixreadme
  main
$
```

Shared access workflow: creating and pushing a branch

1. Make a local repo

2. Create branch

3. Modify

```
$ git clone https://github.com/jenniferagraham/jag_hello_world.git
Cloning into 'jag_hello_world'...
$ cd jag_hello_world/
$ git branch fixreadme
$ git checkout fixreadme
$ git branch
* fixreadme
  main
$ notepad README.md
$ git commit -am "Update name of UEA cluster"
[main 1ba2db8] Update name of UEA cluster
1 file changed, 1 insertion(+), 1 deletion(-)
$
```

Shared access workflow: creating and pushing a branch

1. Make a local repo

2. Create branch


3. Modify

4. Share branch

```
$ git clone https://github.com/jenniferagraham/jag_hello_world.git
Cloning into 'jag_hello_world'...
$ cd jag_hello_world/
$ git branch fixreadme
$ git checkout fixreadme
$ git branch
* fixreadme
  main
$ notepad README.md
$ git commit -am "Update name of UEA cluster"
[main 1ba2db8] Update name of UEA cluster
1 file changed, 1 insertion(+), 1 deletion(-)
$ git push origin
Enumerating objects: 5, done.
(...)
* [new branch]      fixreadme -> fixreadme
```


What if main branch has changed?

GitHub



Shared access workflow: what if origin/main has changed?

GitHub



Shared access workflow: merging with changes on origin

3. Modify

4. update local main

5. merge to new branch

6. Share branch


```
$ git commit -am "Update name of UEA cluster"
[main 1ba2db8] Update name of UEA cluster
1 file changed, 1 insertion(+), 1 deletion(-)

$ git pull
$ git pull
(...)


$ git merge main
Merge made by the 'recursive' strategy.
README.md | 4 +++-
fileC.txt | 1 +
2 files changed, 4 insertions(+), 1 deletion(-)
create mode 100644 fileC.txt

$ git push origin
Enumerating objects: 5, done.
(...)
* [new branch]      fixreadme -> fixreadme
```


Shared access workflow: how is the merging done?



Recommended option: create a pull request




Shared access workflow: the pull request can be inspected and accepted/rejected on GitHub




Shared access workflow: Gitflow

<https://nvie.com/posts/a-successful-git-branching-model/>

- Many software developers use strict branching systems to ensure “the main is always shippable”
 - i.e. changes always tested on development branch, so they don’t break the code!



Fork workflow: no privileged access required



Pull requests: the contributor vs owners view

No write access: create a pull request

Branch: myfeat ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾

This branch is 1 commit ahead of jenniferagraham:master.

 Pull request

 Compare

 **tiagoams** Added time dependent salutations

Latest commit 9536440 11 minutes ago

 [README.md](#)

Update README remote

2 days ago

 [hello_world.py](#)

Added time dependent salutations

11 minutes ago

No write access: create a pull request

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

base repository: jenniferaagraham/jag_hello_world

base: master

head repository: tiagoams/jag_hello_world

compare: myfeat

✓ Able to merge. These branches can be automatically merged.

Added time dependent salutations

Write

Preview

AA B i “ <> ↺ ⋮ ⋮ ✓ @ 📌 ↶

I added a different salutation for different times of the day. It requires the datetime module.

Attach files by dragging & dropping, selecting or pasting them.

☒ Allow edits from maintainers. [Learn more](#)

Create pull request

Reviewers

Suggestions

jenniferaagraham

Request

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

file Upload files Find File Clone or download

Pull request

Compare

Latest commit 9536440 11 minutes ago

2 days ago

11 minutes ago

No write access: create a pull request

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

base repository: base: head repository: compare:

✓ **Able to merge.** These branches can be automatically merged.



Added time dependent salutations

Write

Preview

AA B i “ <> 🔗 ☰ ☷ ✓ @ 🚩 ↶

I added a different salutation for different times of the day. It requires the datetime module.

Attach files by dragging & dropping, selecting or pasting them.

☒ Allow edits from maintainers. [Learn more](#)

Reviewers

Suggestions

jenniferagraham

[Request](#)

Assignees

file

Upload files

Find File

Clone or download

Pull request

Compare

Latest commit 9536440 11 minutes ago

2 days ago

11 minutes ago

Showing 1 changed file with 9 additions and 2 deletions.

Unified Split

```
11 hello_world.py
@@ -4,6 +4,13 @@
4      @author JGraham
5      created 25/06/19
6      ...
7      + import datetime
8      + current_time = datetime.datetime.now()
7      9
8      - hello = 'hello world'
9      - print(hello)
10     +
11     + if current_time.hour < 12:
12     +     print("Good morning")
13     + elif current_time.hour < 18:
14     +     print("Good afternoon")
15     + else:
16     +     print("Good evening")
```

Owner view:

jenniferagraham / jag_hello_world Private

Watch 0 Star 0 Fork 2

Code Issues 0 Pull requests 1 Projects 0 Security Insights Settings

Added time dependent salutations #1 Edit

tiagoams wants to merge 1 commit into jenniferagraham:master from tiagoams:myfeat

Conversation 0 Commits 1 Checks 0 Files changed 1 +9 -2

 tiagoams commented 1 hour ago

I added a different salutation for different times of the day. It requires the datetime module.

 Added time dependent salutations 9536440

Add more commits by pushing to the **myfeat** branch on tiagoams/jag_hello_world.

 This branch has no conflicts with the base branch
Merging can be performed automatically.

Merge pull request You can also [open this in GitHub Desktop](#) or view [command line instructions](#).

 Write Preview AA B i “ < > @ 1 participant

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

Close pull request Comment

Reviewers: jenniferagraham [Request](#)

Assignees: No one—assign yourself

Labels: None yet

Projects: None yet

Milestone: No milestone

Notifications: [Customize](#)

Subscribe

You're not receiving notifications from this thread.

1 participant 

←

→

↺

https://github.com/jenniferagraham/jag_hello_world/pull/1/commits/9536440b9aa74386a5fa9fbf7814ed1363ba24de

jenniferagraham

jag_hello_world

Private

Watch

0

Star

0

Fork

2

<> Code

! Issues 0

Pull requests 1

Projects 0

Security

Insights

Settings

Added time dependent salutations #1

tiagoams wants to merge 1 commit into jenniferagraham:master from tiagoams:myfeat

Conversation 0

Commits 1

Checks 0

Files changed 1

Changes from all commits

File filter...

Jump to...

Added time dependent salutations

tiagoams committed 1 hour ago

11 hello_world.py

@@ -4,6 +4,13 @@

4 @author JGraham

5 created 25/06/19

6 ...

7

8 -hello = 'hello world'

9 -print(hello)

4 @author JGraham

5 created 25/06/19

6 ...

7 +import datetime

8 +current_time = datetime.datetime.now()

9

10 +

11 +if current_time.hour < 12:

12 + print("Good morning")

13 +elif current_time.hour < 18:

14 + print("Good afternoon")

15 +else:

16 + print("Good evening")

Write

Preview

AA B i “ <> 🔗 ⋮ ⋮ ⋮ @ 📌 ↶

This is a nice change!

Attach files by dragging & dropping, selecting or pasting them.

☐ Comment

Submit general feedback without explicit approval.

☒ Approve

Submit feedback and approve merging these changes.

☐ Request changes

Submit feedback that must be addressed before merging.

Submit review

💡 ProTip! Use `n` and `p` to navigate between commits in a pull request.

© 2019 GitHub, Inc.

[Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)

[Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

57

 **Open** Added time dependent salutations #1
tiagoams wants to merge 1 commit into `jenniferagraham:master` from `tiagoams:myfeat` 

 Added time dependent salutations 9536440
  jenniferagraham approved these changes now [View changes](#)

jenniferagraham left a comment

This is a nice change!

Add more commits by pushing to the `myfeat` branch on `tiagoams/jag_hello_world`.



 **Changes approved** [Show all reviews](#)
1 approving review [Learn more](#)

 1 approval

 **This branch has no conflicts with the base branch**
Merging can be performed automatically.

[Merge pull request](#) You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Write Preview

AA B i “ <> 🔗 ⋮ ⋮ ✓ @ 📌 ↶

Leave a comment

Attach files by dragging & dropping, selecting or pasting them. 

 Close pull request [Comment](#)

Assignees  No one—assign yourself

Labels  None yet

Projects  None yet

Milestone  No milestone

Notifications [Customize](#)
[Unsubscribe](#)
You're receiving notifications because you commented.

2 participants
 

 Lock conversation

💡 **ProTip!** Add `.patch` or `.diff` to the end of URLs for Git's plaintext views.

 **Merged** jenniferagraham merged 1 commit into `jenniferagraham:master` from `tiagoams:myfeat`  now

🗨 Conversation **1**

🔗 Commits **1**

📋 Checks **0**

📄 Files changed **1**

+9 -2 

 tiagoams commented 1 hour ago

+ 😊 ...

I added a different salutation for different times of the day. It requires the datetime module.

  Added time dependent salutations 9536440

  jenniferagraham approved these changes 1 minute ago

View changes

jenniferagraham left a comment

+ 😊 ...

This is a nice change!

  jenniferagraham merged commit 2883dfa into `jenniferagraham:master` now

Revert

 **Pull request successfully merged and closed**

Delete branch

You're all set—the `tiagoams:myfeat` branch can be safely deleted.



Write Preview

AA B i “ <> 🔗 ⋮ ⋮ ✓ @ 📌 ↶

Leave a comment

Attach files by dragging & dropping, selecting or pasting them. 

Comment

Reviewers 

 jenniferagraham 

Assignees 

No one—assign yourself

Labels 

None yet

Projects 

None yet

Milestone 

No milestone

Notifications

Customize

 Unsubscribe

You're receiving notifications because you modified the open/close state.

2 participants

 Lock conversation

 **ProTip!** Add `.patch` or `.diff` to the end of URLs for Git's plaintext views.

Your turn:

Option 1 – Shared repository

- Pair up and find each other's test repositories
- Add write access to colleague on test repository
- Clone, create branch, make a commit and push changes
- Check if changes were made in the original repo whilst you were editing (there might!) 😈
 - Pull changes and merge to new branch
 - Push to shared repo

Option 2 – Fork Tiago's hello_world

https://github.com/tiagoams/hello_world.git


- Clone your own forked copy to your PC
- Create branch, make a commit and push to your remote
 - i.e. change the poem clouds.txt or add a new file
- Make a pull request on GitHub



Please provide feedback!


Anonymous comments can be provided here:

<https://forms.gle/ca7rSUukovKb3DMN7>




Fork workflow: step by step...

1. Fork other user's repo on GitHub




This is how it looks in your account



```
$ git clone git@github.com:tiagoams/jag_hello_world.git
```

Fork workflow: no privileged access required



Fork workflow: working locally

hello_world.py

```
'''
My first code.

@author JGraham
created 25/06/19
'''

hello = 'hello world'
print(hello)
```

3. Create new local branch

```
checkout -b <branch> = branch <branch>
                     checkout <branch>
```

4. Modify and commit


```
commit -a -m <msg> = add *
                  commit -m <msg>
```

```
$ git checkout -b myfeat
Switched to a new branch 'myfeat'
$ cat hello_world.py
(...)
import datetime
current_time = datetime.datetime.now()

if current_time.hour < 12:
    print("Good morning")
elif current_time.hour < 18:
    print("Good afternoon")
else:
    print("Good evening")

$ git commit -am "Added time dependent salutations"
[myfeat 9536440] Added time dependent salutations
1 file changed, 9 insertions(+), 2 deletions(-)
```

Fork workflow: no privileged access required



Fork workflow: check for changes since fork

5. Add a new remote *original*

6. Fetch and merge to local main branch

7. Merge/rebase to *myfeat* branch

```
$ git remote add original git@github.com:jenniferagraham/jag_hello_world.git
$ git remote -v
origin    git@github.com:tiagoams/jag_hello_world.git (fetch)
origin    git@github.com:tiagoams/jag_hello_world.git (push)
original  git@github.com:jenniferagraham/jag_hello_world.git (fetch)
original  git@github.com:jenniferagraham/jag_hello_world.git (push)

$ git fetch original
From github.com:jenniferagraham/jag_hello_world
 * [new branch]      main      -> original/main

$ git checkout main
Switched to branch 'main'


$ git merge original/main
Already up to date.

$ git checkout myfeat
Switched to branch 'myfeat'

$ git rebase main
Current branch myfeat is up to date.

$
```

Fork workflow: no privileged access required



Fork workflow: push to *origin*

8. Push changes to your GitHub repo

```
$ git push origin myfeat
Counting objects: 3, done.
Delta compression using up to 12 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 447 bytes | 223.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'myfeat' on GitHub by visiting:
remote:
https://github.com/tiagoams/jag_hello_world/pull/new/myfeat
remote:
To github.com:tiagoams/jag_hello_world.git
 * [new branch]      myfeat -> myfeat
$
```

Fork workflow: 9. create a pull request

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).

base repository: base: head repository: compare:

✓ **Able to merge.** These branches can be automatically merged.



Added time dependent salutations

Write Preview

AA B i “ <> 🔗 ☰ ☷ ✓ @ 🚩 ↶

I added a different salutation for different times of the day. It requires the datetime module.

Attach files by dragging & dropping, selecting or pasting them.

☒ Allow edits from maintainers. [Learn more](#)

Reviewers

Suggestions

jenniferagraham

[Request](#)

Assignees

file

Upload files

Find File

Clone or download

Pull request

Compare

Latest commit 9536440 11 minutes ago

2 days ago

11 minutes ago

Showing 1 changed file with 9 additions and 2 deletions.

Unified Split

```
11 hello_world.py
@@ -4,6 +4,13 @@
4      @author JGraham
5      created 25/06/19
6      ...
7      + import datetime
8      + current_time = datetime.datetime.now()
7      9
8      - hello = 'hello world'
9      - print(hello)
10     +
11     + if current_time.hour < 12:
12     +     print("Good morning")
13     + elif current_time.hour < 18:
14     +     print("Good afternoon")
15     + else:
16     +     print("Good evening")
```

Fork workflow: the owners view

jenniferagraham / jag_hello_world Private

Watch 0 Star 0 Fork 2

Code Issues 0 Pull requests 1 Projects 0 Security Insights Settings

Added time dependent salutations #1

Edit

Open tiagoams wants to merge 1 commit into jenniferagraham:master from tiagoams:myfeat

Conversation 0 Commits 1 Checks 0 Files changed 1

+9 -2



tiagoams commented 1 hour ago

+ 🗨️ ...

I added a different salutation for different times of the day. It requires the datetime module.

Added time dependent salutations

9536440

Add more commits by pushing to the **myfeat** branch on tiagoams/jag_hello_world.



✓ This branch has no conflicts with the base branch
Merging can be performed automatically.

Merge pull request

You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Write Preview

AA B i “ < > @

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

Close pull request

Comment

Reviewers

Suggestions



jenniferagraham

Request

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Notifications

Customize

Subscribe

You're not receiving notifications from this thread.

1 participant



Added time dependent salutations #1

Open tiagoams wants to merge 1 commit into jenniferagraham:master from tiagoams:myfeat

Conversation 0 Commits 1 Checks 0 Files changed 1 +9 -2

Changes from all commits File filter... Jump to... Review changes

Added time dependent salutations

tiagoams committed 1 hour ago

11 hello_world.py

@@ -4,6 +4,13 @@	
4 @author JGraham	4 @author JGraham
5 created 25/06/19	5 created 25/06/19
6 ...	6 ...
	7 +import datetime
	8 +current_time = datetime.datetime.now()
	9
7	10 +
8 -hello = 'hello world'	11 +if current_time.hour < 12:
9 -print(hello)	12 + print("Good morning")
	13 +elif current_time.hour < 18:
	14 + print("Good afternoon")
	15 +else:
	16 + print("Good evening")

Write Preview

AA B i “ <> 🔗 ☰ ☷ ☹ @ 📌 ↶

This is a nice change!

Attach files by dragging & dropping, selecting or pasting them.

- ☐ Comment
Submit general feedback without explicit approval.
- ☒ Approve
Submit feedback and approve merging these changes.
- ☐ Request changes
Submit feedback that must be addressed before merging.

Submit review

ProTip! Use `n` and `p` to navigate between commits in a pull request.

 **Open** Added time dependent salutations #1
tiagoams wants to merge 1 commit into `jenniferagraham:master` from `tiagoams:myfeat` 

  Added time dependent salutations 9536440

  jenniferagraham approved these changes now [View changes](#)

jenniferagraham left a comment

This is a nice change!

Add more commits by pushing to the `myfeat` branch on `tiagoams/jag_hello_world`.



 **Changes approved** [Show all reviews](#)
1 approving review [Learn more](#).

 1 approval

 **This branch has no conflicts with the base branch**
Merging can be performed automatically.

[Merge pull request](#) You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Write Preview **AA B i** “ <> 🔗 ⋮ ⋮ ✓ @ 📌 ↩

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

 Close pull request [Comment](#)

💡 **ProTip!** Add `.patch` or `.diff` to the end of URLs for Git's plaintext views.

Assignees  No one—assign yourself

Labels  None yet


Projects  None yet

Milestone  No milestone

Notifications [Customize](#)
[Unsubscribe](#)
You're receiving notifications because you commented.

2 participants
 

 Lock conversation

 **Merged** jenniferagraham merged 1 commit into `jenniferagraham:master` from `tiagoams:myfeat`  now

 Conversation **1**

 Commits **1**

 Checks **0**

 Files changed **1**

+9

-2



tiagoams commented 1 hour ago

+  

I added a different salutation for different times of the day. It requires the datetime module.



 Added time dependent salutations

9536440



 jenniferagraham approved these changes 1 minute ago

[View changes](#)

jenniferagraham left a comment

+  

This is a nice change!



 jenniferagraham merged commit 2883dfa into `jenniferagraham:master` now

[Revert](#)



Pull request successfully merged and closed

You're all set—the `tiagoams:myfeat` branch can be safely deleted.

[Delete branch](#)



Write

Preview

AA

B

i

“

<>

↻

≡

≡

≡

@

🔖

↶

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.



[Comment](#)

Reviewers

 jenniferagraham 

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Notifications

Customize

 [Unsubscribe](#)

You're receiving notifications because you modified the open/close state.

2 participants

 Lock conversation

 **ProTip!** Add `.patch` or `.diff` to the end of URLs for Git's plaintext views.

© 2019 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)  [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

75