

Spies, Revised



Two spies in a grid will have their covers blown if:

1. They are both in the same row.
2. They are both in the same column.
3. They can see each other diagonally (i.e., lie in a line inclined 45° or 135° to the base of the grid).

The level of danger is now increased! In addition to the conditions above, *no 3 spies may lie in any straight line*. This line need not be aligned 45° or 135° to the base of grid.

Write a program in the language of your choice to place N spies (one spy per row) on an $N \times N$ grid without blowing anyone's cover. Your program must then print the following 2 lines describing a valid configuration:

1. The value of N .
2. A space-separated list of 1-indexed column numbers, where each value i is the column number of the spy in row i (where $1 \leq i \leq N$).

Solve this problem for N as large as possible, up to (and including) 1000.

Note: *Run* and *Custom Input* are not available for this challenge; you must click *Submit Code* for your submission to be scored. Your score for this challenge will always be the maximum value scored by any of your submissions.

Examples

In the examples below, S denotes a spy and $*$ denotes an empty cell.

Sample Configuration 0

A valid configuration for $N = 11$:

```
* S * * * * * * * * *
*** S * * * * *
***** S * * * *
S * * * * * * * * *
***** S * * *
***** S
***** S * * * * *
** S * * * * * *
***** S *
***** S * * * *
***** S *
```

Sample Output 0

This C++ code:

```
#include <stdio>
using namespace std;

int main(){
    cout << "11\n";
    cout << "2 4 7 1 8 11 5 3 9 6 10";
    return 0;
}
```

Produces this output:

```
11
2 4 7 1 8 11 5 3 9 6 10
```

This configuration will earn a score of $11/10 = 1.1$.

Sample Configuration 1

A valid configuration for $N = 13$:

```
S *****
**S *****
*****S *
*****S ***
*****S *****
*S *****
*****S **
****S *****
*****S *****
*****S
*****S *****
***S *****
*****S *****
```

Sample Output 1

This Python code:

```
print "13"
print "1 3 12 10 7 2 11 5 8 13 9 4 6"
```

Produces this output:

```
13
1 3 12 10 7 2 11 5 8 13 9 4 6
```

This configuration will earn a score of $13/10 = 1.3$.

Sample Configuration 2

An invalid configuration for $N = 7$:

```
S *****
**S *****
*****S *
*****S
*S *****
***S ***
*****S *
```

Sample Output 2

The following output:

```
7
1 3 5 7 2 4 6
```

Will earn a score of **0** because the spies in the first **3** rows are in a straight line.

Input Format

There is no input for this challenge.

Constraints

- N is odd.
- $N \leq 1000$ (*Do not* submit for any value of N larger than 1000)

Scoring

A correct configuration will get a score of $\frac{N}{10}$.

Output Format

Print the following **2** lines of output:

1. The first line should be a single integer denoting the value of N .
2. The second line should contain a space-separated list of integers. Each integer i (where $0 \leq i < N$) should be the **1**-indexed column number where the spy in row i is located.