

Table: orders

Attribute	Type	Size	Key	Description
order_id	INT	-	PRIMARY	Unique identifier for each order
customer_id	INT	-	FOREIGN	Links the order to a customer in the customers table
order_date	DATETIME	-	-	The date and time when the order was placed
order_status	ENUM	-	-	Tracks the current state of the order ('Pending', 'Shipped', 'Delivered')
total_amount	DECIMAL	10,2	-	The total cost of the order
shipping_address	TEXT	-	-	The customer's shipping address
billing_address	TEXT	-	-	The customer's billing address
payment_status	ENUM	-	-	Indicates whether the order has been paid for ('Paid', 'Unpaid')
payment_method	VARCHAR	50	-	Describes how the payment was made (e.g., Credit Card, PayPal)
tracking_number	VARCHAR	100	-	Stores the shipping tracking number
created_at	TIMESTAMP	-	-	Automatically stores the timestamp when the record is created
updated_at	TIMESTAMP	-	-	Updates the timestamp whenever the record is modified

Table: order_items

Attribute	Type	Size	Key	Description
order_item_id	INT	-	PRIMARY	Unique identifier for each item in an order
order_id	INT	-	FOREIGN	Links the item to a specific order
product_id	INT	-	FOREIGN	Identifies which product was ordered
quantity	INT	-	-	The number of units ordered
price	DECIMAL	10,2	-	The price per unit of the product
discount	DECIMAL	10,2	-	Any discount applied to the product
total	DECIMAL	10,2	-	The total price for this line item

Table: product_categories

Attribute	Type	Size	Key	Description
category_id	INT	-	PRIMARY	Unique identifier for each product category
category_name	VARCHAR	255	-	The name of the category
description	TEXT	-	-	A description of the category

Table: products

Attribute	Type	Size	Key	Description
product_id	INT	-	PRIMARY	Unique identifier for each product
product_name	VARCHAR	255	-	The name of the product
description	TEXT	-	-	A detailed description of the product
brand	VARCHAR	100	-	The brand of the product
model	VARCHAR	100	-	The model of the product
price	DECIMAL	10,2	-	The original price of the product
discount_price	DECIMAL	10,2	-	The price after any discount is applied
stock_quantity	INT	-	-	The number of units available in stock
sku	VARCHAR	100	-	The unique Stock Keeping Unit identifier
status	ENUM	-	-	Indicates whether the product is currently available ('Active', 'Inactive')
category_id	INT	-	FOREIGN	Links the product to a category in the product_categories table
created_at	TIMESTAMP	-	-	Automatically tracks when the product was created
updated_at	TIMESTAMP	-	-	Automatically tracks when the product was last updated

Table: inventory

Attribute	Type	Size	Key	Description
inventory_id	INT	-	PRIMARY	Unique identifier for each inventory record
product_id	INT	-	FOREIGN	Links the inventory record to a product
stock_quantity	INT	-	-	The number of units currently in stock
reorder_level	INT	-	-	The stock level at which new inventory should be ordered
warehouse_location	VARCHAR	255	-	The location of the product in the warehouse
last_updated	TIMESTAMP	-	-	Automatically updates when the inventory record is modified

Table: customers

Attribute	Type	Size	Key	Description
customer_id	INT	-	PRIMARY	Unique identifier for each customer
first_name	VARCHAR	100	-	The first name of the customer
last_name	VARCHAR	100	-	The last name of the customer
email	VARCHAR	255	UNIQUE	The email address of the customer
phone_number	VARCHAR	20	-	The phone number of the customer
address	TEXT	-	-	The address of the customer
city	VARCHAR	100	-	The city of the customer
state	VARCHAR	100	-	The state of the customer
zip_code	VARCHAR	20	-	The postal code of the customer
country	VARCHAR	100	-	The country of the customer
registration_date	DATETIME	-	-	The date the customer registered
membership_status	ENUM	-	-	The customer's membership status ('Gold', 'Silver')
created_at	TIMESTAMP	-	-	Automatically tracks when the customer record was created
updated_at	TIMESTAMP	-	-	Automatically tracks when the customer record was last updated

Table: sales_analytics (IF API AVAILABLE)

Attribute	Type	Size	Key	Description
analytics_id	INT	-	PRIMARY	Unique identifier for each sales analytic record
metric_name	VARCHAR	255	-	Name of the metric being tracked
metric_value	DECIMAL	10,2	-	The value of the metric
date_range	DATE	-	-	The date range over which the metric was calculated

Table: promotions

Attribute	Type	Size	Key	Description
promotion_id	INT	-	PRIMARY	Unique identifier for each promotion
promotion_name	VARCHAR	255	-	Name of the promotion
discount_percentage	DECIMAL	5,2	-	The discount percentage offered
start_date	DATE	-	-	The period during which the promotion is active
end_date	DATE	-	-	The period during which the promotion ends
promotion_code	VARCHAR	50	-	A code customers can use to redeem the promotion
status	ENUM	-	-	Whether the promotion is currently active ('Active', 'Inactive')

Table: pages

Attribute	Type	Size	Key	Description
page_id	INT	-	PRIMARY	Unique identifier for each page
title	VARCHAR	255	-	Title of the page
slug	VARCHAR	255	-	URL-friendly version of the title
content	TEXT	-	-	The main content of the page
meta_description	TEXT	-	-	Meta description used for SEO purposes
meta_keywords	TEXT	-	-	Meta keywords used for SEO purposes
created_at	TIMESTAMP	-	-	Automatically tracks when the page was created
updated_at	TIMESTAMP	-	-	Automatically tracks when the page was last updated

Table: users

Attribute	Type	Size	Key	Description
user_id	INT	-	PRIMARY	Unique identifier for each user
username	VARCHAR	100	-	The user's username
email	VARCHAR	255		The user's email address
phone	VARCHAR	15		The user phone number
password_hash	VARCHAR	255	-	The hashed password for security
role	ENUM	-	-	The user's role in the system ('Admin', 'Editor')
status	ENUM	-	-	Whether the user account is active ('Active', 'Inactive')
Reset_token	VARCHAR	255	-	The user reset otp code in hashed format.
Reset_token_expiry	VARCHAR	255	-	The user reset token expiry hashed format.
created_at	TIMESTAMP	-	-	Automatically tracks when the user account was created
updated_at	TIMESTAMP	-	-	Automatically tracks when the user account was last updated

Table: payments

Attribute	Type	Size	Key	Description
payment_id	INT	-	PRIMARY	Unique identifier for each payment
order_id	INT	-	FOREIGN	Links the payment to a specific order
customer_id	INT	-	FOREIGN	Links the payment to a specific customer
payment_date	DATETIME	-	-	When the payment was made
amount	DECIMAL	10,2	-	The total amount paid
payment_method	ENUM	-	-	The method used to make the payment (‘Credit Card’, ‘PayPal’)
payment_status	ENUM	-	-	Whether the payment has been completed (‘Paid’, ‘Unpaid’)

Table: site_configurations (IF API AVAILABLE)

Attribute	Type	Size	Key	Description
config_id	INT	-	PRIMARY	Unique identifier for each site configuration
setting_name	VARCHAR	255	-	The name of the setting (e.g., Site Title)
setting_value	TEXT	-	-	The value for that setting

Table: security_logs (IF API AVAILABLE)

Attribute	Type	Size	Key	Description
log_id	INT	-	PRIMARY	Unique identifier for each security log entry
user_id	INT	-	FOREIGN	Links the log to a specific user
activity	ENUM	-	-	Describes the security-related activity ('Login', 'Password Change')
ip_address	VARCHAR	45	-	The IP address from which the activity was performed
timestamp	TIMESTAMP	-	-	When the activity occurred

Table: support_tickets (IF API AVAILABLE)

Attribute	Type	Size	Key	Description
ticket_id	INT	-	PRIMARY	Unique identifier for each support ticket
customer_id	INT	-	FOREIGN	Links the ticket to a specific customer
subject	VARCHAR	255	-	The subject of the support issue
description	TEXT	-	-	Detailed description of the issue
status	ENUM	-	-	Tracks the status of the ticket ('Open', 'Closed', 'Pending')
created_at	TIMESTAMP	-	-	Automatically tracks when the ticket was created
updated_at	TIMESTAMP	-	-	Automatically tracks when the ticket was last updated

Table: activity_logs (IF API AVAILABLE)

Attribute	Type	Size	Key	Description
log_id	INT	-	PRIMARY	Unique identifier for each activity log entry
user_id	INT	-	FOREIGN	Links the log to a specific user
activity	TEXT	-	-	Describes the activity performed by the user
timestamp	TIMESTAMP	-	-	When the activity occurred
ip_address	VARCHAR	45	-	The IP address from which the activity was performed

Table: languages

Attribute	Type	Size	Key	Description
language_id	INT	-	PRIMARY	Unique identifier for each language
language_name	VARCHAR	100	-	The name of the language (e.g., English)
language_code	VARCHAR	10	-	The code for the language (e.g., 'en' for English)

Table: currencies

Attribute	Type	Size	Key	Description
currency_id	INT	-	PRIMARY	Unique identifier for each currency
currency_name	VARCHAR	100	-	The name of the currency (e.g., US Dollar)
currency_code	VARCHAR	10	-	The code for the currency (e.g., USD)
exchange_rate	DECIMAL	10,6	-	The exchange rate compared to a base currency
symbol	VARCHAR	10	-	The symbol for the currency (e.g., '\$' for USD)

Table: memberships

Attribute	Type	Size	Key	Description
membership_id	INT	-	PRIMARY	Unique identifier for each membership
customer_id	INT	-	FOREIGN	Links the membership to a specific customer
membership_type	ENUM	-	-	The type of membership (Gold or Silver)
start_date	DATE	-	-	The period during which the membership is active
end_date	DATE	-	-	The period during which the membership ends
status	ENUM	-	-	Whether the membership is currently active ('Active', 'Expired')

Table: listings

Attribute	Type	Size	Key	Description
listing_id	INT	-	PRIMARY	Unique identifier for each listing
customer_id	INT	-	FOREIGN	Links the listing to a specific customer
watch_brand	VARCHAR	255	-	The brand of the watch being listed
watch_model	VARCHAR	255	-	The model of the watch being listed
description	TEXT	-	-	A detailed description of the watch
price	DECIMAL	10,2	-	The listing price of the watch
status	ENUM	-	-	Tracks the status of the listing ('Pending Review', 'Approved', 'Sold')
review_status	ENUM	-	-	Tracks whether the listing has been reviewed ('Pending', 'Reviewed')
offers_received	INT	-	-	Tracks how many offers have been received for this listing
created_at	TIMESTAMP	-	-	Automatically tracks when the listing was created
updated_at	TIMESTAMP	-	-	Automatically tracks when the listing was last updated