ESR Loot Filter Guide

Oct 11, 2026 · @Bogdan

Where filters live

You pick the active filter and its level in the ESR launcher's Loot Filter tab; the plugin reloads it whenever the file or the choice changes.

- **Filters that ship with the mod:** `<game>\mods\<mod>\LootFilters\`
- **Your own and imported filters:** `<Saved Games>\Diablo II Resurrected\mods\<mod>\LootFilters\`
- **Next to a filter:** a `sounds` folder for its sound files and an `icons` folder for its minimap icons.
- **selection.json** in your own filters folder keeps the active filter, the level for each filter and whether sounds play. The launcher writes it.
- **In game:** the Loot Filter section in Controls holds the level key, which steps through the filter's levels. The console command `lootfilter` shows the state; `lootfilter reload` reloads.

A filter file

A filter is one JSON file with `//` comments allowed: a few settings, optional styles, then the rules.

```
{
  "formatVersion": 1,
  "title": "My Filter",
  "author": "Me",
  "filterLevels": [ { "id": 1, "name": "Leveling" }, { "id": 2, "name":
"Strict" } ],
  "defaultLevel": 1,
  "soundVolume": 80,
  "notifications": { "dropFormat": "ÿc4Drop: {qualityColor}{name}" },
  "qualityColors": { "magic": "ÿc2" },
  "styles": {
    "HighRune": { "labelBackground": [200, 120, 0], "sound": "item_rune",
"notify": true, "droplight": { "color": [255, 128, 0] } }
  },
  "rules": [
    { "comment": "High runes", "itemCodes": ["r30", "r31", "r32"],
"useStyle": "HighRune" },
    { "itemTypes": ["pots"], "hide": true, "activeInLevels": [2] }
  ]
}
```

Key	What it does
formatVersion	Always 1.
title, author, version, description	Shown in the launcher.
updateUrl	The address the filter's newer copies are published at.
filterLevels, defaultLevel	Strictness levels, each `{ "id", "name" }`, and the one a new player starts on.
hideUnmatchedItems	true hides every ground item no rule matched.
soundVolume	0 to 100, the volume for rules that set none.
notifications	The drop line and the level change line (see Chat notifications).
qualityColors	Name colors per item quality (see Quality colors).
styles	Named sets of actions that rules pull in with `useStyle`.

Key	What it does
rules	The rules, applied in order.

How rules match

Every rule whose conditions all hold applies, top to bottom, until one hides the item.

- **AND and OR:** all conditions of a rule must hold; values inside one list are alternatives (`"itemCodes": ["r30", "r31"]` matches either).
- **Later wins:** a later rule's background, border, name change, icon or droplight replaces an earlier one's. Chat lines and sounds add up.
- **hide stops:** a rule with `"hide": true` hides the ground label, and no rule after it runs.
- **hideIfOtherConditionsFail:** when the codes, types and location match but another condition fails, the item is hidden. Good for "show this base only with sockets".
- **Where:** rules look at ground items unless `location` says otherwise.
- **Levels:** `activeInLevels` limits a rule to some filter levels; without it the rule is active at every level.
- **Styles:** `useStyle` pulls in a style's actions; the rule's own actions win over the style's. Styles hold actions only.
- **Mistakes:** a rule with an error is switched off and logged with its number and line; the rest of the filter keeps working.

Conditions

Numbers take one value (`5`), a list (`[1, 2]`) or a range (`{ "min": 3, "max": 5 }`); named values take the name or its number.

Key	Value	Holds when
itemCodes, excludeItemCodes	item codes, e.g. `["r01", "hax"]`	the item's code is (not) listed
itemTypes, excludeItemTypes	itemtypes.txt codes, e.g. `["rune", "weap"]`	the item is (not) of that type, parent types included

Key	Value	Holds when
quality	inferior, normal, superior, magic, set, rare, unique, crafted, tempered (1 to 9)	the item's quality matches
baseTier	normal, exceptional, elite (0 to 2)	the base tier matches
itemLevel	0 to 999	the item level matches
sockets, maxSockets	0 to 99	sockets it has, or the most its base can have
isFullySocketed, isEthereal, isIdentified, isRuneword	true or false	the item is (not) that
uniqueOrSetIds, excludeUniqueOrSetIds	row numbers in uniqueitems.txt or setitems.txt	the unique or set item is (not) listed
itemStats, itemStatsAnyOf	stat checks	all of them (any of them) hold for the item
playerStats, playerStatsAnyOf	stat checks	all of them (any of them) hold for your character
location	onGround, stored, equipped, atVendor	the item is there; default onGround
difficulty	normal, nightmare, hell (0 to 2)	the game's difficulty matches
areas, excludeAreas	levels.txt Id numbers	you are (not) in one of those areas
activeInLevels	filter level ids	the filter is at one of those levels

A stat check is `{ "stat": "item_numsockets", "param": 0, "op": ">=", "value": 2 }`. `stat` is an itemstatcost.txt name or id, `param` is optional, `op` is `==`, `!=`, `>`, `>=` (the default), `<`, `<=` or `between` with `"value": [low, high]`.

Actions

Key	Value	Effect
hide	true	Hides the ground label; no later rule runs.
hideIfOtherConditionsFail	true	See How rules match.
replaceName, namePrefix, nameSuffix	text	A new name, or text before or after it. `{name}` is the game's name.
labelBackground	`[r, g, b]` or `[r, g, b, a]`, 0 to 255	Fills the ground label; alpha defaults to 242.
labelBorder	`{ "color": [r, g, b], "width": 2 }`	Outlines the ground label.
chatMessage	text	A chat line when the item drops.
chatMessageWhenHidden	text	A chat line when this rule hides the item.
notify	true	Prints the filter's drop line (see Chat notifications).
sound	sounds.txt name or row, or a file in `sounds`	Plays when the item drops.
soundVolume	0 to 100	This rule's sound volume.
icon	`{ "iconName", "iconSize", "color" }`	A minimap icon (see Minimap icons).
droplight	`{ "color": [r, g, b] }`, or `{}`	The droplight effect on the item (see Droplight).
useStyle	a style's name	Pulls in that style's actions.
comment	text	Ignored; notes for the author.

Texts, placeholders and translations

Any text can be one string or one string per language, and `{name}` is always the game's own translated name.

- **Per language:** `{ "enUS": "Rune", "deDE": "Rune" }`. A missing language falls back to enUS. Languages: enUS, deDE, esES, frFR, itIT, koKR, plPL, ruRU, zhCN, zhTW, esMX, jaJP, ptBR.
- **Game strings:** `{string:KEY}` shows a key from the game's string files in the player's language, e.g. `{string:r01}` for El Rune.
- **Colors:** `ÿc` plus one character (see Color codes). In JSON `\u00ffc` works too. D2RLAN tags like `{red}` are not supported.

Placeholder	Shows
{name}	The item's name, translated by the game.
{code}, {quality}, {baseTier}, {itemLevel}	The item's code, quality, base tier and item level.
{sockets}, {maxSockets}, {ethereal}, {uniqueOrSetId}	Its sockets, socket limit, ethereal flag and unique or set row.
{qualityColor}	The color code of the item's name, after qualityColors.
{stat:ID} or {stat:ID,PARAM}	One of the item's stats.
{playerStat:ID} or {playerStat:ID,PARAM}	One of your character's stats.
{string:KEY}	A game string in the player's language.
{link}	Chat lines only: the item's name.
{level}, {filter}	levelChangeFormat only: the level's name and the filter's title.

Chat notifications

A rule with `"notify": true` prints the filter's drop line every time the item drops or comes into view; a rule's own `chatMessage` replaces that line.

- **dropFormat:** the drop line. Default `{qualityColor}{name}`.

- **levelChangeFormat:** printed when the level changes in game, by the key or in the launcher. Takes `{level}` and `{filter}`. Default `ÿc4Loot filter level: ÿc0{level}`.
- Both take per-language texts and `{string:KEY}`.

```
"notifications": {
  "dropFormat": "ÿc4Drop: {qualityColor}{name}",
  "levelChangeFormat": { "enUS": "Filter: {level}", "deDE": "Filter: {level}"
}
}
```

Sounds and volume

A sound plays every time its item drops; its volume is the rule's `soundVolume`, else the filter's, else 100.

- **sounds.txt sounds:** the Sound name (`"item_rune"`) or the row number. They also follow the game's sound volume.
- **Sound files:** a `.wav`, `.mp3` or `.flac` name in the filter's `sounds` folder. They are also scaled by `file_sound_volume` in the plugin's TOML.
- **Off switch:** the launcher's "Play sounds" turns every filter sound off.

Minimap icons

An `icon` draws a picture on the minimap where the item lies, for as long as it is on the ground and not hidden.

```
"icon": { "iconName": "rune", "iconSize": 16, "color": [255, 128, 0] }
```

Key	Value
iconName	A `.sprite` file (D2R's HD sprite format) in the filter's `icons` folder; `.sprite` may be left off. Only its first frame is used.
iconSize	4 to 256: the longer side in minimap pixels, keeping the file's proportions. Leave it out for the file's own size.

Key	Value
color	Optional tint `[r, g, b]`; a fourth number fades the icon.

Icons need HD graphics. If another plugin already hooks the minimap's unit drawing (Ruff's MapSense does), icons stay off and the plugin log says so.

Droplight

A `droplight` puts the droplight effect, a beam of light with a sparkle, on the item while it lies on the ground and is not hidden.

```
"droplight": { "color": [255, 128, 0] }
```

Key	Value
color	Optional tint `[r, g, b]`, 0 to 255. Leave it out, as in `"droplight": {}`, for the effect's own colors.

- **HD only:** the droplight is an HD effect; legacy graphics show nothing.
- **The mod's part:** the plugin attaches the effect as the overlay.txt row named by `droplight_overlay` in its TOML (default `droplight`). Without that row droplights stay off and the plugin log says so.

Quality colors

`qualityColors` recolors item names by quality everywhere the game shows them: ground labels, the Alt and nearby lists, tooltips, the set item tooltip and `{qualityColor}`.

```
"qualityColors": { "magic": "ÿc2", "rare": "ÿc3", "unique": "ÿc;" }
```

- **Keys:** inferior, normal, superior, magic, set, rare, unique, crafted, tempered. **Values:** one color code.
- Only a quality's plain color changes. Runes, quest items, socketed or ethereal gray and broken red keep their own colors.

Color codes

A color code is `ÿc` plus one character, from `ÿc0` to `ÿcV` in ASCII order; the text after it keeps that color until the next code.

Code	Color	RGB	The game uses it for
ÿc0	white	255, 255, 255	plain text, normal items
ÿc1	red	255, 77, 77	broken items, warnings
ÿc2	green	0, 255, 0	set items (tooltips)
ÿc3	blue	105, 105, 255	magic items (tooltips)
ÿc4	gold	199, 179, 119	unique items (tooltips)
ÿc5	gray	105, 105, 105	socketed and ethereal items (tooltips)
ÿc6	black	0, 0, 0	
ÿc7	tan	208, 194, 125	
ÿc8	orange	255, 168, 0	crafted items (tooltips)
ÿc9	yellow	255, 255, 100	rare items (tooltips)
ÿc:	dark green	0, 128, 0	tempered items (tooltips)
ÿc;	purple	174, 0, 255	
ÿc<	green	0, 200, 0	
ÿc=	white	240, 240, 240	plain item labels
ÿc>	gold	199, 179, 119	quest item labels
ÿc?	yellow	255, 255, 100	rare labels
ÿc@	orange	255, 168, 0	crafted labels
ÿcA	dark green	0, 128, 0	tempered labels
ÿcB	blue	110, 110, 255	magic labels
ÿcC	green	0, 252, 0	set labels
ÿcD	gold	199, 179, 119	unique labels

Code	Color	RGB	The game uses it for
ÿcE	white	240, 240, 240	health potion labels
ÿcF	white	240, 240, 240	mana potion labels
ÿcG	white	240, 240, 240	rejuvenation potion labels
ÿcH	white	240, 240, 240	gold labels
ÿcI	gray	99, 99, 99	ethereal labels
ÿcJ	orange	255, 168, 0	rune labels
ÿcK	gray	99, 99, 99	socketed labels
ÿcL	orange	255, 168, 0	event item labels
ÿcM	black	0, 0, 1	desecrated (draws black)
ÿcN	turquoise		
ÿcO	pink		
ÿcP	light blue		
ÿcQ	green		
ÿcR	yellow		
ÿcS	dark red		
ÿcT	sky blue		
ÿcU	red		
ÿcV	red		

- **0 to <:** the classic palette, RGB as in legacy graphics; HD draws the same colors in its own shades.
- **= to M:** fixed in the game exe; the HD profile's tooltip style colors do not change them.
- **N to V:** chat colors with ESR's `color-codes-2x-letters` patch, which keeps the 2.x letters. Stock 3.3 shifts them one letter: N is light gold (238, 214, 141), O turquoise, P pink, Q light blue, R green, S yellow, T dark red, U sky blue, V red.

Finding problems

Every error and warning goes to the D2RLoader plugin log with the rule number and line, and a rule with an error is switched off.

- **Console:** `lootfilter` shows the plugin state, which hooks are on, the active filter, its rule counts, level and problem counts. `lootfilter reload` reloads the filter.
- **`debug_log = true`** in the plugin's TOML logs one line per item decision (shown, hidden and by which rule), every chat line printed, every icon sprite loaded and every droplight added.
- **Missing files:** a sound or icon the filter names but its folder lacks is logged; that rule keeps working without it.
- **Droplights off:** the log names the reason, such as overlay.txt having no row named in `droplight_overlay`.