

Metal Feature Set Tables

Metal GPU's (Apple silicon)

GPU	Metal version	Apple family ¹
A8-series	Metal	Apple2
A9-series	Metal	Apple3
A10-series	Metal	Apple3
A11 Bionic	Metal	Apple4
A12-series	Metal	Apple5
A13 Bionic	Metal	Apple6
A14 Bionic	Metal 3 & 4	Apple7
A15 Bionic	Metal 3 & 4	Apple8
A16 Bionic	Metal 3 & 4	Apple8
A17 Pro	Metal 3 & 4	Apple9
A18-series	Metal 3 & 4	Apple9
M1-series	Metal 3 & 4	Apple7
M2-series	Metal 3 & 4	Apple8
M3-series	Metal 3 & 4	Apple9
M4-series	Metal 3 & 4	Apple9

Metal GPU's (Intel Mac)

GPU	Metal version	Mac family ¹
AMD 500-series	Metal	Mac2
AMD Vega	Metal 3	Mac2
AMD 5000-series	Metal 3	Mac2
AMD 6000-series	Metal 3	Mac2
Intel UHD Graphics 630	Metal 3	Mac2
Intel Iris Plus Graphics	Metal 3	Mac2

1. See [MTLGPUPFamily](#) for each GPU family's enumeration constant.

For Mac devices with Apple silicon, the [MTLDevice](#) instance for the Apple GPU reports that it also supports [Mac2](#) GPU family because the devices support the union of both feature families.

Metal feature availability by GPU family

GPU family ¹	Meta1	Apple	Mac
Feature	Available in family		
MetalKit	Metal3	Apple2	Mac2
Metal performance shaders	Metal3	Apple2	Mac2
Programmable blending	Metal4	Apple2	—
PVRTC pixel formats	—	Apple2	—
EAC/ETC pixel formats	Metal4	Apple2	—
ASTC pixel formats	Metal4	Apple2	—
BC pixel formats ²	—	Apple9	Mac2
Compressed volume texture formats	Metal3	Apple3	Mac2
Extended range pixel formats	Metal4	Apple3	—
Wide color pixel format	Metal3	Apple2	Mac2
Depth-16 pixel format	Metal3	Apple2	Mac2
Linear textures	Metal3	Apple2	Mac2
MSAA depth resolve	Metal3	Apple3	Mac2
Array of textures (read)	Metal3	Apple3	Mac2
Array of textures (write)	Metal3	Apple6	Mac2
Cube map texture arrays	Metal3	Apple4	Mac2
Stencil texture views	Metal3	Apple2	Mac2
Array of samplers	Metal3	Apple3	Mac2
Sampler maximum anisotropy	Metal3	Apple2	Mac2
Sampler LOD clamp	Metal3	Apple2	Mac2
MTLSamplerState support for comparison functions	Metal3	Apple3	Mac2
16-bit unsigned integer coordinates	Metal3	Apple2	Mac2
Border color	Metal3	Apple7	Mac2
Counting occlusion query	Metal3	Apple3	Mac2
Base vertex/instance drawing	Metal3	Apple3	Mac2
Layered rendering	Metal3	Apple5	Mac2
Layered rendering to multisample textures	Metal3	Apple7	Mac2
Memoryless render targets	Metal4	Apple2	—
Dual-source blending	Metal3	Apple2	Mac2
Combined MSAA store and resolve action	Metal3	Apple3	Mac2
MSAA blits	Metal3	Apple2	Mac2
Programmable sample positions	Metal3	Apple2	Mac2
Deferred store action	Metal3	Apple2	Mac2
Texture barriers	—	—	Mac2
Memory barriers ³	Metal3	Apple3	Mac2
Memory barriers in indirect command buffers (compute)	Metal3	Apple3	Mac2
Memory barriers in indirect command buffers (rendering)	Metal4	Apple9	—
Tessellation	Metal3	Apple3	Mac2
Indirect tessellation arguments	Metal3	Apple5	Mac2
Tessellation in indirect command buffers	Metal3	Apple5	Mac2
Resource heaps	Metal3	Apple2	Mac2
Function specialization	Metal3	Apple2	Mac2
Read/Write buffers in functions	Metal3	Apple3	Mac2
Read/Write textures in functions	Metal3	Apple4	Mac2
Extract, insert, and reverse bits	Metal3	Apple2	Mac2
SIMD barrier	Metal3	Apple2	Mac2
Indirect draw and dispatch arguments	Metal3	Apple3	Mac2
Argument buffers tier 1	Metal3	Apple2	Mac2
Argument buffers tier 2	Metal3	Apple6	Mac2
Indirect command buffers (rendering)	Metal3	Apple3	Mac2
Indirect command buffers (compute)	Metal3	Apple3	Mac2
Uniform type	Metal3	Apple2	Mac2
Imageblocks	Metal4	Apple4	—

GPU family ¹	Metal	Apple	Mac
Tile shaders	Metal4	Apple4	—
Imageblock sample coverage control	Metal4	Apple4	—
Postdepth coverage	Metal4	Apple4	—
Quad-scoped permute operations	Metal3	Apple4	Mac2
Quad-scoped reduction operations	Metal3	Apple7	Mac2
SIMD-scoped permute operations	Metal3	Apple6	Mac2
SIMD-scoped reduction operations	Metal3	Apple7	Mac2
SIMD-scoped matrix multiply operations	Metal4	Apple7	—
Raster order groups ⁴	Metal3	Apple4	Varies
Nonuniform threadgroup size	Metal3	Apple4	Mac2
Multiple viewports	Metal3	Apple5	Mac2
Device notifications	—	—	Mac2
Stencil feedback	Metal3	Apple5	Mac2
Stencil resolve	Metal3	Apple5	Mac2
Nonsquare tile dispatch	Metal4	Apple5	—
Texture swizzle	Metal3	Apple2	Mac2
Placement heap	Metal3	Apple2	Mac2
Primitive ID	Metal3	Apple7	Mac2
Barycentric coordinates ⁵	Metal4	Apple7	Varies
Read/Write cube map textures in functions	Metal3	Apple4	Mac2
Sparse textures	Metal4	Apple6	—
Sparse depth and stencil textures ⁶	Metal4	Apple7	—
Variable rasterization rate ⁷	Metal4	Apple6	Varies
Vertex amplification ⁸	Metal4	Apple6	Varies
64-bit integer math	Metal3	Apple3	—
Lossy texture compression	—	Apple8	—
SIMD shift and fill	—	Apple8	—
Render dynamic libraries	Metal4	Apple6	—
Compute dynamic libraries	Metal3	Apple6	Mac2
Mesh shading	Metal3	Apple7	Mac2
Indirect mesh draw arguments	—	Apple9	—
Indirect command buffers containing mesh draws	—	Apple9	—
MetalFX spatial upscaling	Metal3	Apple3	Mac2
MetalFX temporal upscaling	Varies	Apple7	—
MetalFX frame interpolation	Metal4	Apple5	—
MetalFX denoised upscaling	—	Apple9	—
Fast resource loading	Metal3	Apple2	Mac2
Ray tracing in compute pipelines ⁹	Metal3	Apple6	Varies
Ray tracing in render pipelines ¹⁰	Metal4	Apple6	—
Floating-point atomics	Metal3	Apple7	Mac2
Texture atomics	Metal3	Apple6	Mac2
64-bit atomics ¹¹	—	Apple9	—
Query texture LOD ¹²	—	Apple8	—
Binary archives	Metal3	Apple3	Mac2
Function pointers in compute pipelines ¹³	Metal3	Apple6	Varies
Function pointers in render pipelines ¹⁰	Metal4	Apple6	—
Depth sample compare bias and gradient	Metal4	Apple2	—
Nonprivate depth stencil textures	Metal4	Apple2	—
Dynamic stride for attribute buffers	Metal3	Apple4	Mac2
<code>MTLAttributeFormat.floatRGB9E5</code> and <code>.floatRG11B10</code>	Metal3	Apple5	Mac2
<code>MTLDataType.bfloat</code> (brain float) scalar and vector cases	Metal3	Apple6	Mac2
Relaxed math	Metal4	Apple4	—
Global built-ins and bindings	Metal4	Apple6	—
Memory coherence for textures and buffers in shaders	Metal4	Apple6	—
Per-pipeline shader validation	Metal4	Apple6	—

GPU family ¹	Metal	Apple	Mac
Shader logging	Metal4	Apple6	—
Residency sets	Metal4	Apple6	—
Acceleration structures containing row-major matrices	—	Apple9	—
Ray tracing with per-component motion interpolation	—	Apple9	—
Direct access to on-chip ray-intersection result storage	—	Apple9	—
Fragment visibility count accumulation ¹⁴	Metal4	Apple7	—
<u>Argument tables</u>	Metal4	Apple7	—
<u>Command allocators</u>	Metal4	Apple7	—
<u>Decoupled command queues and command buffers</u>	Metal4	Apple7	—
<u>Texture view pools</u>	Metal4	Apple7	—
<u>Command barriers</u>	Metal4	Apple7	—
Placement sparse buffers	Metal4	Apple7	—
Placement sparse textures	Metal4	Apple7	—
<u>Dedicated compilation contexts</u>	Metal4	Apple7	—
<u>Pipeline dataset serialization</u>	Metal4	Apple7	—
Flexible render pipeline state	Metal4	Apple7	—
Color attachment mapping ¹⁴	Metal4	Apple7	—
<u>Machine learning encoding</u>	Metal4	Apple7	—
<u>Tensors</u>	Metal4	Apple7	—
<u>Performance counter heaps</u>	Metal4	Apple7	—
<u>Address-driven acceleration structure builds</u>	—	Apple9	—
<u>Acceleration structure build options</u>	—	Apple9	—
<u>Intersection function buffers</u>	—	Apple9	—

1. See `MTLGPUPFamily` for each GPU family's enumeration constant.
2. Some GPU devices in the `Apple7` and `Apple8` families support BC texture compression in iPadOS. You can check an individual GPU's support for this feature by inspecting its `MTLDevice.supportsBCTextureCompression` property at runtime. As of `Apple9` all GPU's have support.
3. GPU devices in `Apple3` through `Apple9` families don't support memory barriers that include the `MTLRenderStages.fragment` or `.tile` stages in the `after` argument, or `MTLBarrierScope.renderTargets` in the `scope` argument of `MTLRenderCommandEncoder.memoryBarrier(scope:after:before:)` and `MTLRenderCommandEncoder.memoryBarrier(resources:after:before:)`.
4. Some GPU devices in the `Mac2` family support raster order groups. You can check an individual GPU's support for this feature by inspecting its `MTLDevice.rasterOrderGroupsSupported` property at runtime.
5. Some GPU devices in the `Mac2` and `Metal3` families support barycentric coordinates. You can check an individual GPU's support for this feature by inspecting its `MTLDevice.supportsShaderBarycentricCoordinates` property at runtime.
6. GPU devices in the `Apple7` family support sparse depth and stencil textures only for placement sparse textures. GPU devices in `Apple8` through `Apple9` support both placement and automatic heap backing for sparse depth and stencil textures.
7. Some GPU devices in the `Mac2` family support variable rasterization rates. You can check an individual GPU's support for this feature by calling its `MTLDevice.supportsRasterizationRateMap(layerCount:)` method at runtime.
8. Some GPU devices in the `Mac2` family support vertex amplification. You can check an individual GPU's support for this feature by calling its `MTLDevice.supportsVertexAmplificationCount(_:)` method at runtime.
9. Some GPU devices in the `Mac2` family support ray tracing in compute pipelines. You can check an individual GPU's support for this feature by inspecting its `MTLDevice.supportsRaytracing` property at runtime.
10. Support for function pointers and ray tracing in render pipelines isn't compatible with mesh shading. You can only use Metal IR linking through `MTLLinkedFunctions.privateFunctions` in render pipelines using mesh shading.
11. Some GPU devices in the `Apple8` family support 64-bit atomic minimum and maximum using `ulong`, on both buffers and textures. You can check an individual GPU's support for this feature by verifying it supports both the `Mac2` and `Apple8` families by separately passing each to the `MTLDevice.supportsFamily(_:)` method. As of `Apple9` all GPU's have support.
12. Some GPU devices in the `Apple7` family support query texture LOD. You can check an individual GPU's support for this feature by inspecting its `MTLDevice.supportsQueryTextureLOD` property at runtime. As of `Apple8` all GPU's have support.
13. Some GPU devices in the `Mac2` family support function pointers in compute pipelines. You can check an individual GPU's support for this feature by inspecting its `MTLDevice.supportsFunctionPointers` property at runtime.
14. GPU devices supporting fragment visibility count accumulation and color attachment mapping features support those features in both Metal3 and Metal4 command encoding models.

GPU implementation limits by family											
GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
Function arguments	Function arguments										
Maximum number of vertex attributes, per vertex descriptor ²	31	31	31	31	31	31	31	31	31	31	31
Maximum number of entries in the buffer argument table, per graphics or kernel function ²	31	31	31	31	31	31	31	31	31	31	31
Maximum number of entries in the texture argument table, per graphics or kernel function ²	128	128	31	31	96	96	128	128	128	128	128
Maximum number of entries in the sampler state argument table, per graphics or kernel functions ^{2 3}	16	16	16	16	16	16	16	16	16	16	16
Maximum number of entries in the threadgroup memory argument table, per kernel function ²	31	31	31	31	31	31	31	31	31	31	31
Maximum number of constant buffer arguments in vertex, fragment, tile, or kernel functions ²	14	31	31	31	31	31	31	31	31	31	14
Maximum length of constant buffer arguments in vertex, fragment, tile, or kernel functions ²	4 KB	4 KB	4 KB	4 KB	4 KB	4 KB	4 KB	4 KB	4 KB	4 KB	4 KB
Maximum threads per threadgroup ⁴	1024	1024	512	512	1024	1024	1024	1024	1024	1024	1024
Maximum total threadgroup memory allocation	32 KB	32 KB	16,352 B	16 KB	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB
Maximum explicit image block allocation ⁵	Not available	32 KB	Not available	Not available	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	Not available
Maximum implicit image block allocation ⁵	Not available	128 KB	Not available	Not available	128 KB	128 KB	128 KB	128 KB	128 KB	128 KB	Not available
Threadgroup memory length alignment	16 B	16 B	16 B	16 B	16 B	16 B	16 B	16 B	16 B	16 B	16 B
Maximum function memory allocation for a buffer in the constant address space	No limit	No limit	No limit	No limit	No limit	No limit	No limit	No limit	No limit	No limit	No limit
Maximum scalar or vector inputs to a fragment function. (Declare with the <code>[[stage_in]]</code> qualifier.) ⁶	32	124	60	60	124	124	124	124	124	124	32
Maximum number of input components to a fragment function. (Declare with the <code>[[stage_in]]</code> qualifier.) ⁶	124	124	60	60	124	124	124	124	124	124	124
Maximum number of function constants	65,536	65,536	65,536	65,536	65,536	65,536	65,536	65,536	65,536	65,536	65,536
Maximum tessellation factor	64	64	Not available	16	16	64	64	64	64	64	64
Maximum number of viewports and scissor rectangles, per vertex function	16	16	1	1	1	16	16	16	16	16	16
Maximum number of raster order groups, per fragment function	8	8	Not available	Not available	8	8	8	8	8	8	8
Minimum alignment of buffer layout descriptor stride	4 B	1 B	4 B	4 B	4 B	1 B	1 B	1 B	1 B	1 B	4 B
Maximum size of buffer layout descriptor stride	4 KB	No limit	No limit	No limit	No limit	No limit	No limit	No limit	No limit	No limit	4 KB
Argument buffers ⁷	Argument buffers										
Maximum number of buffers you can access, per stage, from an argument buffer	No limit	No limit	31	31	96	96	No limit	No limit	No limit	No limit	No limit

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
Maximum number of textures you can access, per stage, from an argument buffer	1 M	1 M	31	31	96	96	1 M	1 M	1 M	1 M	1 M
Maximum number of samplers you can access, per stage, from an argument buffer	1024	1024	16	16	16	16	128	1024	1024	500 K	1024
Resources	Resources										
Minimum constant buffer offset alignment	32 B	4 B	4 B	4 B	4 B	4 B	4 B	4 B	4 B	4 B	32 B
Maximum 1D texture width	16,384 px	16,384 px	8192 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px
Maximum 2D texture width and height	16,384 px	16,384 px	8192 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px
Maximum cube map texture width and height	16,384 px	16,384 px	8192 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px	16,384 px
Maximum 3D texture width, height, and depth	2048 px	2048 px	2048 px	2048 px	2048 px	2048 px	2048 px	2048 px	2048 px	2048 px	2048 px
Maximum texture buffer width ⁸	256 M px	256 M px	64 M px	256 M px	256 M px	256 M px	256 M px	256 M px	256 M px	256 M px	256 M px
Maximum number of layers per 1D texture array, 2D texture array, or 3D texture array	2048	2048	2048	2048	2048	2048	2048	2048	2048	2048	2048
Buffer alignment for copying an existing texture to a buffer	256 B	16 B	64 B	16 B	16 B	16 B	16 B	16 B	16 B	16 B	256 B
Maximum counter sample buffer length	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	32 KB	No limit
Maximum number of sample buffers	32	32	32	32	32	32	32	32	32	32	No limit
Maximum number of residency sets per queue	32	32	Not available	Not available	Not available	Not available	32	32	32	32	32
Maximum number of residency sets per buffer	32	32	Not available	Not available	Not available	Not available	32	32	32	32	32
Render targets	Render targets										
Maximum number of color render targets per render pass descriptor	8	8	8	8	8	8	8	8	8	8	8
Maximum size of a point primitive	511	511	511	511	511	511	511	511	511	511	511
Maximum explicit image block size, per pixel, per sample, when using multiple color render targets	Not available	64 B	Not available	Not available	64 B	64 B	64 B	64 B	64 B	64 B	Not available
Maximum implicit image block size, per pixel, per sample, when using multiple color render targets	Not available	128 B	32 B	32 B	64 B	64 B	64 B	128 B	128 B	128 B	Not available
Maximum visibility query offset	256 KB	256 KB	65,528 B	65,528 B	65,528 B	65,528 B	65,528 B	256 KB	256 KB	256 KB	256 KB
Maximum tile size in render passes without MSAA	Not available	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	Not available
Maximum tile size in render passes with 2x MSAA	Not available	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	32 x 32	Not available
Maximum tile size in render passes with 4x MSAA	Not available	32 x 16	32 x 16	32 x 16	32 x 16	32 x 16	32 x 16	32 x 16	32 x 16	32 x 16	Not available
Feature limits	Feature limits										

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
Maximum number of fences	32,768	32,768	32,768	32,768	32,768	32,768	32,768	32,768	32,768	32,768	32,768
Maximum number of I/O commands per buffer	8192	8192	8192	8192	8192	8192	8192	8192	8192	8192	8192
Maximum vertex count for vertex amplification ⁹	Varies	8	Not available	Not available	Not available	Not available	2	8	8	8	Varies
Maximum threadgroups per object shader grid	1024	No limit	Not available	Not available	Not available	Not available	Not available	No limit	No limit	No limit	1024
Maximum threadgroups per mesh shader grid ¹⁰	1024	1024	Not available	Not available	Not available	Not available	Not available	1024	1024	1,048,575	1024
Maximum payload in mesh shader pipeline ¹¹	16,384 B	16,384 B	Not available	Not available	Not available	Not available	Not available	16,384 B	16,384 B	16,384 B	16,384 B
Largest number of levels a ray-tracing intersector can traverse in an acceleration structure ¹²	32	32	Not available	Not available	Not available	Not available	32	32	32	32	32
Largest number of levels a ray-tracing intersection query can traverse in an acceleration structure ¹²	16	16	Not available	Not available	Not available	Not available	16	16	16	16	16
Maximum texture view pool entries	Not available	128 million	Not available	Not available	Not available	Not available	Not available	128 million	128 million	256 million	Not available
Maximum supported tensor rank	Not available	16	Not available	Not available	Not available	Not available	Not available	16	16	16	Not available
Maximum supported tensor stride at dimension index 0 for machine learning encoder usage	Not available	1 element	Not available	Not available	Not available	Not available	Not available	1 element	1 element	1 element	Not available
Minimum alignment of tensor stride at dimension index 1 for machine learning encoder usage	Not available	64 B	Not available	Not available	Not available	Not available	Not available	64 B	64 B	64 B	Not available
Maximum performance counter heaps (per process)	Not available	32	Not available	Not available	Not available	Not available	Not available	32	32	32	Not available
Minimum alignment of intersection function buffer	Not available	64 B	Not available	Not available	Not available	Not available	Not available	64 B	64 B	64 B	Not available
Minimum alignment of intersection function buffer stride	Not available	8 B	Not available	Not available	Not available	Not available	Not available	8 B	8 B	8 B	Not available
Maximum size of intersection function buffer stride	Not available	4096 B	Not available	Not available	Not available	Not available	Not available	4096 B	4096 B	4096 B	Not available

1. See `MTLGPUPFamily` for each GPU family’s enumeration constant.
2. These values are identical to the maximum number of bindings in an `MTL4ArgumentTable` of the same type.
3. Inline `constexpr` samplers that you declare in [Metal Shading Language](#) (MSL) code count toward the limit. For example, for a feature set limit of 16, you can have 12 API samplers and 4 language samplers (16 total), but you can’t have 12 API samplers and 6 language samplers (18 total).
4. The values in this row are the theoretical maximum number of threads per threadgroup. Check the actual maximum by inspecting the `MTLComputePipelineState.maxTotalThreadsPerThreadgroup` property at runtime.
5. You can allocate memory between `imageblock` and `threadgroup` memory, but the sum of these allocations can’t exceed the maximum total image block memory limit. Some feature sets can’t access image block memory directly, but they can access threadgroup memory. Which image block memory limit applies depends on the shaders usage of either implicit or explicit image block layout, see the Metal Shading Language specification for details.
6. A vector counts as n scalars, where n is the number of components in the vector. The iOS and tvOS feature sets only reach the maximum number of inputs if you don’t exceed the maximum number of input components. For example, you can have 60 float inputs (components), but you can’t have 60 `float4` inputs, which total 240 components.
7. The limits apply to the items you place in the argument buffers you bind directly and in the argument buffers you can access indirectly through your bound argument buffers.
8. The maximum texture buffer width, in pixels, is also limited by `MTLDevice.maxBufferLength` divided by the size of a pixel, in bytes; as well as available memory.
9. Some GPU devices in the `Mac2` family support vertex amplification. You can check an individual GPU’s support for this feature by calling its `MTLDevice.supportsVertexAmplificationCount(_:)` method at runtime.
10. Mesh shaders can use up to 4 GB of payload and mesh geometry per draw for devices in the `Apple7` and `Apple8` GPU families.
11. Mesh shaders that have a `[[threadgroups_per_grid]]` or `[[threads_per_grid]]` parameter reduce the available payload size by 16 bytes. Viewing a mesh shader’s geometry in the Metal debugger (within Xcode) reduces the available payload by 16 bytes. The total payload size reduction can be 32 bytes.
12. The value includes one level for the primitive acceleration structure, which leaves the remaining levels for instance acceleration structures.

- This table lists the GPU’s texture capabilities for each pixel format:
- **Atomic:** The GPU can use atomic operations on textures with the pixel format.
 - **All:** The GPU has the following texture capabilities for the pixel format:
 - **Filter:** The GPU can filter a texture with the pixel format during sampling.
 - **Write:** The GPU can write to a texture on a per-pixel basis with the pixel format.²
 - **Color:** The GPU can use a texture with the pixel format as a color render target.
 - **Blend:** The GPU can blend a texture with the pixel format.
 - **MSAA:** The GPU can use a texture with the pixel format as a destination for multisample antialias (MSAA) data.
 - **Sparse:** The GPU supports sparse-texture allocations for textures with the pixel format.
Sparse is not included in **All** for the Mac2, Meta13 and App1e2 through App1e6 family columns, because those GPUs do not support the sparse texture feature.
 - **Resolve:** The GPU can use a texture with the pixel format as a source for multisample antialias (MSAA) resolve operations.

Note
All graphics and compute kernels can read or sample a texture with any pixel format.

Texture capabilities by pixel format

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
Ordinary 8-bit pixel formats	Texture capabilities for ordinary 8-bit pixel formats by GPU family										
A8Unorm ^{2,9}	All	All	Filter	All	All	All	All	All	All	All	All
R8Unorm ²	All	All	All	All	All	All	All	All	All	All	All
R8Unorm_sRGB	Not available	All	All	All	All	All	All	All	All	All	Not available
R8Snorm	All	All	All	All	All	All	All	All	All	All	All
R8Uint ² R8Sint ²	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
Ordinary 16-bit pixel formats	Texture capabilities for ordinary 16-bit pixel formats by GPU family										
R16Unorm R16Snorm	All	All	Filter Write Color MSAA Blend	Filter Write Color MSAA Blend	All	All	All	All	All	All	All
R16Uint ² R16Sint ²	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
R16Float ²	All	All	All	All	All	All	All	All	All	All	All
RG8Unorm	All	All	All	All	All	All	All	All	All	All	All

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
RG8Unorm_sRGB	Not available	All	All	All	All	All	All	All	All	All	Not available
RG8Snorm	All	All	All	All	All	All	All	All	All	All	All
RG8Uint RG8Sint	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
Packed 16-bit pixel formats ⁷	Texture capabilities for packed 16-bit pixel formats by GPU family										
B5G6R5Unorm A1BGR5Unorm ABGR4Unorm BGR5A1Unorm	Not available	Filter Color MSAA Resolve Blend Sparse	Filter Color MSAA Resolve Blend	Filter Color MSAA Resolve Blend	Filter Color MSAA Resolve Blend	Filter Color MSAA Resolve Blend	Filter Color MSAA Resolve Blend Sparse	Filter Color MSAA Resolve Blend Sparse	Filter Color MSAA Resolve Blend Sparse	Filter Color MSAA Resolve Blend Sparse	Not available
Ordinary 32-bit pixel formats	Texture capabilities for ordinary 32-bit pixel formats by GPU family										
R32Uint ² R32Sint ²	Atomic Write Color	Atomic Write Color Sparse	Write Color	Write Color	Write Color	Write Color	Write Color Sparse	Write Color Sparse	Write Color Sparse	Write Color Sparse	Atomic Write Color MSAA
R32Float ^{2,6}	Write Color MSAA Blend	Write Color MSAA Blend Sparse	Write Color MSAA Blend	Write Color MSAA Blend	Write Color MSAA Blend	Write Color MSAA Blend	Write Color MSAA Blend Sparse	Write Color MSAA Blend Sparse	Write Color MSAA Blend Sparse	All	All
RG16Unorm RG16Snorm	All	All	Filter Write Color MSAA Blend	Filter Write Color MSAA Blend	All	All	All	All	All	All	All
RG16Uint RG16Sint	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
RG16Float	All	All	All	All	All	All	All	All	All	All	All
RGBA8Unorm ²	All	All	All	All	All	All	All	All	All	All	All

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
RGBA8Unorm_sRGB	Filter Color MSAA Resolve Blend	All	All	All	All	All	All	All	All	All	Filter Color MSAA Resolve Blend
RGBA8Snorm	All	All	All	All	All	All	All	All	All	All	All
RGBA8Uint ² RGBA8Sint ²	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
BGRA8Unorm	All	All	All	All	All	All	All	All	All	All	All
BGRA8Unorm_sRGB	Filter Color MSAA Resolve Blend	All	All	All	All	All	All	All	All	All	Filter Color MSAA Resolve Blend
Packed 32-bit pixel formats	Texture capabilities for packed 32-bit pixel formats by GPU family										
RGB10A2Unorm	All	All	Filter Color MSAA Resolve Blend	All	All	All	All	All	All	All	All
BGR10A2Unorm	All	All	All	All	All	All	All	All	All	All	All
RGB10A2Uint	Write Color MSAA	Write Color MSAA Sparse	Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
RG11B10Float ⁷	All	All	Filter Color MSAA Resolve Blend	All	All	All	All	All	All	All	All
RGB9E5Float ⁷	Filter	All	Filter Color MSAA Resolve Blend	All	All	All	All	All	All	All	Filter
Ordinary 64-bit pixel formats	Texture capabilities for ordinary 64-bit pixel formats by GPU family										

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
RG32Uint ¹⁰ RG32Sint	Write Color MSAA	Write Color MSAA Sparse	Write Color	Write Color	Write Color	Write Color	Write Color Sparse	Write Color MSAA Sparse	Atomic Write Color MSAA Sparse	Atomic Write Color MSAA Sparse	Write Color MSAA
RG32Float ⁶	Write Color MSAA Blend	Write Color MSAA Blend Sparse	Write Color Blend	Write Color Blend	Write Color Blend	Write Color Blend	Write Color Blend Sparse	Write Color MSAA Blend Sparse	Write Color MSAA Blend Sparse	All	All
RGBA16Unorm RGBA16Snorm	All	All	Filter Write Color MSAA Blend	Filter Write Color MSAA Blend	All	All	All	All	All	All	All
RGBA16Uint ² RGBA16Sint ²	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA Sparse	Write Color MSAA
RGBA16Float ²	All	All	All	All	All	All	All	All	All	All	All
Ordinary 128-bit pixel formats	Texture capabilities for ordinary 128-bit pixel formats by GPU family										
RGBA32Uint ² RGBA32Sint ²	Write Color	Write Color Sparse	Write Color	Write Color	Write Color	Write Color	Write Color Sparse	Write Color Sparse	Write Color Sparse	Write Color Sparse	Write Color MSAA
RGBA32Float ^{2, 6}	Write Color MSAA Blend	Write Color MSAA Blend Sparse	Write Color Blend	Write Color Blend	Write Color Blend	Write Color Blend	Write Color Blend Sparse	Write Color MSAA Blend Sparse	Write Color MSAA Blend Sparse	All	All
Compressed pixel formats ⁷	Texture capabilities for compressed pixel formats by GPU family										
PVRTC pixel formats ³	Not available	Filter Sparse	Filter	Filter	Filter	Filter	Filter Sparse	Filter Sparse	Filter Sparse	Filter Sparse	Not available
EAC/ETC pixel formats	Not available	Filter Sparse	Filter	Filter	Filter	Filter	Filter Sparse	Filter Sparse	Filter Sparse	Filter Sparse	Not available
ASTC pixel formats	Not available	Filter Sparse	Filter	Filter	Filter	Filter	Filter Sparse	Filter Sparse	Filter Sparse	Filter Sparse	Not available
HDR ASTC pixel formats	Not available	Filter Sparse	Not available	Not available	Not available	Not available	Filter Sparse	Filter Sparse	Filter Sparse	Filter Sparse	Not available
BC pixel formats	Varies ⁸	Varies ⁸	Not available	Not available	Not available	Not available	Not available	Varies ⁸	Varies ⁸	Filter Sparse	Filter
YUV pixel formats ^{4, 7}	Texture capabilities for YUV pixel formats by GPU family										

GPU family ¹	Meta13	Meta14	Apple2	Apple3	Apple4	Apple5	Apple6	Apple7	Apple8	Apple9	Mac2
GBGR422 BGRG422	Filter	Filter	Filter	Filter	Filter	Filter	Filter	Filter	Filter	Filter	Filter
Depth and stencil pixel formats ⁷	Texture capabilities for depth and stencil pixel formats by GPU family										
Depth16Unorm	Filter MSAA Resolve	Filter MSAA Resolve Sparse ¹¹	Filter MSAA	Filter MSAA Resolve	Filter MSAA Resolve	Filter MSAA Resolve	Filter MSAA Resolve	Filter MSAA Resolve Sparse ¹¹	Filter MSAA Resolve Sparse	Filter MSAA Resolve Sparse	Filter MSAA Resolve
Depth32Float ⁶	MSAA Resolve	MSAA Resolve Sparse ¹¹	MSAA	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve Sparse ¹¹	MSAA Resolve Sparse	Filter MSAA Resolve Sparse	Filter MSAA Resolve
Stencil8	Not available	MSAA Resolve Sparse ¹¹	MSAA	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve Sparse ¹¹	MSAA Resolve Sparse	MSAA Resolve Sparse	Not available
Depth24Unorm_Stencil8 ⁵	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Filter MSAA Resolve
Depth32Float_Stencil8	MSAA Resolve	MSAA Resolve	MSAA	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve	MSAA Resolve	Filter MSAA Resolve	Filter MSAA Resolve
X24_Stencil8	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	MSAA
X32_Stencil8	MSAA	MSAA	MSAA	MSAA	MSAA	MSAA	MSAA	MSAA	MSAA	MSAA	MSAA
Extended range and wide color pixel formats	Texture capabilities for extended range and wide color formats by GPU family										
BGRA10_XR BGRA10_XR_sRGB BGR10_XR BGR10_XR_sRGB	Not available	All	Not available	All	All	All	All	All	All	All	Not available

1. See [MTLGPUPFamily](#) for each GPU family's enumeration constant.
2. Some GPUs support read-write textures where a kernel can both read from and write to a texture. You can check an individual GPU's support for this feature by inspecting its [MTLDevice.readWriteTextureSupport](#) property at runtime.
3. Only the GPUs in [Apple3](#) and [Apple4](#) families support [MTLSamplerAddressMode.clampToZero](#) for the PVRTC pixel formats.
4. The GPUs in [Apple6](#) through [Apple9](#) families don't support sparse textures with YUV pixel formats.
5. Some GPUs support [MTLPixelFormat.depth24Unorm_stencil8](#). You can check an individual GPU's support for this feature by inspecting its [MTLDevice.isDepth24Stencil8PixelFormatSupported](#) property at runtime.
6. Some GPUs in the [Apple7](#), and [Apple8](#) families additionally support the **Filter** and **Resolve** texture capabilities for 32-bit floating-point pixel formats in iPadOS. You can check an individual GPU's support for this feature by inspecting the [MTLDevice.supports32BitFloatFiltering](#) property at runtime.
7. Formats in this group aren't compatible with lossy texture compression through [MTLTextureDescriptor.compressionType](#).
8. Some GPU devices in the [Apple7](#) and [Apple8](#) families support filtering and sparse BC compressed textures in iPadOS. You can check an individual GPU's support for this feature by inspecting its [MTLDevice.supportsBCTextureCompression](#) property at runtime.
9. The [A8Unorm](#) pixel format is incompatible with imageblocks with explicit layout. Use either an [R8Unorm](#) texture view, or imageblocks with implicit layout.
10. You can only apply the [RG32Uint](#) format to a ulong texture on a GPU that supports the 64-bit atomics feature.
11. GPU devices in the [Apple7](#) family support **Sparse** depth and stencil textures only for placement sparse textures. GPU devices in [Apple8](#) through [Apple9](#) support both placement and automatic heap backing for sparse depth and stencil textures.

Texture buffer pixel formats

These tables list the pixel formats that texture buffers support, and the GPU’s read/write access to textures with those formats:

- **All:** The GPU can use the following accesses for a texture buffer with the pixel format:
 - **Read:** The GPU can use read access for a texture buffer with the pixel format.
 - **Write:** The GPU can use write access for a texture buffer with the pixel format.
 - **Read/Write:** The GPU can use read_write access for a texture buffer with the pixel format. ¹

Note

The GPU capabilities are generally the same across all hardware families, but some GPUs have additional options. ²

Ordinary 8-bit pixel formats	
Format	Access
A8Unorm	All
R8Unorm	All
R8Snorm	Read Write
R8Uint R8Sint	All

Ordinary 16-bit pixel formats	
Format	Access
R16Unorm R16Snorm	Read Write
R16Uint R16Sint	All
R16Float	All
RG8Unorm	Read Write
RG8Snorm	Read Write
RG8Uint RG8Sint	Read Write

Ordinary 32-bit pixel formats	
Format	Access
R32Uint R32Sint	All ³
R32Float	All
RG16Unorm RG16Snorm	Read Write
RG16Uint RG16Sint	Read Write
RG16Float	Read Write
RGBA8Unorm	All
RGBA8Snorm	Read Write
RGBA8Uint RGBA8Sint	All
BGRA8Unorm	Read

Packed 32-bit pixel formats	
Format	Access
RGB10A2Unorm	Read Write
RGB10A2Uint	Read Write
RG11B10Float	Read Write

Ordinary 64-bit pixel formats	
Format	Access
RG32Uint RG32Sint	Read Write
RG32Float	Read Write
RGBA16Unorm RGBA16Snorm	Read Write
RGBA16Uint RGBA16Sint	All
RGBA16Float	All

Ordinary 128-bit pixel formats	
Format	Access
RGBA32Uint RGBA32Sint	All
RGBA32Float	All

1. GPUs with the Tier 2 feature set support read_write access to textures. You can check an individual GPU’s support for this feature by inspecting its `MTLDevice.readWriteTextureSupport` property at runtime.

2. Some devices support this pixel format. Check a device by inspecting its `MTLDevice.depth24Stencil18PixelFormatSupported` property at runtime.

3. GPUs that support texture atomics (see feature availability by GPU family) also support atomics in read/write texture buffers with this pixel format.



Apple Inc.
Copyright © 2014-2025 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer or device for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-branded products.

Apple Inc.
One Apple Park Way
Cupertino, CA 95014

Apple is a trademark of Apple Inc., registered in the U.S. and other countries.

APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT, ERROR OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

Some jurisdictions do not allow the exclusion of implied warranties or liability, so the above exclusion may not apply to you.