

```
$ devreport --render
```

devreport_

Turn a messy project folder into a polished PDF report or slide deck

```
// Celibistrial
```

```
// October 2026
```

2 / 13

\$ At a glance

17

// commits

1

// author

+2,427

// lines added

1

// day

\$ The problem and who it's for

- > Student builders who must write up a hackathon, coursework or side project
- > Most of us would rather keep building than write it up
- > Drop in logs, notes, a CSV, screenshots, a `.zip` or a GitHub link
- > Get back a LaTeX report or Beamer deck, live in the browser

\$ How it works

- > Upload, zip or GitHub link comes in
- > `collect.js` parses git history, logs, tables, notes and images
- > Three optional questions get saved as `answers.md`
- > `claude -p` writes `main.tex`, compiles with tectonic, fixes errors
- > `main.pdf` shows inline, with the `.tex` to download

\$ Charts can't lie

- > Every chart is pgfplots reading a CSV that `collect.js` computed
- > Claude never types a number into a chart
- > Stat numbers come from `facts.json`
- > Our code does the analysis; Claude writes the prose
- > Commit counts, file churn and recurring errors are deterministic and tested


\$ Locked-down agent, safe intake

- > Claude Code runs headless with only Read, Write, Edit, tectonic, Skill
- > It has no general shell, and uploads are read as data
- > Zips are size-checked before extracting, to stop zip bombs
- > Path-escaping entries are rejected and symlinks deleted
- > GitHub URLs are validated and cloned without a shell, with a timeout


\$ Themes and setup

- > Paper (serif, academic) and Midnight (dark, neon, terminal)
- > Each theme is one `.sty` for both reports and slides
- > Needs macOS or Linux, Node 20+, Claude Code, tectonic, git, unzip
- > No `npm install`: the server uses only Node's standard library
- > Each run uses your own Claude Code login, and takes 1 to 3 minutes

\$ Lines of code by language




\$ Most edited files




10 / 13

\$ Commit types



11 / 13

\$ Commits by hour of day



\$ Limits

- > Local only, one job at a time
- > 16-bit PNGs are re-encoded with `sips`, which is macOS only
- > Uploaded text reaches an agent that can write job files
- > The tool allowlist contains it; still, only run material you trust
- > No public hosted version: it would spend one person's subscription

\$ AI disclosure

- > Built with Claude Code as a pair programmer
- > Headless Claude Code is the runtime that writes each report
- > Collector, intake, server and UI are ordinary, testable code