$R\chi$ iv-Forge: An Automated Template Engine for Streamlined Scientific Publications

Bruno M. Saraiva^{1,⊠}, Guillaume Jaguemet^{2,3,4,⊠}, and Ricardo Henrigues^{1,5,⊠}

¹ Instituto de Tecnologia Química e Biológica António Xavier, Universidade Nova de Lisboa, Oeiras, Portugal ² Faculty of Science and Engineering, Cell Biology, Åbo Akademi University, Turku, Finland ³ InFLAMES Research Flagship Center, University of Turku, Turku, Finland ⁴Turku Bioscience Centre, University of Turku and Åbo Akademi University, Turku, Finland ⁵UCL Laboratory for Molecular Cell Biology, University College London, London, United Kingdom

Modern scientific publishing has shifted towards rapid dissemination through preprint servers, placing increased demands on researchers for manuscript preparation and quality control. We present RXiv-Forge, a comprehensive GitHub-native system that integrates modern software development practices into scientific article lifecycles. This system combines professional LaTeX typesetting with robust automation and reproducibility infrastructure. RXiv-Forge facilitates transparent version control through Git, ensures consistent environments via Docker containerisation, and automates compilation using GitHub Actions. A key innovation is the programmatic figure generation pipeline using Python libraries like Matplotlib and Seaborn to create publication-quality, version-controlled visualisations. This self-documenting article demonstrates the system's capabilities, showcasing how it transforms scientific authoring into 15 an efficient, collaborative, and reproducible process. RXiv-Forge serves as a foundational tool for research groups adopting structured, automated approaches to preprint publication, enabling scientists to focus on their primary objective: the re-19 search itself. 20

article template | scientific publishing | preprints

Correspondence: (B. M. Saraiva) b.saraiva@itqb.unl.pt; (G. Jaquemet) guillaume.jacquemet@abo.fi; (R. Henriques) ricardo.henriques@itqb.unl.pt

Main

21

27

28

29

31

32

33

35

37

The landscape of scientific publishing has undergone a pro- 48 found transformation over the past two decades, fundamen- 49 tally altering how researchers communicate, collaborate, and 50 disseminate their findings. This evolution represents more 51 than a simple digitisation of traditional publishing models; it 52 constitutes a paradigmatic shift towards open, reproducible, 53 and accelerated scientific discourse that challenges the very 54 foundations of how knowledge is created and shared within 55 the global research community. The emergence of preprint 56 servers has been central to this transformation, with plat- 57 forms such as arXiv, bioRxiv, and medRxiv collectively host- 58 ing millions of manuscripts that bypass the traditional peer- 59 review bottleneck. The exponential growth in preprint sub- 60 missions, particularly evident during the COVID-19 pan- 61 demic, demonstrates researchers' increasing recognition that 62 rapid dissemination of findings serves both individual ca- 63 reer advancement and broader scientific progress (1, 2). This 64 shift towards immediate publication reflects a growing under- 65 standing that the traditional publishing timeline, often span- 66 ning months or years, is fundamentally incompatible with the 67 pace of modern scientific discovery and the urgent need for 68




Fig. 1. The RXiv-Forge workflow. The system integrates Markdown content, YAML metadata, Python scripts, and bibliography files through a processing engine. This engine leverages Docker, GitHub Actions, and LaTeX to produce a publication-ready scientific article, demonstrating a fully automated and reproducible pipeline.

real-time knowledge sharing in addressing global challenges. Concurrent with the preprint revolution, the integration of computational tools and automated workflows has become indispensable to contemporary research practice. Version control systems, particularly Git and GitHub, have evolved from software development tools into essential platforms for scientific collaboration, enabling transparent tracking of research progress, collaborative manuscript development, and reproducible computational analyses (3, 4). The adoption of containerisation technologies such as Docker has further enhanced reproducibility by providing standardised computational environments that eliminate the "works on my machine" problem that has long plagued scientific computing (5). The traditional manuscript preparation process, however, has remained largely unchanged, relying on fragmented workflows that separate content creation, figure generation, and document compilation into discrete, often incompatible processes. This fragmentation introduces numerous opportunities for error, version conflicts, and inefficiencies that ultimately impede rather than facilitate scientific communication. Contemporary research increasingly demands sophisticated figure generation capabilities that integrate statistical analysis, publication-quality visualisation, and complex




Fig. 2. The growth of preprint submissions on the arXiv server from 1991 to 122 2025. The data, sourced from arXiv's public statistics, is plotted using a Python script integrated into our RXiv-Forge pipeline. This demonstrates the system's ca-123 pacity for reproducible, data-driven figure generation directly within the publication 124 workflow.

71

72

73

74

76

78

80

82

83

84

85

86

87

88

89

90

91

93

95

2

workflow documentation. The matplotlib and seaborn libraries have emerged as foundational tools for scientific visualisation in Python, offering extensive customisation options and LaTeX integration essential for professional publication standards (6, 7). RXiv-Forge addresses these requirements by implementing a comprehensive automated publishing system that integrates LaTeX document preparation with 122 Python-based figure generation, containerised build environments, and continuous integration workflows. The system 135 represents a practical implementation of best practices in reproducible research, combining the typographical excellence 137 of LaTeX with the computational power of modern data science tools and the collaborative advantages of distributed 138 version control systems. The architecture of RXiv-Forge, 139 detailed in 1, reflects a deep understanding of contempo-141 rary research workflows, providing automated figure gener- 142 ation for statistical visualisation, integrated diagram creation 143 for methodology documentation, and robust build automa-145 tion through Make and Docker. A comprehensive workflow 146 diagram showing the complete system architecture and pro- 147 cessing pipeline is provided in (?):1. By automating routine 148 tasks and providing standardised workflows, RXiv-Forge enables researchers to focus on scientific content whilst ensur- 151 ing that technical implementation adheres to contemporary 152 best practices in software development and computational re- 154 producibility.

A core capability of the RXiv-Forge framework is the pro- 157 grammatic and reproducible generation of figures directly 158 from underlying data and source code. This ensures that vi- 160

sualisations are not static assets but are dynamic artefacts, intrinsically linked to the research process and subject to the same rigorous version control as the manuscript text itself. To demonstrate this, we have employed RXiv-Forge to generate a visualisation depicting the growth of preprint submissions to the arXiv server from its inception to the present day (2). This figure is rendered automatically during the article's compilation by executing a version-controlled (FIGURES/Figure_2.py). script script utilises the Matplotlib and Pandas to process a dataset of monthly submission statistics (FIGURES/DATA/Figure 2/arxiv monthly submissions.o which is also maintained within the repository. This methodology exemplifies a core tenet of transparent and reproducible science: the unbreakable link between data, analysis, and the resulting visualisation. Any modification to the dataset or the visualisation code will be automatically reflected in the manuscript upon recompilation, thus ensuring complete transparency, eliminating the possibility of data-figure mismatch, and allowing for full verifiability by peers. This self-generating figure serves as a direct validation of the RXiv-Forge system's capacity to streamline and safeguard the integrity of scientific reporting.

The development of RXiv-Forge is a direct response to the evolving demands of modern scientific communication. The programmatic generation of Figure 2 within this document serves as a practical validation of our framework. By treating figures not as static images but as compiled artefacts derived from version-controlled code and data, we elevate them from mere illustrations to reproducible and verifiable components of the scientific record. This approach mitigates common errors and enhances the robustness of research findings. The integration of Git, Docker, and GitHub Actions further establishes a research environment where transparency and collaboration are structurally embedded. RXiv-Forge, therefore, provides a foundational tool for research groups aiming to adopt more structured and automated approaches to publishing, allowing scientists to dedicate their focus to the research itself, secure in the knowledge that the dissemination process is both efficient and sound.

DATA AVAILABILITY

Arxiv monthly submission data used in this article is available at https://arxiv.org/stats/monthly_submissions. The source code and data for the figures in this article are available at https://github.com/henriqueslab/rxiv-forge.

CODE AVAILABILITY

The RXiv-Forge computational framework is available at https://github.com/henriqueslab/rxiv-forge. All source code is under an MIT License.

AUTHOR CONTRIBUTIONS

Both Bruno M. Saraiva, Guillaume Jaquemet and Ricardo Henriques conceived the project and designed the framework. All authors contributed to writing and reviewing the manuscript.

ACKNOWLEDGEMENTS

B.S. and R.H. acknowledge support from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement No. 101001332) (to R.H.) and funding from the European Union through the Horizon Europe program (Al4LIFE project with grant agreement 101057970-Al4LIFE and RT-SuperES project with grant agreement 101099654-RTSuperES to R.H.). Funded by the European Union. However, the views and opinions expressed are those of the authors only and do not necessarily reflect those of the European Union. Neither the European Union nor the granting authority can be held responsible for them. This work was also supported by a European Molecular Biology Organization (EMBO) installation grant (EMBO-2020-IG-4734 to

```
R.H.), a Chan Zuckerberg Initiative Visual Proteomics Grant (vpi-0000000044 with
161
     https://doi.org/10.37921/743590vtudfp to R.H.) and a Chan Zucker-
162
     berg Initiative Essential Open Source Software for Science (EOSS6-0000000260).
163
164
     This study was supported by the Academy of Finland (no. 338537 to G.J.), the
     Sigrid Juselius Foundation (to G.J.), the Cancer Society of Finland (Syöpäjäriestöt.
165
     to G.J.) and the Solutions for Health strategic funding to Åbo Akademi University
166
     (to G.J.). This research was supported by InFLAMES Flagship Program of the
167
168
     Academy of Finland (decision no. 337531).
```

169 EXTENDED AUTHOR INFORMATION

```
• Bruno M. Saraiva:
```

171 (D) 0000-0002-9151-5477; **У** Bruno_MSaraiva; **in** bruno-saraiva

• Guillaume Jaquemet:

© 0000-0002-9286-920X; ♥ guijacquemet; ★ guijacquemet.bsky.social

• Ricardo Henriques:

173

177

178 179

180

181

182

183

184

185 186

187

197

199

201

203

204

205

206

207

208

209

210

211

212

213

214

216

217

218


Bibliography

- Nicholas Fraser, Fakhri Momeni, Philipp Mayr, and Isabella Peters. The relationship between biorxiv preprints, citations and altmetrics. *Quantitative Science Studies*, 2(2):618–638, 2021. doi: 10.1162/qss_a_00043.
- Richard J Abdill and Ran Blekhman. The growth of biorxiv preprints and the implications for preprint discovery. PLoS Biology, 17(4):e3000269, 2019. doi: 10.1371/journal.pbio.3000269.
- Karthik Ram. Git can facilitate greater reproducibility and increased transparency in science. Source Code for Biology and Medicine, 8(1):7, 2013. doi: 10.1186/1751-0473-8-7.
- Yasset Perez-Riverol, Laurent Gatto, Rui Wang, Timo Sachsenberg, Julian Uszkoreit, Felipe da Veiga Leprevost, Christian Fufezan, Tobias Ternent, Stephen J Eglen, Daniel S Katz, et al. Ten simple rules for taking advantage of git and github. PLoS Computational Biology, 12(7): e1004947, 2016. doi: 10.1371/journal.pcbi.1004947.
- e1004947, 2016. doi: 10.1371/journal.pcbi.1004947.
 Carl Boettiger. An introduction to docker for reproducible research. ACM SIGOPS Operating
 Systems Review, 49(1):71–79, 2015. doi: 10.1145/2723872.2723882.
- John D Hunter. Matplotlib: A 2d graphics environment. Computing in Science & Engineering,
 9(3):90–95, 2007. doi: 10.1109/MCSE.2007.55.
- Michael L Waskom. seaborn: statistical data visualization. *Journal of Open Source Software*,
 6(60):3021, 2021. doi: 10.21105/joss.03021.

195 Methods

The RXiv-Forge framework orchestrates a series of computational tools to achieve a fully automated publication pipeline. The process begins with manuscript content authored in Markdown (01_MAIN.md) and metadata defined in a separate YAML configuration file (00_CONFIG.yml). Bibliographic information is managed in a standard BibTeX file (03_REFERENCES.bib). The core of the system is a set of Python scripts located in src/py/ which parse the Markdown and YAML to dynamically generate a main LaTeX file (MANUSCRIPT.tex) from a template (src/tex/template.tex). Figure generation is a key automated step. diagrams (.mmd) and Python scripts (.py) placed in the FIGURES/ directory are executed to produce visual content. For instance, Figure 2 was generated executing FIGURES/Figure_2.py, which prodata from FIGURES/DATA/Figure 2/ cesses arxiv monthly submissions.csv. The entire build process is managed by a Makefile and can be encapsulated within a Docker container defined by the Dockerfile, ensuring a consistent and reproducible compilation environment. Continuous integration and deployment are handled by GitHub Actions, which automates the compilation of the PDF upon every commit, making the latest version of the manuscript perpetually available.

Saraiva et al. | Rxiv-Forge 3



SFig. 1. RXiv-Forge Workflow Details. This figure provides a comprehensive overview of the RXiv-Forge system architecture, showing how the simplified file naming convention (00_CONFIG.yml, 01_MAIN.md, 02_SUPPLEMENTARY_INFO.md, 03_REFERENCES.bib) integrates with the processing engine to generate publication-ready documents. The system demonstrates the complete automation pipeline from markdown input to PDF output.

220 A. Supplementary Figures.

B. Supplementary Notes.

225

227

228

230

231

232

- B.1. File Structure and Organization. The RXiv-Forge system employs a streamlined file naming convention that enhances clarity and reduces redundancy. The new structure eliminates the word "MANUSCRIPT" from filenames, making the organization more intuitive:
 - 00_CONFIG.yml: Contains all metadata, author information, and configuration settings
 - 01_MAIN.md: Houses the primary manuscript content in markdown format
 - 02_SUPPLEMENTARY_INFO.md: Provides additional supporting information and figures
 - 03_REFERENCES.bib: Manages bibliographic references in standard BibTeX format
 - B.2. Technical Implementation Details. The system processes these files through a sophisticated conversion pipeline that:
 - 1. Parses configuration: Extracts metadata from the YAML configuration file
 - 2. **Converts content**: Transforms markdown syntax into LaTeX formatting
 - 3. Generates figures: Executes Python scripts and Mermaid diagrams automatically
- 4. Assembles document: Combines all components into a cohesive LaTeX document
- 5. Compiles output: Produces publication-ready PDF with proper formatting and citations
- This approach ensures **reproducibility**, **version control compatibility**, and **automated processing** while maintaining the flexibility needed for academic publishing.

4 Saraiva *et al.* | Rχiv-Forge