

A MORE APPROACHABLE LOCAL EDITOR

CentrED# Local

What changed from the original

Original CentrED# 0.6.11.31 compared with Local 0.7.3.
A community modification for building Ultima Online maps.

Local 0.7.3 keeps the original editor's foundations and adds a guided, recoverable workflow for individual builders. It also makes common controls easier to find and adds two ways to inspect a map from a player's viewpoint.

One local EXE

The editing engine runs inside the app, with no local server login or listening port.

Map tabs

Switch between separate working copies of map0, map1, map2 and other discovered maps.

Player inspection

Walk in an approximate editor preview or open your existing game client for testing.

What the original already did

The original C# editor already provided map rendering, painting, Undo/Redo, coordinate navigation, a minimap, bookmarks, filters, blueprints, image export and MUL/UOP loading. It also had dockable windows, shortcut remapping and GUI LocalServer hosting, with a separate server option. These capabilities form the starting point for Local's improvements.

A different local workflow

Local removes the need to configure a local server connection for ordinary editing. It retains the engine's validation, map storage and editing services inside the executable. Optional remote collaboration remains a separate workflow.

ORIGINAL AND LOCAL SIDE BY SIDE

The main differences

Area	Original 0.6.11.31	Local 0.7.3
Local setup	Server-oriented connection/hosting flow, including GUI LocalServer hosting.	Guided local projects use an in-process editing engine. No local account, server configuration or socket is needed.
Map files	MUL and UOP loading already existed.	Folder discovery finds supported map choices and matching companions, including available x variants. Valid empty statics-index markers are accepted.
Several maps	A connected map is the central editing session.	Tabs manage separate working copies. Switching saves the current copy; each map keeps its own project, bookmarks and presets.
Saving and recovery	Saving and basic Undo/Redo were part of the editor.	Verified working copies, checkpoints, automatic backups and recovery records protect committed files. History is named and bounded.
Large operations	Existing bulk-edit tools provide the foundation.	Preview, incremental progress, cancellation and local checkpoint rollback; added find/replace and cleanup previews.
Blueprints and terrain	Blueprint and terrain tools already existed.	Blueprint previews, tags, anchors, transforms and placement filters; verified interchange with optional ID/hue mapping. More predictable brush matching.
Rendering and export	Map rendering and picture export already existed.	Sparse map storage and bounded image-export tiles, with progress, cancellation and completed-output checks.
Collaboration	Networked editing is an original design strength.	Retained separately, with TLS by default and explicit legacy TCP. External multiplayer acceptance is still unverified.

Supported UOP is a valid input format. This does not promise every archive or compression variant: unsupported compression and malformed data receive explicit errors.

GUI AND EVERYDAY USE

A clearer building workflow

The GUI changes make existing editing features easier to understand and add practical controls around them.

Control	What changes for the builder
Visible action bar	Save map, Undo, Redo, Checkpoint, Go to, Inspector, Layers, Player view, Workspace and Help sit beside the map.
Navigation and artwork	Explicit X/Y navigation, Back/Forward and clearer per-map bookmarks. Name or exact graphic-ID search, result counts, clear search and helpful empty states.
Inspector and sampling	A clearer tile stack, safer handling of stale or missing artwork, and direct graphic/hue picking. Right-click tool selection and sampling use plain labels.
Two-corner area picker	Choose opposite corners on the map or minimap. Picking fills operation or boundary fields; it never starts an edit. Cancel retains the previous area.
XY view boundaries	Hide terrain and objects outside a region, separately from height and ID/hue filters. Hidden tiles cannot be selected; picture export captures the chosen bounds.
Saved workspaces	Save panel visibility and docking as named arrangements. Load, rename, delete, choose Editing/Inspection panels or restore the previous arrangement.

From original data to a testable map

- 01
- Choose UO data - Discover supported maps and their matching statics/index files.
- 02
- Create a working copy - Name the project and open its tab; source map files stay separate.
- 03
- Build and checkpoint - Edit the working copy, save it and keep a checkpoint before experiments.
- 04
- Export and test - Export a separate map set, then install it into matching disposable test data.

PREVIEW AND REAL-CLIENT TESTING

Two ways to see your build as a player

Both options are included. They serve different stages of inspection and testing.

1. Walk inside the editor

Start at the view centre and move a male or female character with WASD or arrows. The camera follows the character. Escape or Return to editing restores the previous view.

2. Open your existing client

Choose a client executable and optional arguments, export a separate test map and launch the client in its own window. It uses its own configured data and server.

What the editor preview can show

- An animated character over the currently loaded map, using character artwork from your supplied UO data.
- Approximate surfaces and clearance. Ignore collision allows free inspection; Hide objects above player offers an approximate roof view.
- A quick check of scale, sightlines and how a route looks. Preview movement does not paint or alter map tiles.

The real game still needs the real client and server

Doors, live server objects, scripts, equipment, shard movement rules and gameplay must be checked in the intended client/server. The preview is not an embedded full UO client.

How real-client testing works

Editor	Test setup
Export terrain + statics/index into a new folder, with checksum and artwork-identity information.	Back up receiving files, then install the export into matching test client/server data.
Launch the explicitly selected client in a separate window.	Use its existing configuration and test server. Log in and check the build in game.

There is no automatic installation, live synchronization or embedded game login. Editor changes do not instantly appear in a client that is already running. Client-launch configuration tests passed; no game client was launched or logged in during validation. Map-file export includes the whole map; XY boundaries apply to picture export.

DISTRIBUTION AND CONFIDENCE

What is verified, and what to check next

399

Automated tests passed

16 shared + 41 backend + 342 editor
Zero failed or skipped

Release checks completed

- The packaged EXE opened, rendered and closed a copied real UOP map. Player-character rendering, navigation, bookmarks, area picking, bounds and workspace layouts passed packaged GUI checks.
- A disposable synthetic map passed the editing workflow. Package resources, source hashes and archive integrity were checked. Monitored original client files remained unchanged.

Checks still needed in your setup

- Launch and log in with the intended game client; test the exported map against the matching artwork and server.
- Check startup and graphics on another Windows computer, dense custom-map performance and external multiplayer editing.

Use working copies and keep backups

Checkpoints can contain complete map sets and consume substantial disk space. Manual and operation checkpoints need storage management. Undo starts again when a map session is reopened and never crosses maps. Recovery protects committed saves; unsaved work can still be lost after a crash.

Package status. One self-contained Windows x64 editing executable, plus documentation and license notices. The binary is unsigned. This community development build is based on original CentrED# 0.6.11.31, commit 50d23f7a8d7f. It is not an official upstream release.

Your data stays external. Supply your own legally usable UO map/artwork data. No game maps, art, accounts, world saves, credentials or private development logs are bundled. Original and third-party licenses accompany the release. Pascal CentrED inspired usability ideas; no Pascal source or artwork was copied.

Downloads and references

[UO Asset Library](#) - release downloads and this comparison

[Original CentrED# project](#) | [Pascal CentrED reference](#)

Detailed behavior and limits are described in the release's User Guide, version changes and license notices.