


FROM  EXCEL TO 



WHO ARE WE?

Center for Health Data Science (HeaDS) - <https://heads.ku.dk/>

SUND Center, which includes a KU data lab


- **Consultation & Collaboration:**
 - Data science and bioinformatics analyses, e.g. big data, -omics analysis, machine learning.
- **Teaching; Courses & Workshops, Seminars, etc.**

Data Science Laboratory (DSL) - <https://datalab.science.ku.dk/>

Dep. of Math and Computer Science, Faculty of SCIENCE



Thilde Terkelsen



Tugce Karaderi



Viktoria Schuster



Anders Krogh



Bo Markussen



Helle Sørensen




THE PRACTICALS



Two days: 9.00-16.00. There will be coffee breaks, we promise ☕

“R for Data Science” - a generally useful book on R, also for this course


The course is build on hands-on presentations (.R, .Rmd) & exercises




Download and install the newest version of R (<https://cran.r-project.org/>)

Download and install the newest version of R-studio (<http://www.rstudio.com/download>)

Download the course material and place it somewhere you can find it again!
<https://events.signup.ku.dk/from-excel-to-r-june-2021/program-course-material>





zoom


Talks - collectively here in the **main room**

Breakout rooms (6 people per room):

- **Help** - press the button to “**call for help**” and an instructor will join you.
- You can **work together** in the rooms, or **work on your own** in the quiet room.
- You will be **called back** for each talk & lunch - **breaks** you take as you please.



WELCOME TO FROM EXCEL TO R




WHY R ?

- **Open Source**
- **Easy to get started with:**
Compatible with all systems, great support
- **Large Community:**
R-packages, pipelines, tutorials, help pages
- **Flexible Language:**
Tidyverse, C++, Python, git/github, markdown
- **Nice Graphics**

R has its **limitations**, but now fewer than ever

GRAPHICS



A COMPARISON

FROM EXCEL TO R



WHAT WILL YOU LEARN IN THIS COURSE?

DATA WRANGLING




tidyverse
Data Structures
Useful Functions
Pipe (“clean” code)

THE BASICS



R base syntax
R Studio
Scripts, paths, files
R project
Help resources

PLOTTING



ggplot2
Code structure
Smart plotting
ggplot2 + tidy data



STATISTICS & BIOINFORMATICS

REPRODUCIBILITY



R Markdown
Doc. types
Good practices
Other cool things

PROGRAM

DATES: 14-06 & 15-06, 2021

PLACE: Faculty of Health and Medical Sciences,
Panum, Blegdamsvej 3B, 2200 København


DAY 1

08:45 - Welcome & Coffee
09:00 - Introduction to R
09:40 - Rstudio Exercise
10:10 - Break
10:20 - tidyverse
10:50 - tidyverse Exercise
12:00 - Lunch
13:00 - tidyverse Exercise
14:00 - ggplot2
14:30 - Break
14:45 - ggplot2 Exercise
16:00 - Q&A - more on plotting

DAY 2

09:00 - Rmarkdown
09:30 - Rmarkdown Exercise
10:15 - Break statistics in R
10:30 - statistics in R
11:15 - statistics Exercise
12:00 - Lunch
13:00 - statistics Exercise
14:30 - Break
14:45 - left over exercises and
14:30 - bioinformatics or statistics Exercise
15:30 - other cool things in R
16:00 - Q&A - wrap up and evaluation

— FROM EXCEL TO R
LET'S GET STARTED




R & FRIENDS



Scripting / Programming Language



Reports (html, pdf, latex)



R Code Interpreter and Editor

FIRST TIME IN R?

PACKAGES & FUNCTIONS

`?my.package, ?my.function`

What does the function do? Input?

`install.packages(), remove.packages()`

Install and remove R-packages

TIPS

Arrows↑↓ to find the code you ran

R studio tips: view, diagnostics

✖️⚠️ Auto-complete with tab

R-cheat sheets (<https://rstudio.com/resources/cheatsheets/>)



WORKING DIRECTORY

`setwd(), getwd(), list.files(), list.dirs()`

Where am I working from. Can I see my data?
What is the full path to my WD?

SAVE YOUR WORK

`.R, (or .Rmd)`

The file with my code. Save it!

`R project`

Save Session, everything together

RUN CODE

`Run button, highlight enter, short-cut`

The code in script is not automatically run

ONLINE RESOURCES FOR R

<https://www.r-project.org/>



GET STARTED

<https://rseek.org/>

<https://rstudio.com/resources/cheatsheets/>

<http://www.cookbook-r.com/>


<https://www.statmethods.net/r-tutorial/index.html>



GRAPHICS

<https://www.r-graph-gallery.com/>

<http://r-statistics.co/Top50-Ggplot2-Visualizations-MasterList-R-Code.html>



BOOKS & COURSES

<https://www.r-bloggers.com/best-books-to-learn-r-programming/>

<https://www.datacamp.com/>

<https://www.codecademy.com/>

<https://www.coursera.org/>



OTHER RESOURCES


<https://github.com/trending/r>

<https://blog.revolutionanalytics.com/>

<https://stackoverflow.com/questions/tagged/r>



R STUDIO BASICS



1. R Project

File —> R Project —> Save as ...

2. Set Path

getwd() - Get working directory
setwd() - Set working directory
list.files() - List files/folders in directory

Session —> Set Working Directory —> Choose Directory

3. R Script

Script Icon —> R Script —> File —> Save as ...


4. Install and load a R package.

install.packages("my.package")
library (my.package) - Load package.

Tools —> Install packages —> my.package

R DATA TYPES & STRUCTURES


VARIABLES




OBSERVATIONS

— FROM EXCEL TO R

DATA STRUCTURES



DATA TYPES



R BASE SYNTAX - RUN THROUGH

VARIABLE ASSIGNMENT

```
> a <- 'apple'  
> a  
[1] 'apple'
```

```
> x <- c(1.5, 2.6, 1.7, 3.2, 3.0, 2.9, ...)  
> x  
[1] 1.5 2.6 1.7 3.2 3.0 2.9 ...
```

READING AND WRITING DATA

| Input | Output | Description |
|--|--|--|
| <code>df <- read.table('file.txt')</code> | <code>write.table(df, 'file.txt')</code> | Read and write a delimited text file. |
| <code>df <- read.csv('file.csv')</code> | <code>write.csv(df, 'file.csv')</code> | Read and write a comma separated value file. This is a special case of read.table/write.table. |
| <code>load('file.RData')</code> | <code>save(df, file = 'file.Rdata')</code> | Read and write an R data file, a file type special for R. |

DON'T USE

Spaces in names

Special characters
% ? / | \ & \$ @

Unspecific names

Short/long names

R BASE SYNTAX - RUN THROUGH

SELECTING ELEMENTS

x[4] The fourth element.

x[-4] All but the fourth.

x[2:4] Elements two to four.

x[!(2:4)] All elements except two to four.

x[c(1, 5)] Elements one and five.

By Value

x[x == 10] Elements which are equal to 10.

x[x < 0] All elements less than zero.

x[x %in% c(1, 2, 5)] Elements in the set 1, 2, 5.

R-BASE FUNCTIONS

log(x) Natural log.

exp(x) Exponential.

max(x) Largest element.

min(x) Smallest element.

round(x, n) Round to n decimal places.

sig.fig(x, n) Round to n significant figures.

cor(x, y) Correlation.

sum(x) Sum.

mean(x) Mean.

median(x) Median.

quantile(x) Percentage quantiles.

rank(x) Rank of elements.

var(x) The variance.

sd(x) The standard deviation.

CONDITIONS

| | | | | | | | |
|--------|-----------|-------|--------------|--------|--------------------------|------------|------------|
| a == b | Are equal | a > b | Greater than | a >= b | Greater than or equal to | is.na(a) | Is missing |
| a != b | Not equal | a < b | Less than | a <= b | Less than or equal to | is.null(a) | Is null |

BASE R CHEAT SHEET

Basics: `getwd()`, `setwd() # location`
`install.packages('pname')`, `library(pname)`
`ls()`, `rm() # list, remove objects`
`load()`, `data()`, `save() # load, save as .Rdata`

Overview: `head(df, n=10)`, `df[1:10,]` `tail(df, n=10)`
first or last 10 rows
`class()` # data structure
`unique()`, `table() # unique vals, count vals`

Is/As type:

`is.numeric(x)` (character, factor, integer, etc.)
`as.numeric(x)` (factor, matrix, data.frame, etc.)

Other: `seq(1, 10, by = 1.0) # sequence from-to`
`rep(x, times) # replicate n times`
`sort(), reverse() # sort or reverse vector`

Read in data:

`read.xlsx('name.xlsx')`,
`read.delim('name.txt', sep = '\t')`
`read.csv('name.csv', sep=';')`

Make Data: `c() # vector`

`data.frame(x=x,y=y)`
`matrix(x, nrow = 3, ncol = 3)`
`list(x=x, y=y)`

Strings:

`paste(x, y, sep = '')`
`grep('pattern', x) # find str pattern`
`gsub('pattern', 'replace', x) # replace with`

Plots:

`plot(x)`
`plot(x,y) # scatter`
`hist(x) # histogram`

**GETTING
STARTED**

**DATA STRUCTURES
& OVERVIEW**

**DATA TYPES &
STRINGS**

**VECTORS &
BASE PLOTS**

GETTING HELP




02

GETTING HELP

1. Ask us, and ask people in the group room.
2. Look at the R presentations we go through.
3. Use the **cheat sheets** in this presentation and online: <https://rstudio.com/resources/cheatsheets/>

Google it! Most important skill of all.

You will get the **solutions** to the exercises near the end of each exercise section.



— FUNDAMENTALS
EXERCISE 1


TIDYVERSE

<https://www.tidyverse.org/>

tidyverse is a collection of R packages for data science

“The packages share an underlying design philosophy, grammar, and data structures.” *Wickham and Grolemund*

tidyverse is used to “tidy up” your datasets, so they are easy to work with




CECI N'EST PAS UNE PIPE

%>%

- You do NOT have to “choose” between tidyverse and base R

BENEFITS

- Short & well-organised code
- Tidy datasets, easy to work with
- Great documentation
- Functions with logical names & inputs



CONSIDERATIONS

- Can be less stable
- “Different syntax”
- Remember what tidyverse is made for!

base R


```
# think from the inside out  
g(f(x,y),z)
```

tidyverse

```
# no brain acrobatics  
x %>% f(y) %>% g(z)
```



pipe symbol



TIDYVERSE
EXERCISE 2

TIDYVERSE CHEAT SHEET

readr, tidyverse, dplyr, ...

Read Data (*readr*)

Reading tabular data

There are solutions for multiple data types
`read_excel()` # using *readxl* package
`read_table()`
`read_csv()`

Useful arguments

Skip lines: `read_csv(file, skip=1)`
Read subset: `read_csv(file, n_max=1)`

Data types

readr guesses the types of each column and tells you about it
("Parsed with column specifications: ...")

HELP

R Documentation (e.g. enter `?dplyr::filter` and see examples)

Much more info and detailed cheat sheets:

<https://brianward1428.medium.com/introduction-to-tidyverse-7b3dbf2337d5>

It also helps to google "tidyverse + whatever you want to do"

Data Tidying (*tidyr*)

Handle missing values

`drop_na()`
`fill()`
`replace_na()`

Subsetting

`tibble[:,1:5]` # returns a tibble
`tibble$colname` # returns a vector
(same as `tibble[[colname]]`)

Reorganize layout

Change between long and wide format
`gather()` # wide to long
`spread()` # long to wide

Data Manipulation (*dplyr*)

Summary

`summarise()`/`summarize()`
`count()`

Group

`group_by()`

Functions will manipulate each group separately and combine results.

Extract and sort observations # i.e. rows

`filter()` # subset by condition
`distinct()` # subset to unique values
`top_n()` # subset by position
`arrange()` # sort low->high, other way with `desc()`

Manipulate variables # i.e. columns

`select()`
`mutate(new_name = f(column))`



Vectorised functions

Ranking: `percent_rank()`
Math: Any arithmetic or logical operations, `between()`,
`near()`
`if_else()`


GGPLOT2 - EASY GRAPHICS



Aesthetically pleasing graphics.







Well-defined “additive” (+) structure.




Integrates perfectly with tidy data.



Great documentation & community



GGPLOT2 ADDITIVE STRUCTURE



DATASET, SAMPLES &
OBSERVATIONS

```
ggplot(my.DS, aes(x=alphabet,  
y=measure))
```

DEFINE PLOT TYPE

```
ggplot(my.DS, aes(x=alphabet,  
y=measure))  
+ geom_boxplot()
```

COLOR BY GROUP

```
ggplot(my.DS, aes(x=alphabet,  
y=measure, fill=alphabet))  
+ geom_boxplot()
```

TITLE AND LEGEND


```
... + ggtitle("Basic boxplot") +  
theme(legend.position="none",  
plot.title = element_text(size=11))
```

CUSTOM COLORS

```
... + scale_fill_manual(values =  
c("lightgray", "steelblue",  
"aquamarine3", "seagreen4"))
```

BACKGROUND

```
+ theme_minimal()
```



— GG PLOT 2 EXERCISE 3

GGPLOT CHEAT SHEET

Define Plot:

```
ggplot(data = my.data,  
aes(x = x.var, y = y.var))
```

Add Plot Type:

- + geom_point()
- + geom_line()
- + geom_boxplot()
- + geom_col()
- + geom_density()
- + geom_histogram()

One Color:

```
ggplot(..., aes(...,  
color = "green"))
```

Color Fill by Group:

```
ggplot(..., aes(...,  
fill = group.var))
```

Custom Colors:

- + scale_*_manual(values = c())
- ex: scale_color_manual(values = c("blue", "pink"))

More Colors:

- + scale_fill_grey(start = 0.2, end = 0.8)
- + scale_fill_gradient(low="white", high="red")

Grid Theme:

- + theme_bw()
- + theme_minimal()
- + theme_dark()
- + theme_*

Labels:

- + ggtitle(...)
- + xlab(...)
- + ylab(...)

Text:

- + theme(* = element_text())
- + theme(axis.title = element_text(angle = 90, colour= "red"),
legend.text = element_text(size = 8, face = "bold"))



GET
STARTED


COLORS

COLOR SCALES
& THEMES

TEXT

REPRODUCIBILITY IN R





— <https://www.markdowntutorial.com/>

R SCRIPT & RMARKDOWN

HOW TO

Write code as normal •


Comment text with # •

USE FOR

Testing new code •

Big data analysis •

Software development •



HOW TO

Write text as normal •

Embed code ``{r} my.code`` •

USE FOR

Reports for yourself •

Reports for collaborators •

Tutorials •

RMarkdown

The screenshot shows the RStudio interface with an R Markdown file open. The top bar includes buttons for ABC, Knit (highlighted), Insert, Run, and Publish. The code editor contains the following content:

```
1 ---  
2 title: "Rcourse"  
3 author: "Data Science Lab"  
4 date: "9/14/2020"  
5 output: html_document  
---  
8 ```{r setup, include=FALSE}  
9 knitr::opts_chunk$set(echo = TRUE)  
10 ```  
11  
12 ## R Markdown  
13  
14 This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. The document is a flat text type document which can be read without opening it in RStudio. Making a markdown document is easy. For example, if you want to make something bold use two stars, For italics use underscore, etc. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.  
15  
16 When you click the Knit button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:  
17  
18 Here is a summary of the cars dataset  
19 ```{r cars}  
20 summary(cars)  
21 ```  
22  
23 Here is some math  
24 ```{r, eval=TRUE}  
25 ((5+6+7)/3)*12  
26 ```  
27  
28 Here is a plot
```

The status bar at the bottom shows "4:18 # Rcourse".

The screenshot shows the generated HTML document "RmarkdownTest.html". The header includes "Data Science Lab" and the date "9/14/2020". The main content is titled "R Markdown" and contains the following text and code snippets:

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. The document is a flat text type document which can be read without opening it in RStudio. Making a markdown document is easy. For example, if you want to make something **bold** use two stars, For *italics* use underscore, etc. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```


| ## | speed | dist |
|------------|-------|----------------|
| ## Min. | : 4.0 | Min. : 2.00 |
| ## 1st Qu. | :12.0 | 1st Qu.: 26.00 |
| ## Median | :15.0 | Median : 36.00 |
| ## Mean | :15.4 | Mean : 42.98 |
| ## 3rd Qu. | :19.0 | 3rd Qu.: 56.00 |
| ## Max. | :25.0 | Max. :120.00 |

Here is a summary of the cars dataset

```
## [1] 72
```

Here is some math

```
((5+6+7)/3)*12
```



— R markdown
EXERCISE 4

RMARKDOWN CHEAT

Begin .Rmd:

```
---
```

```
title: My Project Name
```

```
output:
```

```
    html_document (pdf_document, ...)
```

```
---
```

Code Chunk:

```
```{r}  
some R code
```
```

Global Option:

```
```{r setup, include=FALSE}  
knitr::opts_chunk$set(echo = TRUE)
```
```

GETTING
STARTED

Code Options:

```
echo (= TRUE or FALSE - print my code)  
eval (= TRUE or FALSE - run my code)  
warning (= TRUE or FALSE display warning messages)
```

Figure Options:

```
fig.align (= 'left', 'right', 'center')  
fig.cap (= 'my figure caption')  
fig.height (= n), fig.width (= n)
```

CHUNK
OPTIONS

Header:

Header size ranging from largest (one #) to smallest (six #):
my.text, ## my.text, ### my.text, etc.


Text:

italics
bold
`highlighted`

Lists:

- * List item1 (filled dot)
 - + sub-item1 (open dot)
- 1. List item1 (numbered)
 - i) sub-item1 (roman)


TEXT



- Linear regression
- Summary Statistics
- ANOVA
- Logistic regression
- Clustering
- Correlation

— Statistics in R
EXERCISE 5

R - A STATISTICAL SCRIPTING LANGUAGE



MODEL FUNCTIONS

`lm()`, `glm()`
`lmer()`, `glmer()`,
`nls()`, ...

EMMEANS PACKAGE

`emmeans()`,
`pairs()`, `cld()`

APPLY TO MODEL

`summary()`, `anova()`,
`confint()`, `predict()`,
`drop1()`, `update()`,
`step()`, ...

MORE FUNCTIONS

`t.test()`, `cor()`,
`cor.test()`, `aov()`,
`quantile()`,
`p.adjust()`,
`rank()`, ...

STATS CHEAT SHEET

Import Data:

```
read_excel("my.data.xlsx")
```

Overview of Data:

```
summary(my.data)  
nrow(my.data)
```

```
length(my.data)  
names(my.data)
```

Linear:

```
lm(y~x, data=my.data)  
confint(model)
```

Logistic:

```
glm(y~x,  
data=my.data)
```

Linear Mixed:

```
lmer(y~x + (1|z),  
data=my.data)
```

Check Model:

```
summary(model)  
par(mfrow=c(2,2))  
plot(model)
```

ANOVA:

```
anova(model2, model1)
```

F-Test:

```
drop1(model, test="F")
```

Emmeans:

```
emmeans(model, ~x)  
pairs(emmeans(model, ~x))
```

Check Type:

```
table(my.data$x)  
is.numeric(my.data$x)  
is.factor(my.data$x)
```

Change Type:

```
my.data <- mutate(my.data, x = factor(x))  
my.data$z <- as.numeric(my.data$z)
```

GET
STARTED


REGRESSION
MODELS

TESTS/
COMPARISONS

VARIABLES


BIOINFORMATICS IN R

HIGH THROUGHPUT DATA



BIOINFORMATIC ANALYSIS


DIMENSIONALITY REDUCTION




CLUSTERING



MACHINE LEARNING



NETWORK ANALYSIS



THE TOP OF THE R ICEBERG



STATISTICAL ANALYSIS


- Statistical models (linear, generalized, mixed, ...)
- Statistical tests (t-test, chisq, anova, ...)
- Survival analysis (Cox, Kaplan meier)




DATA MANGEMENT



EASY PLOTTING




BIOINFORMATIC ANALYSIS



COOL STUFF IN R


— FROM EXCEL TO R

PLOTTING IN 3D



<https://plotly-r.com/d-charts.html>

DEEP LEARNING




<https://keras.rstudio.com/>
<https://tensorflow.rstudio.com/>

BAYESIAN STATISTICS




<https://mc-stan.org/users/interfaces/rstan>

WEBPAGE WITH R SHINY



<https://shiny.rstudio.com/>

INTERACTIVE PLOTS







<https://gganimate.com/articles/gganimate.html>

MAIL AND MESSAGES



<https://github.com/briandconnelly/pushoverr>

— TEASER STATISTICS in R



Survival Analysis

`survival`: <https://rviews.rstudio.com/2017/09/25/survival-analysis-with-r/>

`survminer`: <https://cran.r-project.org/web/packages/survminer/survminer.pdf>
(<https://rpkgs.datanovia.com/survminer/>)

Mixed-Effects Models

`lme4`: <https://cran.r-project.org/web/packages/lme4/vignettes/lmer.pdf>

<https://cran.microsoft.com/snapshot/2017-08-01/web/packages/sjPlot/vignettes/sjplmer.html>

`glmmTMB`: <https://cran.r-project.org/web/packages/glmmTMB/index.html>

Epidemiological Analysis

`Epi`: <https://cran.r-project.org/web/packages/Epi/index.html>

`pubh`: <https://rviews.rstudio.com/2020/03/05/covid-19-epidemiology-with-r/>

https://cran.r-project.org/web/packages/incidence/vignettes/customize_plot.html

<https://rviews.rstudio.com/2020/03/05/covid-19-epidemiology-with-r/>

Elastic-Net Regression

`glmnet`: <https://cran.r-project.org/web/packages/glmnet/glmnet.pdf>

`elasticnet`: <https://cran.r-project.org/web/packages/elasticnet/elasticnet.pdf>


<https://www.datacamp.com/community/tutorials/tutorial-ridge-lasso-elastic-net>

TEASER

Machine Learning


<https://lgatto.github.io/IntroMachineLearningWithR/an-introduction-to-machine-learning-with-r.html>

Clustering




<https://statsandr.com/blog/clustering-analysis-k-means-and-hierarchical-clustering-by-hand-and-in-r/>

Feature Selection: PCA




<https://bioconductor.org/packages/release/bioc/vignettes/PCATools/inst/doc/PCATools.html>

Missing Data




<https://amices.org/mice/>
<https://datascienceplus.com/imputing-missing-data-with-r-mice-package/>

Random Forest




<https://www.blopig.com/blog/2017/04/a-very-basic-introduction-to-random-forests-using-r/>

kNN




<https://www.edureka.co/blog/knn-algorithm-in-r/>

SVM




<https://cran.r-project.org/web/packages/e1071/vignettes/svmdoc.pdf>

Neural Networks




<https://keras.rstudio.com/>
<https://tensorflow.rstudio.com/>

GWAS - QC & Data Harmonization




EasyQC: <https://www.uni-regensburg.de/medizin/epidemiologie-praeventivmedizin/genetische-epidemiologie/software/>

GWAS Data Management & Plots




EasyStrata: <https://www.uni-regensburg.de/medizin/epidemiologie-praeventivmedizin/genetische-epidemiologie/software/>

More Plotting...




Manhattan and QQ plots: <https://cran.r-project.org/web/packages/qqman/vignettes/qqman.html>

Gene Expression Analysis




DESeq2, limma, EdgeR, etc.: http://www.bioconductor.org/packages/release/BiocViews.html#_RNASeq

Proteomics Analysis



RforProteomics: http://www.bioconductor.org/packages/release/BiocViews.html#_Proteomics

Single-Cell RNASeq



<https://cran.r-project.org/web/packages/e1071/vignettes/svmdoc.pdf>

— TEASER Omics Data

<http://www.bioconductor.org/packages/release/BiocViews.html>

THANK YOU FOR LISTENING



This keynote presentation was created by Thilde Terkelsen,
Academic Officer, Center for Health Data Science, SUND, KU.
For internal use at KU only, do not distribute commercially.