


FROM  EXCEL TO 



WHO ARE WE?

Center for Health Data Science (**HeaDS**):

- Data Science Research Groups
- HDS Sandbox (Infrastructure Project)
- **SUND Data Lab**

<https://heads.ku.dk/>

SUND Data Lab:

- **Courses & Workshops, Seminars, etc.**
- **Health Data Science Consultations**
- **Commissioned Research & Supervision**
- **Hub for Data Science (Matchmaking)**



Chelsea



Diana



Thilde



Suze

Data Science Laboratory (DSL) - <https://datalab.science.ku.dk/>


FROM EXCEL TO R

THE PRACTICALS

Two days: 9.00-16.00. There will be coffee breaks, we promise ☕

“R for Data Science” - a generally useful book on R, also for this course

The course is build on hands-on presentations & exercises





Download and install the newest version of R (<https://cran.r-project.org/>)


Download and install the newest version of R-studio (<https://posit.co/download/rstudio-desktop/>)

Go to course website: <https://center-for-health-data-science.github.io/FromExceltoR/>

— WELCOME TO FROM EXCEL TO R



WHAT WILL I LEARN?



PROGRAM

DAY 1


08:30 - Installation Issues + Coffee
09:00 - Introduction to R
09:45 - Exercise 0
10:15 - Break
10:30 - Introduction to Quarto
11:00 - Exercise 1
12:00 - Lunch
13:00 – Tidyverse
14:00 - Break
14:15 - Tidyverse Exercise
16:00 - See you tomorrow

DAY 2

08:30 - Coffee + Optional Q&A
09:00 - ggplot2 + Exercise
10:15 - Break
10:30 - ggplot2 Exercise
12:00 - Lunch
13:00 - Applied Statistics
14:00 - Break
14:15 - statistics Exercise
15:30 - Cool things in R + Course Evaluation
15:45 - work on Own Data or analysis Exercise
16:30 - Bye Bye Bye!

— FROM EXCEL TO R

LET'S GET STARTED




R & FRIENDS



Scripting / Programming Language



Reports (html, pdf, word)




R Code Interpreter and Editor

FROM EXCEL TO R

THE ANATOMY OF R

The programming language  may be used from within in the **Code Editor** 

The R code you write may be saved in **scripts** with extensions:   

Functions perform actions based on **input arguments** and return an output: `mean(x)`
`sd(x)`

Packages are bundles/libraries of functions.




PATHS – LOCATION, LOCATION, LOCATION


- The directories on your computer are organized in a **File Tree**
- **Move** between directories or **point to** a place in the tree with a specific file

We do this by specifying a **path**:

- **Move to:** `/abc123/Documents/Research`
- **Point to:** `/abc123/Documents/Research/myData.csv`

Go through Exercise 0 in plenum!






FUNDAMENTALS

EXERCISE 0

— FROM EXCEL TO R

LIVE CODING 0 – INTRO TO R



ONLINE RESOURCES FOR R

<https://www.r-project.org/>



GET STARTED

<https://rseek.org/>

<https://rstudio.com/resources/cheatsheets/>

<http://www.cookbook-r.com/>

<https://www.statmethods.net/r-tutorial/index.html>



GRAPHICS

<https://www.r-graph-gallery.com/>

<http://r-statistics.co/Top50-Ggplot2-Visualizations-MasterList-R-Code.html>



BOOKS & COURSES

<https://www.r-bloggers.com/best-books-to-learn-r-programming/>

<https://www.datacamp.com/>

<https://www.codecademy.com/>

<https://www.coursera.org/>



OTHER RESOURCES

<https://github.com/trending/r>

<https://blog.revolutionanalytics.com/>

<https://stackoverflow.com/questions/tagged/r>



INTRO CHEAT SHEET

Basics:

```
getwd() # location
install.packages("package_name") # install packages
library(package_name) # load packages
```

Read in Data:

```
read.xlsx("name.xlsx") # library(readxl)
read.delim("name.txt", sep = "\t")
read.csv("name.csv", sep=";")
```

GETTING
STARTED

Overview:

```
head(df, n=10), tail(df, n=10) # first or last 10 rows
unique(), table(), count() # unique vals, count vals
```

```
view() # view data as table
df$col1 # extract column from dataframe
nrow(df), ncol(df) # number of rows/columns
```

OVERVIEW

Type/Class:

```
class() # get data type/class
is.numeric(x), is.character(), is.factor() # is data type
as.numeric(x), as.character(), as.factor() # change data type
```

Conditions:

```
a == b    a != b    a > b    a < b
a >= b    a <= b    is.na() is.null()
```

DATA TYPES &
CONDITIONS

Summary Stats:

```
summary() # summary statistics
mean(), median(), sd(), sum(), log(), max(),
min(), quantile(), var()
```

Plots:

```
plot(x)
plot(x, y) or plot(col1, col2, df) # scatter
hist(x) # histogram
```

STATISTICS &
BASE PLOTS

QUARTO DOCUMENTS



- Tool which supports **reproducible** coding/publication (reports)
- Quarto works with a **markup language**
- A markup language is **text-coding system** which specifies structure & format of a document and the text within it
- We **render** (compile) a Quarto → html, pdf, word, website

Pointers for quarto:


- Separate sections with headers
- Do not overfill code chunks
- Write meaningful and precise comments

90% of all code comments:




— FROM EXCEL TO R


R DATA TYPES & STRUCTURES



DATA STRUCTURES




DATA TYPES



— FROM EXCEL TO R

LIVE CODING 1 – QUARTO



QUARTO CHEAT SHEET

YAML parameter:

```
---
title: My Project Name
output:
  html_document (pdf_document, ...)
---
```

Code Chunk:



Source mode:

```
```{r}
some R code
```
```

Visual mode:

```
{r}
# some R code
```

GETTING
STARTED

Code Options:

```
{r echo = FALSE} # don't print code (default is TRUE)
{r eval = FALSE} # don't run code (default is TRUE)
{r error = FALSE} # don't display error message (default is TRUE)
(Can also be set for warning and message)
```

Figure Options:

```
fig.align (= 'left', 'right', 'center')
fig.cap (= 'my figure caption')
fig.height (= n), fig.width (= n)
```

CHUNK
OPTIONS

Source mode:

Header

Header size ranging from largest (one #)
to smallest (six #):
my.text, ## my.text, ### my.text, etc.


Text

```
*italics*
**bold**
`highlighted`
```

Lists

```
* List item1 (filled dot)
  + sub-item1 (open dot)
1. List item1 (numbered)
  i) sub-item1 (roman)
```

TEXT




QUARTO EXERCISE 1

<https://www.tidyverse.org/>
TIDYVERSE

tidyverse is a collection of R packages for data science

“The packages share an underlying design philosophy, grammar, and data structures.” *Wickham and Grolemund*


tidyverse is used to “tidy up” your datasets, so they are easy to work with



CECI N'EST PAS UNE PIPE

%>%

- You do NOT have to “chose” between tidyverse and base R



BENEFITS

- Short & well-organised code
- Tidy datasets, easy to work with
- Great documentation
- Functions with logical names & inputs

CONSIDERATIONS

- Can be less stable
- “Different syntax”
- Can be computationally slow

base R

```
# think from the inside out  
g(f(x,y),z)
```


tidyverse

```
# no brain acrobatics  
x %>% f(y) %>% g(z)
```

↑ pipe symbol

— FROM EXCEL TO R

LIVE CODING 2 – TIDYVERSE



TIDYVERSE CHEAT SHEET

readr, tidyr, dplyr, ...

Read Data (*readr*)

Reading tabular data

There are solutions for multiple data types

`read_excel()` # using *readxl* package

`read_table()`

`read_csv()`

Useful arguments

Skip lines: `read_csv(file, skip=1)`

Read subset: `read_csv(file, n_max=1)`

Data types

`readr` guesses the types of each column and tells you about it

("Parsed with column specifications: ...")

Workflow

Tidyverse workflow

```
df %>%  
  select(col1)
```

```
df %>%  
  filter(col1 < x)
```

```
df %>%  
  summarize(n_1 = n(),  
            avg_1 = mean(col),  
            sd_1 = sd(col1))
```

Select column

```
df$col1
```

Data Manipulation (*dplyr*)

Summary

```
summarize()
```

```
count()
```

Group

```
group_by()
```

Functions will manipulate each group separately and combine results.

Extract and sort observations (rows)

```
filter() # subset rows by condition
```

```
distinct() # subset to unique values
```

```
top_n() # subset by position
```

```
arrange() # sort low->high, other way with desc()
```

Manipulate variables (columns)

```
select() # subset rows by condition
```

```
mutate(new_name = f(column))
```

```
mutate(new_name = ifelse(col1 < x, "Yes", "No"))
```

```
mutate(new_name = col1 + col2)
```


HELP

R Documentation (e.g. enter `?dplyr::filter` and see examples)

Much more info and detailed cheat sheets:

<https://brianward1428.medium.com/introduction-to-tidyverse-7b3dbf2337d5>

It also helps to google "*tidyverse + whatever_you_want_to_do*"



TIDYVERSE EXERCISE 2


GGPLOT2 - EASY GRAPHICS



Aesthetically pleasing graphics









Well-defined “additive” (+) structure



Integrates perfectly with tidy data



Great documentation & community



GGPLOT2

ADDITIVE STRUCTURE



```
ggplot(data,  
       aes(X, Y,  
           color, fill, size, group, alpha..)) +  
  geom_line()
```

Aesthetics


Mapping variables to groups or magnitudes - color, fill, group (all grouping variable), size, shape, etc.

Geoms



geom_point()
geom_boxplot()
geom_histogram()
Inherit global aesthetics, Overlay

GGPLOT2

ADDITIVE STRUCTURE




```
ggplot(data,  
  aes(X, Y,  
    color, fill, size, group, alpha..)) +  
  geom_line()
```



— FROM EXCEL TO R

LIVE CODING 3 – GGPLOT 2



GGPLOT CHEAT SHEET

Define Plot:

```
ggplot(data = my.data,  
       aes(x = x.var,  
           y = y.var))
```

Add Plot Type:

```
... + geom_point() # scatter plot  
... + geom_line()  
... + geom_boxplot()  
... + geom_col()  
... + geom_density()  
... + geom_histogram()
```

GET
STARTED

One Color:

```
ggplot(..., aes(...),  
       color = "green")
```

Color Fill by Group:

```
ggplot(..., aes(...,  
               fill = z.var))
```

Custom Colors:

```
... + scale_*_manual(values = c())  
ex: scale_color_manual(values = c("blue", "pink"))
```

COLORS

More Colors:

```
... + scale_fill_grey(start = 0.2, end = 0.8)  
... + scale_fill_gradient(low="white", high="red")
```

Labels:

```
... + labs(title = "Title",  
           x = "X label",  
           y = "Y label")
```


COLOR SCALES
& THEMES

Theme: ... + theme_bw()
... + theme_minimal()
... + theme_dark()
... + theme_classic()

Text:

```
... + theme(legend.position = *)  
* = "none", "top", "bottom", "left", "right"
```

TEXT






GGPLOT2

EXERCISE 3

<http://www.sthda.com/english/>

R - A STATISTICAL SCRIPTING LANGUAGE



MODEL FUNCTIONS

```
lm(), glm()  
lmer(), glmer(),  
nls(), ...
```

EMMEANS PACKAGE

```
emmeans(),  
pairs(), cld()
```


APPLY TO MODEL

```
summary(), anova(),  
confint(), predict(),  
drop1(), update(),  
step(), ...
```

MORE FUNCTIONS


```
t.test(), cor(),  
cor.test(), aov(),  
quantile(),  
p.adjust(),  
rank(), ...
```


Let's use R in a statistical analysis



YOU

The researcher with R skills!



YOUR DATA

Gene expression data, i.e. how much a gene is used to produce a protein. Multiple genes measured in one experiment.




YOUR DISEASE OF INTEREST

Psoriasis, an immune-mediated skin disorder.

R - A STATISTICAL SCRIPTING LANGUAGE


During this session:

- *Cooperatively* discuss and share ideas about the data
- Apply steps of basic statistical analysis for hypothesis testing consistent with the given data
- Suggest conclusions based on your analysis, regarding the association between psoriasis and gene expression levels



— FROM EXCEL TO R

LIVE CODING 4 – APPLIED STATS



STATS CHEAT SHEET

Import Data:

```
read_excel("my.data.xlsx")
```

Overview of Data:

```
summary(my.data)      length(my.data)  
nrow(my.data)         names(my.data)
```

GET
STARTED

Linear:

```
lm(y~x, data=my.data)  
confint(model)
```

Logistic:

```
glm(y~x,  
data=my.data)
```

Linear Mixed:

```
lmer(y~x + (1|z),  
data=my.data)
```

Check Model:

```
summary(model)  
par(mfrow=c(2,2))  
plot(model)
```

REGRESSION
MODELS

ANOVA:

```
anova(model2, model1)
```

F-Test:

```
drop1(model, test="F")
```

Emmeans:

```
emmeans(model, ~x)  
pairs(emmeans(model, ~x))  
predict(model, newdata)
```

TESTS/
COMPARISONS


Check Type:

```
table(my.data$x)  
is.numeric(my.data$x)  
is.factor(my.data$x)
```

Change Type:

```
mutate(my.data, x = factor(x))  
fct_collapse(x)
```

VARIABLES




— Statistics in R

EXERCISE 4


BIOINFORMATICS IN R

HIGH THROUGHPUT DATA



BIOINFORMATIC ANALYSIS


DIMENSIONALITY REDUCTION




CLUSTERING




MACHINE LEARNING



NETWORK ANALYSIS





- Tidyverse
- ggplot
- Stats
- Quarto

Statistics in R

EXERCISE 5

THE TOP OF THE R ICEBERG



STATISTICAL ANALYSIS

Statistical models (linear, generalized, mixed, ...)

Statistical tests (t-test, chisq, anova, ...)


Survival analysis (Cox, Kaplan meier)



DATA MANGEMENT



EASY PLOTTING



BIOINFORMATIC ANALYSIS



WANT MO-R-E?

The Section for Biostatistics offers a number statistics-oriented R courses:

Spring

[Basic Statistics for Health Researchers \(Danish course\)](#)

ECTS: 9,0

[Epidemiological methods in medical research](#)

ECTS: 7

[Advanced topics in health research B](#)

ECTS: 2,8

[Statistical methods in bioinformatics](#)

ECTS: 3,5

[Statistical analysis of survival data](#)

ECTS: 4,9

<https://publichealth.ku.dk/about-the-department/biostat/>

[Programming and statistical modelling in R](#)

ECTS: 1,6

[Bayesian methods in biomedical research](#)

ECTS: 2,4

[Psychometric validation of patient reported outcome measures](#)

ECTS: 2,5

[Introduction to validation of patient reported outcome measures](#)

[Causal inference I](#)

ECTS: 2,5





[Use of the statistical software R](#)

ECTS: 2,1

* These are screenshots. Go to the website and scroll down to 'Teaching'

TEASER

STATISTICS in R



Survival Analysis

survival: <https://rviews.rstudio.com/2017/09/25/survival-analysis-with-r/>

survminer: <https://cran.r-project.org/web/packages/survminer/survminer.pdf>
(<https://rpkgs.datanovia.com/survminer/>)

Mixed-Effects Models

lme4: <https://cran.r-project.org/web/packages/lme4/vignettes/lmer.pdf>

<https://cran.microsoft.com/snapshot/2017-08-01/web/packages/sjPlot/vignettes/sjplmer.html>

glmmTMB: <https://cran.r-project.org/web/packages/glmmTMB/index.html>

Epidemiological Analysis

Epi: <https://cran.r-project.org/web/packages/Epi/index.html>

pubh: <https://rviews.rstudio.com/2020/03/05/covid-19-epidemiology-with-r/>

https://cran.r-project.org/web/packages/incidence/vignettes/customize_plot.html

<https://rviews.rstudio.com/2020/03/05/covid-19-epidemiology-with-r/>

Elastic-Net Regression

(R

glmnet: <https://cran.r-project.org/web/packages/glmnet/glmnet.pdf>


elasticnet: <https://cran.r-project.org/web/packages/elasticnet/elasticnet.pdf>

<https://www.datacamp.com/community/tutorials/tutorial-ridge-lasso-elastic-net>

TEASER Machine Learning


<https://lgatto.github.io/IntroMachineLearningWithR/an-introduction-to-machine-learning-with-r.html>

Clustering




<https://statsandr.com/blog/clustering-analysis-k-means-and-hierarchical-clustering-by-hand-and-in-r/>

Feature Selection: PCA




<https://bioconductor.org/packages/release/bioc/vignettes/PCAtools/inst/doc/PCAtools.html>

Missing Data




<https://amices.org/mice/>
<https://datascienceplus.com/imputing-missing-data-with-r-mice-package/>

Random Forest




<https://www.blopig.com/blog/2017/04/a-very-basic-introduction-to-random-forests-using-r/>

kNN




<https://www.edureka.co/blog/knn-algorithm-in-r/>

SVM




<https://cran.r-project.org/web/packages/e1071/vignettes/svm.doc.pdf>

Neural Networks




<https://keras.rstudio.com/>
<https://tensorflow.rstudio.com/>

GWAS - QC & Data Harmonization




EasyQC: <https://www.uni-regensburg.de/medizin/epidemiologie-praeventivmedizin/genetische-epidemiologie/software/>

GWAS Data Management & Plots




EasyStrata: <https://www.uni-regensburg.de/medizin/epidemiologie-praeventivmedizin/genetische-epidemiologie/software/>

More Plotting...




Manhattan and QQ plots:
<https://cran.r-project.org/web/packages/qqman/vignettes/qqman.htm>

Gene Expression Analysis




DESeq2, limma, EdgeR, etc.:
<http://www.bioconductor.org/packages/release/BiocViews.html#RNASeq>

Proteomics Analysis



RforProteomics:
<https://www.bioconductor.org/packages/release/BiocViews.html#Proteomics>

Single-Cell RNASeq



<https://cran.r-project.org/web/packages/e1071/vignettes/svmdoc.pdf>


TEASER Omics Data

<http://www.bioconductor.org/packages/release/BiocViews.html>

FROM EXCEL TO R


COOL STUFF IN R

PLOTTING IN 3D



<https://plotly-r.com/d-charts.html>

DEEP LEARNING




<https://keras.rstudio.com/>
<https://tensorflow.rstudio.com/>

BAYESIAN STATISTICS




<https://mc-stan.org/users/interfaces/rstan>

WEBPAGE WITH R SHINY



<https://shiny.rstudio.com/>

INTERACTIVE PLOTS



<https://gganimate.com/articles/gganimate.html>

MAIL AND MESSAGES



<https://github.com/briandconnelly/pushoverr>

DATA SCIENCE WITH HEADS DATA LAB

- Drop-in Thursday (13:00-15:00)
- Consultations
- Commissioned Research & Supervision



Read more on HeaDS Website!

<https://heads.ku.dk>

- Events and Conferences
- Course Reminders



Follow HeaDS on LinkedIn!

<https://www.linkedin.com/company/ucph-heads/>

THANK YOU FOR LISTENING



This presentation was created by Center for Health Data Science, SUND, KU.
For internal use at KU only, do not distribute commercially.

FEEDBACK FORM



This presentation was created by Center for Health Data Science, SUND, KU.
For internal use at KU only, do not distribute commercially.