

CHART SHOWING GEOGRAPHICAL DISTRIBUTION OF DEATHS FROM CERTAIN COMMUNICABLE DISEASES FOR FEBRUARY, 1912.

NORTHERN SANITARY SECTION.

Total population	939,532
Total deaths	955
Death rate per 1,000	12.8
Pulmonary Tuberculosis, rate per 100,000	122.2
Typhoid, rate per 100,000	21.4
Diphtheria, rate per 100,000	10.7
Scarlet fever, rate per 100,000	2.6
Diarrheal diseases, rate per 100,000	36.2

CENTRAL SANITARY SECTION.

Total population	1,127,217
Total deaths	1,289
Death rate per 1,000	14.4
Pulmonary Tuberculosis, rate per 100,000	153.4
Typhoid, rate per 100,000	14.5
Diphtheria, rate per 100,000	19.0
Scarlet fever, rate per 100,000	6.7
Diarrheal diseases, rate per 100,000	6.7

SOUTHERN SANITARY SECTION.

Total population	663,757
Total deaths	741
Death rate per 1,000	14.0
Pulmonary Tuberculosis, rate per 100,000	186.3
Typhoid, rate per 100,000	22.8
Diphtheria, rate per 100,000	7.6
Scarlet fever, rate per 100,000	11.4
Diarrheal diseases, rate per 100,000	7.6

