```
{% load static %}

<!DOCTYPE html>

<html lang="en">

    <head>

        <meta charset="utf-8">

        <meta http-equiv="X-UA-Compatible" content="IE=edge">

        <meta name="viewport" content="width=device-width, initial-
scale=1">


        <meta name="description" content="">

        <meta name="author" content="">


        <title>Piric Lawn Care</title>


        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap
.min.css" integrity="sha384-
Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

        <script src="https://kit.fontawesome.com/c42e4719d8.js"
crossorigin="anonymous"></script>

        <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"
></script>

        <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/poppe
r.min.js"></script>

        <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.
js"></script>
```

```html
        <link href="{% static 'lawncaresite/theme.css' %}"
rel="stylesheet">

        <script src="{% static 'lawncaresite/functions.js'
%}"></script>

        <link rel="shortcut icon" type="image/png" href="{% static
'lawncaresite/favicon.ico' %}"/>

    </head>


    <body>

        <div class="container-fluid bg-info" style="padding: 0px;"
onclick="hideerror()">


        <a href="{% url 'index' %}">

            <div id="Header" class="jumbotron bg-success text-
white">

                <h1>PiricLawnCare</h1>

            </div>

        </a>


        <nav id="nav_bar" class="bg-dark navbar-dark green-nav"
style="font-size: 1.4em;">


            <!-- Links -->

            <ul class="nav nav-pills justify-content-center">

                <li class="nav-item" id="id_calendar" data-
toggle="tooltip" title="The calendar displays all jobs in an easy-to-
read layout based on their scheduled date and time">

                    <a class="nav-link" href="{% url 'calendar'
%}"> CALENDAR </a>

                </li>
```

```html
                    <li class="nav-item" id="id_members" data-
toggle="tooltip" title="This page contains forms for managing clients.
Here clients can be created, edited, and deleted from the database">

                        <a class="nav-link" href="{% url 'clients'
%}"> CLIENTS </a>

                    </li>

                    <li class="nav-item" id="id_jobs" data-
toggle="tooltip" title="This page contains forms for managing jobs.
Here jobs can be created, edited, and deleted from the database. All
jobs must be assigned to a pre-existing client in the database. If the
client for a particular job has not yet been created, first do so on
the 'CLIENTS' page.">

                        <a class="nav-link" href="{% url 'jobs' %}">
JOBS </a>

                    </li>

                    <li class="nav-item" id="id_user" data-
toggle="tooltip" title="This page is for managing account details,
such as changing the password. Be careful, and don't mess with
anything you're unsure about.">

                        <a class="nav-link" href="{% url 'user' %}">
ADMIN </a>

                    </li>

                    <li class="nav-item" id="id_help" data-
toggle="tooltip" title="Here you can find more extensive guidelines
for how to use the app.">

                        <a class="nav-link" href="{% url 'help' %}">
HELP </a>

                    </li>

                </ul>

            </nav>


            <div class="container" onclick="hideerror()">

            {% block content %}{% endblock %}
```

```
        </div>


    </div>


    <script>
        $(document).ready(function(){

            $('[data-toggle="tooltip"]').tooltip({title:
"Hooray!", delay: 600});

        });
    </script>


  </body>
</html>
```