

The Occurrence of Methane

Methane (CH_4) , the simplest of all hydrocarbons, is a major component of the atmospheres of Jupiter, Saturn, Uranus, and Neptune but only a minor component of Earth's atmosphere (see the accompanying table). Earth's gravitational field, being weaker than that of the large outer planets, cannot retain enough hydrogen (H_2) in its atmosphere to permit the formation of large amounts of methane; H_2 molecules (the smallest and fastest-moving of all molecules) escape from it into outer space.

The small amount of methane present in Earth's atmosphere comes from terrestrial sources. The decomposition of animal and plant matter in an oxygen-deficient environment—swamps, marshes, bogs, and the sediments of lakes—produces methane. A common name for methane, marsh gas, refers to the production of methane in this manner.

Composition of Earth's Atmosphere (in parts per million by volume)

| Major Components | | Minor Components | |
|-------------------------|---------|------------------|------|
| nitrogen | 780,800 | argon | 9340 |
| oxygen | 209,500 | carbon dioxide | 314 |
| | | neon | 18 |
| | | helium | 5 |
| | | methane | 2 |
| | | krypton | 1 |

Bacteria that live in termites and in the digestive tracts of plant-eating animals have the ability to produce methane from plant materials (cellulose). The methane output of a large cow (belching and flatulence) can reach 20 liters per day.

Methane entering the atmosphere from terrestrial sources presents an environmental problem. Methane is a "greenhouse gas" that contributes to global warming. Methane is 15 to 30 times more efficient than carbon dioxide (the primary greenhouse gas) in trapping heat radiated from Earth. Fortunately, its atmospheric level of 2.0 ppm by volume is much lower than that of carbon dioxide (over 300 ppm).

Methane gas is also found associated with coal and petroleum deposits. Methane associated with coal mines is considered a hazard. If left to accumulate, it can form pockets where air is not present, and asphyxiation of miners can occur. When mixed with air in certain ratios, it can also present an explosion hazard. Methane associated with petroleum deposits is most often recovered, processed, and marketed as *natural gas*. The processed natural gas used in the heating of homes is 85% to 95% methane by volume. Because methane is odorless, an odorant (smelly compound) must be added to the processed natural gas used in home heating. Otherwise, natural gas leaks could not be detected.



Decomposition of plant and animal matter in marshes is a source of methane gas.

The condensed structural formula for propane, CH₃—CH₂—CH₃, is interpreted in the following manner: The first carbon atom is bonded to three hydrogen atoms, and its fourth bond is to the middle carbon atom. The middle carbon atom, besides its bond to the first carbon atom, is also bonded to two hydrogen atoms and to the last carbon atom. The last carbon atom has bonds to three hydrogen atoms in addition to its bond to the middle carbon atom. As is always the case, each carbon atom has four bonds (Section 12.2).

The condensed structural formulas of hydrocarbons in which a long chain of carbon atoms is present are often condensed even more. The formula

can be further abbreviated as

where parentheses and a subscript are used to denote the number of — CH_2 — groups in the chain.