



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	SO_INTEGRATIONS	GENERATION DATE	May 29, 2021 6:18:51 PM
AUTHOR	Paranjape, Shruti	Talend Cloud VERSION	7.2.1.20190909_1200_patch

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Properties	Values
Name	SO_INTEGRATIONS
Language	java

Description	SO_INTEGRATIONS
-------------	-----------------

Description

Properties	Values
Name	Parent_job_so
Author	Paranjape, Shruti
Version	0.1
Purpose	
Status	
Description	
Creation	Dec 12, 2019 8:15:43 AM
Modification	May 27, 2021 5:41:45 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------


Component List

Component Name	Component Type
tRunJob_1	tRunJob
tRunJob_10	tRunJob
tRunJob_11	tRunJob

tRunJob_12	tRunJob
tRunJob_2	tRunJob
tRunJob_3	tRunJob
tRunJob_4	tRunJob
tRunJob_5	tRunJob
tRunJob_6	tRunJob
tRunJob_7	tRunJob
tRunJob_8	tRunJob
tRunJob_9	tRunJob

Components Description

Component tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tRunJob_6
	LABEL	OrderUpdates	OUTPUT(S)	tRunJob_2

Component Parameters:

Properties	Values
Unique Name	tRunJob_1
Component Name	tRunJob
Version	0.101 (ALPHA)

Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Use dynamic job	false
Context job	
Job	ExtractSalesOrderUpdatesFromEBS

Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	OrderUpdates
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for PRD_EBS_SALESORDERS :


Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	

ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	

SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	

SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY	false	String	50		true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_10	INPUT(S)	tRunJob_5
	LABEL	UpdateLineStatusOnOrder	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tRunJob_10
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	LoadSalesLineStatusDataToSFDC
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	UpdateLineStatusOnOrder

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERS :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	

BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	

BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY	false	String	50		true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_11	INPUT(S)	tRunJob_3
	LABEL	SetQTYToZeroWhenNull	OUTPUT(S)	tRunJob_5

Component Parameters:

Properties	Values
Unique Name	tRunJob_11

Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MSSQL):PRD-MSSQLConnection - PRD_EBS_SALESORDERLINES
Use dynamic job	false

Context job	
Job	Updatingthenullvaluestozero
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	SetQTYToZeroWhenNull
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERLINES :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	false	int	10		false	

LINE_NUMBER	false	String	2147483647		true	
LINE_STATUS	false	String	2147483647		true	
LINE_TYPE	false	String	2147483647		true	
SHIP_TO_CUSTOMER	false	String	2147483647		true	
SHIP_TO_CUSTOMER_NUMBER	false	String	2147483647		true	
BILL_TO_CUSTOMER	false	String	2147483647		true	
BILL_TO_CUSTOMER_NUMBER	false	String	2147483647		true	
SALESREP	false	String	2147483647		true	
ORDERED_ITEM	false	String	2147483647		true	
ITEM_DESCRIPTION	false	String	2147483647		true	
LIST_PRICE	false	BigDecimal	15	3	true	
QTY	false	BigDecimal	18		true	
UNIT_SELLING_PRICE	false	BigDecimal	15	3	true	
EXTENDED_PRICE	false	BigDecimal	15	3	true	
SHIP_DATE	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
FOB	false	String	50		true	

PAYMENT_TERMS	false	String	2147483647		true	
PRICE_LIST	false	String	2147483647		true	
UOM	false	String	2147483647		true	
WAREHOUSE	false	String	2147483647		true	
QTY_CANCELLED	false	BigDecimal	18		true	
QTY_FULFILLED	false	BigDecimal	18		true	
SECONDARY_SHIPPING_QTY	false	BigDecimal	18		true	
SHIP_TO_LOCATION	false	String	2147483647		true	
BILL_TO_LOCATION_	false	String	2147483647		true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATED_BY	false	String	50		true	
SYS_LASTUPD	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ORDER_ID	false	String	2147483647		true	
SFDC_ORDERLINE_ID	false	String	2147483647		true	
EBS_LASTUPD_DATE	false	java.util.Date	23	3	true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_12	INPUT(S)	none
	LABEL	__PROCESS__	OUTPUT(S)	tRunJob_9

Component Parameters:

Properties	Values
Unique Name	tRunJob_12
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false


Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In
Use dynamic job	false
Context job	
Job	connectivity_check
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmitting.)	true
Label format	__PROCESS__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tRunJob_12 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_2	INPUT(S)	tRunJob_1
	LABEL	GetAcctId	OUTPUT(S)	tRunJob_7

Component Parameters:

Properties	Values
Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MSSQL):PRD-MSSQLConnection - PRD_EBS_SALESORDERS
Use dynamic job	false
Context job	
Job	ExtractAccountIdFrmSFDC_OrderInt
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	GetAcctId

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERS :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	

BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	

BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY_ID	false	String	50		true	
SFDC_USER_NAME	false	String	50		true	
LINE_STATUS	false	String	50		true	
EBS_CREATED_BY	false	String	50		true	
EBS_CREATEDBY_ID	false	String	50		true	
EBS_LASTUPD_DATE	false	java.util.Date	23	3	true	
ACTION_DATE	false	java.util.Date	23	3	true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_3	INPUT(S)	tRunJob_8
	LABEL	SOLinesUpdates	OUTPUT(S)	tRunJob_11

Component Parameters:

Properties	Values
Unique Name	tRunJob_3
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	ExtractSalesOrderLinesUpdatesFromEBS
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	SOLinesUpdates
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERS :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	

CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	

ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY	false	String	50		true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_4	INPUT(S)	tRunJob_7
	LABEL	LoadOrders	OUTPUT(S)	tRunJob_8

Component Parameters:

Properties	Values
Unique Name	tRunJob_4
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MSSQL):PRD-MSSQLConnection - PRD_EBS_SALESORDERS
Use dynamic job	false
Context job	
Job	LoadSalesOrderDataToSFDC
Context	Default

Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmitting.)	true
Label format	LoadOrders
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for PRD_EBS_SALESORDERS :


Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	

ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	

SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	

SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY_ID	false	String	50		true	
SFDC_USER_NAME	false	String	50		true	
LINE_STATUS	false	String	50		true	
EBS_CREATED_BY	false	String	50		true	
EBS_CREATEDBY_ID	false	String	50		true	
EBS_LASTUPDBY	false	String	50		true	
EBS_LASTUPD_DATE	false	java.util.Date	23	3	true	
ACTION_DATE	false	java.util.Date	23	3	true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_5	INPUT(S)	tRunJob_11
	LABEL	LoadLines	OUTPUT(S)	tRunJob_10

Component Parameters:

Properties	Values
Unique Name	tRunJob_5
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	
Schema	repository: DB (MSSQL):PRD-MSSQLConnection - PRD_EBS_SALESORDERLINES
Use dynamic job	false
Context job	
Job	LoadSalesOrderLinesDataToSFDC
Context	Default

Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmitting.)	true
Label format	LoadLines
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERLINES :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	false	int	10		false	
LINE_NUMBER	false	String	2147483647		true	
LINE_STATUS	false	String	2147483647		true	

LINE_TYPE	false	String	2147483647		true	
SHIP_TO_CUSTOMER	false	String	2147483647		true	
SHIP_TO_CUSTOMER_NUMBER	false	String	2147483647		true	
BILL_TO_CUSTOMER	false	String	2147483647		true	
BILL_TO_CUSTOMER_NUMBER	false	String	2147483647		true	
SALESREP	false	String	2147483647		true	
ORDERED_ITEM	false	String	2147483647		true	
ITEM_DESCRIPTION	false	String	2147483647		true	
LIST_PRICE	false	BigDecimal	15	3	true	
QTY	false	BigDecimal	18		true	
UNIT_SELLING_PRICE	false	BigDecimal	15	3	true	
EXTENDED_PRICE	false	BigDecimal	15	3	true	
SHIP_DATE	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
FOB	false	String	50		true	
PAYMENT_TERMS	false	String	2147483647		true	
PRICE_LIST	false	String	2147483647		true	

UOM	false	String	2147483647		true	
WAREHOUSE	false	String	2147483647		true	
QTY_CANCELLED	false	BigDecimal	18		true	
QTY_FULFILLED	false	BigDecimal	18		true	
SECONDARY_SHIPPING_QTY	false	BigDecimal	18		true	
SHIP_TO_LOCATION	false	String	2147483647		true	
BILL_TO_LOCATION_	false	String	2147483647		true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATED_BY	false	String	50		true	
SYS_LASTUPD	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ORDER_ID	false	String	2147483647		true	
SFDC_ORDERLINE_ID	false	String	2147483647		true	
EBS_LASTUPD_DATE	false	java.util.Date	23	3	true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_6	INPUT(S)	tRunJob_9

	LABEL	OrderInserts	OUTPUT(S)	tRunJob_1
--	-------	--------------	-----------	---------------------------

Component Parameters:

Properties	Values
Unique Name	tRunJob_6
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Use dynamic job	false
Context job	
Job	ExtractSalesOrderInsertsFromEBS
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	OrderInserts
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERS :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	

SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	

SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY	false	String	50		true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_7	INPUT(S)	tRunJob_2
	LABEL	GetOrderOwnerId	OUTPUT(S)	tRunJob_4

Component Parameters:

Properties	Values
Unique Name	tRunJob_7
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MSSQL):PRD-MSSQLConnection - PRD_EBS_SALESORDERS
Use dynamic job	false
Context job	
Job	ExtractOwnerIdFrmSFDC_OrderInt
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true

Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	GetOrderOwnerId
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for PRD_EBS_SALESORDERS :


Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	

CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	

BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY_ID	false	String	50		true	
SFDC_USER_NAME	false	String	50		true	

LINE_STATUS	false	String	50		true	
EBS_CREATED_BY	false	String	50		true	
EBS_CREATEDBY_ID	false	String	50		true	
EBS_LASTUPD_DATE	false	java.util.Date	23	3	true	
ACTION_DATE	false	java.util.Date	23	3	true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_8	INPUT(S)	tRunJob_4
	LABEL	SOLineInserts	OUTPUT(S)	tRunJob_3

Component Parameters:

Properties	Values
Unique Name	tRunJob_8
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In
Use dynamic job	false
Context job	
Job	ExtractSalesOrderLinesInsertsFromEBS
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	[]
Propagate the child result to the output schema	false

Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	SOLineInserts
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for PRD_EBS_SALESORDERS :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	

REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	
SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	

BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	
SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY	false	String	50		true	

Original Function Parameters:
Component tRunJob

	UNIQUE NAME	tRunJob_9	INPUT(S)	tRunJob_12

	LABEL	GetEBSUserNames_FndUser	OUTPUT(S)	tRunJob_6
--	-------	-------------------------	-----------	-----------

Component Parameters:

Properties	Values
Unique Name	tRunJob_9
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	E:\talend_new_dir\Talend-Studio-20190620_1446-V7.2.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DB (MSSQL):PRD-MSSQLConnection - PRD_EBS_SALESORDERS
Use dynamic job	false
Context job	
Job	User_info_data_load
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	[]
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if unchecked, there will convert context value to string type before transmitting.)	true
Label format	GetEBSUserNames_FndUser
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for PRD_EBS_SALESORDERS :

Column	Key	Type	Length	Precision	Nullable	Comment
ORDER_NUMBER	true	int	10		false	
CUSTOMERNAME	false	String	2147483647		true	
STATUS	false	String	50		true	
ORDER_TYPE	false	String	50		true	
CUSTOMER_NUMBER	false	String	50		true	
SALESPERSON	false	String	2147483647		true	
CUSTOMER_PO	false	String	50		true	
DATE_ORDERED	false	java.util.Date	10		true	
REQUEST_DATE	false	java.util.Date	10		true	
PRICE_LIST	false	String	2147483647		true	
SHIP_TO	false	String	2147483647		true	
BILL_TO	false	String	2147483647		true	
FOB	false	String	50		true	
CURRENCY	false	String	50		true	
WAREHOUSE	false	String	10		true	

SHIPTO_ADDRESS1	false	String	255		true	
SHIPTO_ADDRESS2	false	String	255		true	
SHIPTO_CITY	false	String	60		true	
SHIPTO_COUNTY	false	String	60		true	
SHIPTO_STATE	false	String	60		true	
SHIPTO_COUNTRY	false	String	60		true	
SHIPTO_POSTAL_CODE	false	String	60		true	
BILLTO_ADDRESS1	false	String	255		true	
BILLTO_ADDRESS2	false	String	255		true	
BILLTO_CITY	false	String	60		true	
BILLTO_COUNTY	false	String	60		true	
BILLTO_STATE	false	String	60		true	
BILLTO_COUNTRY	false	String	60		true	
BILLTO_POSTAL_CODE	false	String	60		true	
TRX_NUMBER	false	String	50		true	
ORDER_AMOUNT	false	BigDecimal	15	3	true	
AMOUNT_IN_USD	false	BigDecimal	15	3	true	

SYS_CREATED	false	java.util.Date	23	3	true	
SYS_CREATEDBY	false	String	50		true	
SYS_LASTUPDATED	false	java.util.Date	23	3	true	
SYS_LASTUPDBY	false	String	50		true	
SFDC_ACCT_ID	false	String	2147483647		true	
SFDC_ORDER_ID	false	String	2147483647		true	
EBS_LASTUPDBY_ID	false	String	50		true	
SFDC_USER_NAME	false	String	50		true	
LINE_STATUS	false	String	50		true	
EBS_CREATED_BY	false	String	50		true	
EBS_CREATEDBY_ID	false	String	50		true	
EBS_LASTUPD_DATE	false	java.util.Date	23	3	true	
ACTION_DATE	false	java.util.Date	23	3	true	

Original Function Parameters: