

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	BH_Oracle_Integrations	GENERATION DATE	Apr 20, 2023 11:35:17 AM
AUTHOR	Paranjape, Shruti	Talend Cloud VERSION	7.3.1.20210623_0656-patch

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	BH_Oracle_Integrations
Language	java

Description	BH_Oracle_Integrations	

Description

Properties	Values
Name	mssql_to_oracle_load
Author	Paranjape, Shruti
Version	0.1
Purpose	
Status	
Description	
Creation	Mar 4, 2021 6:59:09 AM
Modification	Mar 24, 2021 3:40:50 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	true
From File (implict context)	true
From File	"C:/TSC_V7.2.1/Config_files/BH_credientials.txt"
Print operations	false
Disable warnings	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
xml_file_path	xml_file_path?	false	id_String		
target_csv_path	target_csv_path?	false	id_String		

Component List

Component Name	Component Type
tDBConnection_1	tOracleConnection
tDBInput_1	tMSSqlInput
tDBInput_2	tMSSqlInput
tDBInput_3	tMSSqlInput
tDBInput_4	tMSSqlInput
tDBOutput_1	tOracleOutput
tDBOutput_2	tOracleOutput
tDBOutput_3	tOracleOutput
tDBOutput_4	tOracleOutput
tFileCopy_1	tFileCopy
tFileList_1	tFileList
tMap_1	tMap
tMap_2	tMap
tMap_3	tMap

tMap_4	tMap
tPostjob_1	tPostjob
tPrejob_1	tPrejob

Components Description

Component tOracleConnection

UNIQUE NAME	tDBConnection_1	INPUT(S)	tPrejob_1
LABEL	EBSProdReadOnlyConnection	OUTPUT(S)	none

Component Parameters:		
Properties	Values	
Database	tOracleConnection	
Unique Name	tDBConnection_1	
Component Name	tOracleConnection	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/Oracle ELT/Connections	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	

tStatCatcher Statistics	false
Help	org.talend.help.tOracleConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Connection Type	ORACLE_SID
DB Version	ORACLE_12
URL	"cerdb01.cerus.com"
Use tns file	false
TNS File	""
Select a DB Connection in Tns File	
Host	"cerdb11.cerus.com"
Database Driver	ORACLE_SID
Port	"1522"
Database	"tst"
Local Service Name	"PRD"

Schema	"APPS"	
Username	"apps"	
Password	*****	
Use SSL	false	
TrustStore file	ш	
TrustStore password	**	
Need Client authentication	false	
KeyStore file	""	
KeyStore password	**	
Disable CBC protection	true	
Encoding	"ISO-8859-15"	
Additional JDBC Parameters		
Use or register a shared DB Connection	false	
Shared DB Connection Name		
Specify a data source alias	false	
Data source alias	nn	
URL	"jdbc:oracle:thin:USER/MDP@server"	
Auto Commit	true	
Label format	EBSProdReadOnlyConnection	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	

Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tDBInput_1	INPUT(S)	none
LABEL	XXCER_BLDHUB_SO_STG_HDR	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Database	tMSSqlInput		
Unique Name	tDBInput_1		
Component Name	tMSSqlInput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MS_SQL_Server		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		

Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1
Property Type	Built-In
Host	111
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	
Database	пп
Username	пп
Password	**
REPOSITORY_ALLOW_AUTO_SV	MITTEH
Schema	Built-In

Table Name	"XXCER_BLDHUB_SO_STG_HDR"		
Query Type	Built-In		
Guess Schema	""		
Query	"select * from XXCER_BLDHUB_SO_STG_HDR"		
Specify a data source alias	false		
Data source alias	""		
Mapping	id_MSSQL		
Additional JDBC Parameters	"noDatetimeStringSync=true"		
Authenticate using Azure Active Directory	false		
Encoding	"ISO-8859-15"		
Trim all the String/Char columns	false		
Trim column	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=DELIVERY_TYPE, TRIM=false}, {SCHEMA_COLUMN=ORDER_STATUS, TRIM=false}, {SCHEMA_COLUMN=SUPPLIED_BY_ID, TRIM=false}, {SCHEMA_COLUMN=ORDER_TYPE, TRIM=false}, {SCHEMA_COLUMN=ORDER_TYPE, TRIM=false}, {SCHEMA_COLUMN=ORDER_TYPE, TRIM=false}, {SCHEMA_COLUMN=DELIVER_TO_ID, TRIM=false}, {SCHEMA_COLUMN=DISTRIBUTION_FROM_ID, TRIM=false}, {SCHEMA_COLUMN=DISTRIBUTION_FROM_ID, TRIM=false}, {SCHEMA_COLUMN=DISTRIBUTE_FROM_NAME, TRIM=false}, {SCHEMA_COLUMN=DISTRIBUTE_FROM_NAME, TRIM=false}, {SCHEMA_COLUMN=DISTRIBUTE_FROM_NAME, TRIM=false}, {SCHEMA_COLUMN=SUPPLIED_BY_LOCATION_CODE, TRIM=false}, {SCHEMA_COLUMN=SUPPLIED_BY_LOCATION_CODE, TRIM=false}, {SCHEMA_COLUMN=SITRIBUTE_FROM_LOCATION_CODE, TRIM=false}, {SCHEMA_COLUMN=STATUS, TRIM=false}, {SCHEMA_COLUMN=DISTRIBUTE_FROM_LOCATION_CODE, TRIM=false}, {SCHEMA_COLUMN=STATUS, TRIM=false}, {SCHEMA_COLUMN=TRACKING_NUMBER, TRIM=false}, {SCHEMA_COLUMN=TRACKING_NUMBER, TRIM=false}, {SCHEMA_COLUMN=CREATION_DATE, TRIM=false}, {SCHEMA_COLUMN=CREATION_DATE, TRIM=false}, {SCHEMA_COLUMN=LAST_UPDATE_DATE, TRIM=false}, {SCHEMA_COLUMN=LAST_UPDATE_DATE, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE1, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE2, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE3, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE4, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE4, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE		

Label format	XXCER_BLDHUB_SO_STG_HDR
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput 1:

Schema for tDBInput_1 :		1				
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	10		true	
DELIVERY_TYPE	false	String	240		true	
ORDER_STATUS	false	String	240		true	
SUPPLIED_BY_ID	false	Integer	10		true	
ORDER_TYPE	false	String	20		true	
CUSTOMER_ID	false	Integer	10		true	
DELIVER_TO_ID	false	Integer	10		true	
DISTRIBUTION_FROM_ID	false	Integer	10		true	
SUPPLIED_BY_NAME	false	String	240		true	
DISTRIBUTE_FROM_NAME	false	String	240		true	

CUSTOMER_NAME	false	String	240	true
DELIVER_TO_NAME	false	String	240	true
SUPPLIED_BY_LOCATION_CODE	false	String	240	true
DISTRIBUTE_FROM_LOCATION_CODE	false	String	240	true
STATUS	false	String	240	true
USER_NAME	false	String	240	true
EMAIL	false	String	240	true
REQUEST_DATE	false	String	240	true
TRACKING_NUMBER	false	String	240	true
CREATED_BY	false	Integer	10	true
CREATION_DATE	false	java.util.Date	10	true
LAST_UPDATED_BY	false	Integer	10	true
LAST_UPDATE_DATE	false	java.util.Date	10	true
LAST_UPDATE_LOGIN	false	Integer	10	true
PO_NUMBER	false	String	240	true
ATTRIBUTE1	false	String	240	true
ATTRIBUTE2	false	String	240	true

ATTRIBUTE3	falseString	240	true
ATTRIBUTE4	falseString	240	true
ATTRIBUTE5	falseString	240	true
ATTRIBUTE6	falseString	240	true
ATTRIBUTE7	falseString	240	true
ATTRIBUTE8	falseString	240	true
ATTRIBUTE9	falseString	240	true
ATTRIBUTE10	falseString	240	true

Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tDBInput_2	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_2

Component Parameters:				
Properties	Values			
Database	tMSSqlInput			
Unique Name	tDBInput_2			
Component Name	tMSSqlInput			
Version	0.102 (ALPHA)			
Family	Databases/DB Specifics/MS_SQL_Server			

true
true
true
false
true
false
false
org.talend.help.tMSSqlInput
true
C:\TSC_V7.3.1\configuration\lib\java
false
2
false
true
tDBConnection_1
Built-In
""
JTDS
MSSQL

Port	"1433"
Schema	""
Database	""
Username	""
Password	**
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Table Name	"XXCER_BLDHUB_SO_FLMENT_STG"
Query Type	Built-In
Guess Schema	""
Query	"select * from XXCER_BLDHUB_SO_FLMENT_STG"
Specify a data source alias	false
Data source alias	
Mapping	id_MSSQL
Additional JDBC Parameters	"noDatetimeStringSync=true"
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=ORDER_ID, TRIM=false}, {SCHEMA_COLUMN=CUSTOMER_EXT_KEY, TRIM=false}, {SCHEMA_COLUMN=TRANSACTION_NUMBER, TRIM=false}, {SCHEMA_COLUMN=TRANSACTION_DATE, TRIM=false}, {SCHEMA_COLUMN=HDR_TAG_LIST, TRIM=false}, {SCHEMA_COLUMN=HDR_TAG_LIST, TRIM=false}, {SCHEMA_COLUMN=RODUCT_CODE, TRIM=false}, {SCHEMA_COLUMN=BLOOD_TYPE, TRIM=false}, {SCHEMA_COLUMN=BLOOD_TYPE, TRIM=false}, {SCHEMA_COLUMN=PRODUCT_PRICE, TRIM=false}, {SCHEMA_COLUMN=PRODUCT_PRICE, TRIM=false}, {SCHEMA_COLUMN=PRODUCT_PRICE, TRIM=false}, {SCHEMA_COLUMN=PROD_EXP_DATE, TRIM=false}, {SCHEMA_COLUMN=HOB_S, TRIM=false}, {SCHEMA_COLUMN=HOB_S, TRIM=false}, {SCHEMA_COLUMN=ORD_VER_EXC_ID, TRIM=false}, {SCHEMA_COLUMN=NTIGENS, TRIM=false}, {SCHEMA_COLUMN=ANTIGENS, TRIM=false}, {SCHEMA_COLUMN=CREATED_BY, TRIM=false}, {SCHEMA_COLUMN=CREATED_BY, TRIM=false}, {SCHEMA_COLUMN=LAST_UPDATED_BY, TRIM=false}, {SCHEMA_COLUMN=LAST_UPDATED_BY, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE1, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE2, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE3, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE3, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}]
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_2:

oonema for tobinput_z .						
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	10		true	
ORDER_ID	false	Integer	10		true	

CUSTOMER_EXT_KEY	false	String	240	true
TRANSACTION_NUMBER	false	String	240	true
TRANSACTION_DATE	false	String	240	true
HDR_TAG_LIST	false	String	240	true
LINE_ID	false	Integer	10	true
PRODUCT_CODE	false	String	240	true
BLOOD_TYPE	false	String	240	true
INVENTORY_TYPE	false	String	240	true
PRODUCT_PRICE	false	Integer	10	true
PROD_EXP_DATE	false	String	240	true
UNIT_NUMBER	false	String	240	true
CMV	false	String	240	true
HGB_S	false	String	240	true
ORD_VER_EXC_ID	false	Integer	10	true
LNE_TAG_LIST	false	String	240	true
ANTIGENS	false	String	240	true
CREATED_BY	false	Integer	10	true

CREATION_DATE	false	java.util.Date	10	true	
LAST_UPDATED_BY	false	Integer	10	true	
LAST_UPDATE_DATE	false	java.util.Date	10	true	
LAST_UPDATE_LOGIN	false	Integer	10	true	
ATTRIBUTE1	false	String	240	true	
ATTRIBUTE2	false	String	240	true	
ATTRIBUTE3	false	String	240	true	
ATTRIBUTE4	false	String	240	true	
ATTRIBUTE5	false	String	240	true	
ATTRIBUTE6	false	String	240	true	
ATTRIBUTE7	false	String	240	true	
ATTRIBUTE8	false	String	240	true	
ATTRIBUTE9	false	String	240	true	
ATTRIBUTE10	false	String	240	true	

Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tDBInput_3	INPUT(S)	none

LABEL	UNIQUE_NAME_	OUTPUT(S)	tMap_3
-------	--------------	-----------	--------

Component Parameters:				
Properties	Values			
Database	tMSSqlInput			
Unique Name	tDBInput_3			
Component Name	tMSSqlInput			
Version	0.102 (ALPHA)			
Family	Databases/DB Specifics/MS_SQL_Server			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tMSSqlInput			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java			
Subjob color				
Title color				
Enable parallel execution	false			

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1
Property Type	Built-In
Host	""
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	пп
Database	nn
Username	пп
Password	**
REPOSITORY_ALLOW_AUTO_S\	MITTEH
Schema	Built-In
Table Name	"XXCER_BLDHUB_ORD_VRFC_EXCEP"
Query Type	Built-In
Guess Schema	пп
Query	"select * from XXCER_BLDHUB_ORD_VRFC_EXCEP"
Specify a data source alias	false
Data source alias	111
Mapping	id_MSSQL

г

Additional JDBC Parameters	"noDatetimeStringSync=true"
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=ORDER_ID, TRIM=false}, {SCHEMA_COLUMN=PRODUCT_NAME, TRIM=false}, {SCHEMA_COLUMN=BLOOD_TYPE, TRIM=false}, {SCHEMA_COLUMN=ORDERED_QTY, TRIM=false}, {SCHEMA_COLUMN=ORDERED_QTY, TRIM=false}, {SCHEMA_COLUMN=SHIPPED_QTY, TRIM=false}, {SCHEMA_COLUMN=CREATED_BY, TRIM=false}, {SCHEMA_COLUMN=CREATION_DATE, TRIM=false}, {SCHEMA_COLUMN=LAST_UPDATED_BY, TRIM=false}, {SCHEMA_COLUMN=LAST_UPDATE_DATE, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE1, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE2, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE3, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE3, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE5, TRIM=false}, {SCHEMA_COLUMN=ATTRIBUTE7, TRIM=false}]
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_3:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	10		true	

	I	I		
ORDER_ID	false	Integer	10	true
PRODUCT_NAME	false	String	2000	true
BLOOD_TYPE	false	String	240	true
ORDERED_QTY	false	Integer	10	true
SHIPPED_QTY	false	Integer	10	true
TOTAL_SUB_UNITS	false	Integer	10	true
CREATED_BY	false	Integer	10	true
CREATION_DATE	false	java.util.Date	10	true
LAST_UPDATED_BY	false	Integer	10	true
LAST_UPDATE_DATE	false	java.util.Date	10	true
LAST_UPDATE_LOGIN	false	Integer	10	true
ATTRIBUTE1	false	String	240	true
ATTRIBUTE2	false	String	240	true
ATTRIBUTE3	false	String	240	true
ATTRIBUTE4	false	String	240	true
ATTRIBUTE5	false	String	240	true
ATTRIBUTE6	false	String	240	true

ATTRIBUTE7	false	String	240	true	
ATTRIBUTE8	false	String	240	true	
ATTRIBUTE9	false	String	240	true	
ATTRIBUTE10	false	String	240	true	

Original Function Parameters: Component tMSSqlInput

-	UNIQUE NAME	tDBInput_4	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_4

Component Parameters:		
Properties	Values	
Database	tMSSqlInput	
Unique Name	tDBInput_4	
Component Name	tMSSqlInput	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MS_SQL_Server	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1
Property Type	Built-In
Host	""
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	пп
Database	п
Username	пн
Password	**

г

REPOSITORY_ALLOW_AUTO_S	WHTEH
Schema	Built-In
Table Name	"XXCER_BLDHUB_SO_TRACK_NUM_STG"
Query Type	Built-In
Guess Schema	""
Query	"select * from XXCER_BLDHUB_SO_TRACK_NUM_STG"
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	"noDatetimeStringSync=true"
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=TRACKING_NUMBER, TRIM=false}]
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBInput_4 :

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	10		true	
TRACKING_NUMBER	false	String	240		true	

Original Function Parameters: Component tOracleOutput

UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
LABEL	XXCER_BLDHUB_SO_STG_HDR	OUTPUT(S)	none

Component Parameters:	
Properties	Values
Database	tOracleOutput
Unique Name	tDBOutput_1
Component Name	tOracleOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Oracle
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tOracleOutput

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use an existing connection	true
Component List	tDBConnection_2
Connection Type	ORACLE_SID
DB Version	ORACLE_18
URL	пн
Host	пп
Port	"1521"
Database Driver	Oracle
Database	""
Local Service Name	111
Oracle schema	п
Username	111
Password	**

Table	"XXCER_BLDHUB_SO_STG_HDR"
Action on table	TRUNCATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	oracle_id
URL	"jdbc:oracle:oci:/@talend"
Additional JDBC Parameters	""
Use alternate schema	false
Schema	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

[{SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DELIVERY_TYPE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ORDER_STATUS, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=SUPPLIED_BY_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ORDER_TYPE, UPDATE_KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}. SCHEMA COLUMN=CUSTOMER ID, UPDATE KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DELIVER_TO_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DISTRIBUTION_FROM_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA_COLUMN=SUPPLIED_BY_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DISTRIBUTE_FROM_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CUSTOMER_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=DELIVER_TO_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=SUPPLIED_BY_LOCATION_CODE, UPDATE_KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA COLUMN=DISTRIBUTE FROM LOCATION CODE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=STATUS, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true) {SCHEMA_COLUMN=USER_NAME, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=EMAIL, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=REQUEST_DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=TRACKING_NUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CREATED_BY, UPDATE_KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CREATION_DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LAST_UPDATED_BY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LAST_UPDATE_DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=LAST_UPDATE_LOGIN, UPDATE_KEY=false, DELETE KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=PO_NUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE1, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE2, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA_COLUMN=ATTRIBUTE3, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE4, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE5, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA_COLUMN=ATTRIBUTE6, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE7, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE8, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, SCHEMA_COLUMN=ATTRIBUTE9, UPDATE_KEY=false, DELETE_KEY=false,

UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ATTRIBUTE10,

UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true,

INSERTABLE=true}]

Field options

false
false
false
true
false
10000
false
true
true
XXCER_BLDHUB_SO_STG_HDR
UNIQUE_NAME COMMENT
row
false
false

Schema for tDBOutput 1:

Schema for the output_1.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer			true	
DELIVERY_TYPE	false	String			true	

false	String	true
false	Integer	true
false	String	true
false	Integer	true
false	Integer	true
false	Integer	true
false	String	true
	false	false String false Integer false String false Integer false Integer false Integer false String

CREATED_BY	falseInteger	true
CREATION_DATE	falsejava.util.Date	true
LAST_UPDATED_BY	falseInteger	true
LAST_UPDATE_DATE	falsejava.util.Date	true
LAST_UPDATE_LOGIN	falseInteger	true
PO_NUMBER	falseString	true
ATTRIBUTE1	falseString	true
ATTRIBUTE2	falseString	true
ATTRIBUTE3	falseString	true
ATTRIBUTE4	falseString	true
ATTRIBUTE5	falseString	true
ATTRIBUTE6	falseString	true
ATTRIBUTE7	falseString	true
ATTRIBUTE8	falseString	true
ATTRIBUTE9	falseString	true
ATTRIBUTE10	falseString	true

Original Function Parameters: Component tOracleOutput

	UNIQUE NAME	tDBOutput_2	INPUT(S)	tMap_2	
	LABEL	XXCER_BLDHUB_SO_FLMENT_STG	OUTPUT(S)	none	

Component Parameters:		
Properties	Values	
Database	tOracleOutput	
Unique Name	tDBOutput_2	
Component Name	tOracleOutput	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/Oracle	
Startable	false	
SUBTREE_START	false	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tOracleOutput	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use an existing connection	true
Component List	tDBConnection_2
Connection Type	ORACLE_SID
DB Version	ORACLE_18
URL	""
Host	пи
Port	"1521"
Database Driver	Oracle
Database	n.n
Local Service Name	пп
Oracle schema	пп
Username	11.11
Password	**
Table	"XXCER_BLDHUB_SO_FLMENT_STG"
Action on table	TRUNCATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SV	MITTEH
Schema	Built-In
Reject Schema	Built-In

Specify a data source alias	false
Data source alias	111
Die on error	false
Mapping	oracle_id
URL	"jdbc:oracle:oci:/@talend"
Additional JDBC Parameters	11.11
Use alternate schema	false
Schema	11.11
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

Field options	[SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, ISCHEMA_COLUMN=ORDER_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, ISCHEMA_COLUMN=CUSTOMER_EXT_KEY, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, ISCHEMA_COLUMN=TRANSACTION_NUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, ISCHEMA_COLUMN=TRANSACTION_DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, ISCHEMA_COLUMN=TRANSACTION_DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=PRODUCT_CODE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=DOD_TYPE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=DOD_TYPE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=PRODUCT_PRICE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=PRODUCT_PRICE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=PRODUCT_PRICE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=PROD_EM_DATE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true), ISCHEMA_COLUMN=HORS, UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, IN
Use Hint Options Hint Options	false
i iiii Opiiolis	

Convert columns and table to uppercase	false
Debug query mode	false
Use Batch Size	true
Use Batch	false
Batch Size	10000
Support null in "SQL WHERE" statement	false
Use Timestamp for Date type	true
Trim when the updating or deleting key is of char DB type	true
Label format	XXCER_BLDHUB_SO_FLMENT_STG
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_2:

Column	Key	Туре	Length	Precision	Nullable	Comment	
ID	false	Integer			true		
ORDER_ID	false	Integer			true		
CUSTOMER_EXT_KEY	false	String			true		

TRANSACTION_NUMBER	false	String	true
TRANSACTION_DATE	false	String	true
HDR_TAG_LIST	false	String	true
LINE_ID	false	Integer	true
PRODUCT_CODE	false	String	true
BLOOD_TYPE	false	String	true
INVENTORY_TYPE	false	String	true
PRODUCT_PRICE	false	Integer	true
PROD_EXP_DATE	false	String	true
UNIT_NUMBER	false	String	true
CMV	false	String	true
HGB_S	false	String	true
ORD_VER_EXC_ID	false	Integer	true
LNE_TAG_LIST	false	String	true
ANTIGENS	false	String	true
CREATED_BY	false	Integer	true
CREATION_DATE	false	java.util.Date	true

LAST_UPDATED_BY	false	Integer	true	
LAST_UPDATE_DATE	false	java.util.Date	true	
LAST_UPDATE_LOGIN	false	Integer	true	
ATTRIBUTE1	false	String	true	
ATTRIBUTE2	false	String	true	
ATTRIBUTE3	false	String	true	
ATTRIBUTE4	false	String	true	
ATTRIBUTE5	false	String	true	
ATTRIBUTE6	false	String	true	
ATTRIBUTE7	false	String	true	
ATTRIBUTE8	false	String	true	
ATTRIBUTE9	false	String	true	
ATTRIBUTE10	false	String	true	

Original Function Parameters: Component tOracleOutput

UNIQUE NAME	tDBOutput_3	INPUT(S)	tMap_3
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values
Database	tOracleOutput
Unique Name	tDBOutput_3
Component Name	tOracleOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Oracle
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tOracleOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In

Use an existing connection	true
Component List	tDBConnection_2
Connection Type	ORACLE_SID
DB Version	ORACLE_18
URL	
Host	
Port	"1521"
Database Driver	Oracle
Database	""
Local Service Name	""
Oracle schema	
Username	п
Password	**
Table	"XXCER_BLDHUB_ORD_VRFC_EXCEP"
Action on table	TRUNCATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_S\	MHTEH
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	пн
Die on error	false

Mapping	oracle_id
URL	"jdbc:oracle:oci:/@talend"
Additional JDBC Parameters	n.11
Use alternate schema	false
Schema	1111
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	0
Use field options	false
Field options	[{SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ORDER_ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=BLOOD_TYPE, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	0
Convert columns and table to uppercase	false
Debug query mode	false
Use Batch Size	true
Use Batch	false
Batch Size	10000
Support null in "SQL WHERE" statement	false
Use Timestamp for Date type	true
Trim when the updating or deleting key is of char DB type	true

Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_3:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	22		true	
ORDER_ID	false	Integer	22		true	
BLOOD_TYPE	false	String	240		true	

Original Function Parameters: Component tOracleOutput

UNIQUE NAME	tDBOutput_4	INPUT(S)	tMap_4
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Values
tOracleOutput
tDBOutput_4
tOracleOutput

Version	0.102 (ALPHA)
Family	Databases/DB Specifics/Oracle
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tOracleOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use an existing connection	true
Component List	tDBConnection_2
Connection Type	ORACLE_SID
DB Version	ORACLE_18

URL	nn			
Host	пп			
Port	"1521"			
Database Driver	Oracle			
Database	""			
Local Service Name	""			
Oracle schema	пп			
Username	II II			
Password	**			
Table	"XXCER_BLDHUB_SO_TRACK_NUM_STG"			
Action on table	NONE			
Action on data	INSERT			
REPOSITORY_ALLOW_AUTO_SV	ALICH			
Schema	Built-In			
Reject Schema	Built-In			
Specify a data source alias	false			
Data source alias	1111			
Die on error	false			
Mapping	oracle_id			
URL	"jdbc:oracle:oci:/@talend"			
Additional JDBC Parameters	IIII			
Use alternate schema	false			

Schema	nn
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false
Field options	[{SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=TRACKING_NUMBER, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Use Hint Options	false
Hint Options	ο
Convert columns and table to uppercase	false
Debug query mode	false
Use Batch Size	true
Use Batch	false
Batch Size	10000
Support null in "SQL WHERE" statement	false
Use Timestamp for Date type	true
Trim when the updating or deleting key is of char DB type	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tDBOutput_4:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	10		true	
TRACKING_NUMBER	false	String	240		true	

Original Function Parameters: Component tFileCopy

UNIQUE NAME	tFileCopy_1	INPUT(S)	tFileList_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:	
Properties	Values
Unique Name	tFileCopy_1
Component Name	tFileCopy
Version	0.102 (ALPHA)
Family	File/Management
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileCopy
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
File Name	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))
Copy a directory	false
Source directory	"C:/TSC_V7.2.1/Talend-Studio-20190620_1446-V7.2.1/workspace"
Destination directory	context.target_csv_path
Rename	false
Destination filename	"NewName.temp"
Remove source file	true
Replace existing file	true
Create the directory if it doesn't exist	false
Fail on error	false
Force copy instead of move	true

Preserve last modified time	true
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileCopy_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment	
--------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: Component tFileList

 UNIQUE NAME	tFileList_1	INPUT(S)	tPostjob_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileCopy_1

Properties	Values	
Unique Name	tFileList_1	
Component Name	tFileList	
Version	0.102 (ALPHA)	
Family	File/Management Orchestration	
Start	false	

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileList
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Directory	context.xml_file_path
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	D .

By default	true
By file name	false
By file size	false
By modified date	false
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tPostjob

	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileList_1

Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	UNIQUE_NAME

Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tPrejob

UNIQUE NAME	tPrejob_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tDBConnection_1

Component i arameters.		
Properties	Values	
Unique Name	tPrejob_1	
Component Name	tPrejob	
Version	0.102 (ALPHA)	
Family	Orchestration	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\TSC_V7.3.1\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tMap

RV0	UNIQUE NAME	tMap_1	INPUT(S)	tDBInput_1

LABEL	UNIQUE_NAME	OUTPUT(S)	tDBOutput_1
-------	-------------	-----------	-------------

Component Parameters:

Component Parameters:		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Mapping links display as:	AUTO	
Temp data directory path:		
Max buffer size (nb of rows):	200000	
Ignore trailing zeros for BigDecimal	true	
Show Information	false	
Comment		
Use an existing validation rule	false	

Mapper table for tMap_1 (input): Mapper table Properties(row5):

Properties	Values
Name	row5
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row5):

Name	Туре	Expression	isNullable
ID	Integer		true
DELIVERY_TYPE	String		true
ORDER_STATUS	String		true
SUPPLIED_BY_ID	Integer		true
ORDER_TYPE	String		true
CUSTOMER_ID	Integer		true
DELIVER_TO_ID	Integer		true

DISTRIBUTION_FROM_ID	Integer	true
SUPPLIED_BY_NAME	String	true
DISTRIBUTE_FROM_NAME	String	true
CUSTOMER_NAME	String	true
DELIVER_TO_NAME	String	true
SUPPLIED_BY_LOCATION_CODE	String	true
DISTRIBUTE_FROM_LOCATION_CODE	String	true
STATUS	String	true
USER_NAME	String	true
EMAIL	String	true
REQUEST_DATE	String	true
TRACKING_NUMBER	String	true
CREATED_BY	Integer	true
CREATION_DATE	java.util.Date	true
LAST_UPDATED_BY	Integer	true
LAST_UPDATE_DATE	java.util.Date	true
LAST_UPDATE_LOGIN	Integer	true

PO_NUMBER	String	true
ATTRIBUTE1	String	true
ATTRIBUTE2	String	true
ATTRIBUTE3	String	true
ATTRIBUTE4	String	true
ATTRIBUTE5	String	true
ATTRIBUTE6	String	true
ATTRIBUTE7	String	true
ATTRIBUTE8	String	true
ATTRIBUTE9	String	true
ATTRIBUTE10	String	true

Constraint Table Entries(row5):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (output): Mapper table Properties(out5):

Properties	Values
Name	out5
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out5):

metadata Table Entires outo j.				
Name	Туре	Expression		
ID	Integer	row5.ID		
DELIVERY_TYPE	String	row5.DELIVERY_TYPE		
ORDER_STATUS	String	row5.ORDER_STATUS		
SUPPLIED_BY_ID	Integer	row5.SUPPLIED_BY_ID		
ORDER_TYPE	String	row5.ORDER_TYPE		
CUSTOMER_ID	Integer	row5.CUSTOMER_ID		
DELIVER_TO_ID	Integer	row5.DELIVER_TO_ID		

Integer	row5.DISTRIBUTION_FROM_ID
String	row5.SUPPLIED_BY_NAME
String	row5.DISTRIBUTE_FROM_NAME
String	row5.CUSTOMER_NAME
String	row5.DELIVER_TO_NAME
String	row5.SUPPLIED_BY_LOCATION_CODE
String	row5.DISTRIBUTE_FROM_LOCATION_COE
String	row5.STATUS
String	row5.USER_NAME
String	row5.EMAIL
String	row5.REQUEST_DATE
String	row5.TRACKING_NUMBER
Integer	row5.CREATED_BY
java.util.Date	row5.CREATION_DATE
Integer	row5.LAST_UPDATED_BY
java.util.Date	row5.LAST_UPDATE_DATE
Integer	row5.LAST_UPDATE_LOGIN
	String Integer java.util.Date

PO_NUMBER	String	row5.PO_NUMBER
ATTRIBUTE1	String	row5.ATTRIBUTE1
ATTRIBUTE2	String	row5.ATTRIBUTE2
ATTRIBUTE3	String	row5.ATTRIBUTE3
ATTRIBUTE4	String	row5.ATTRIBUTE4
ATTRIBUTE5	String	row5.ATTRIBUTE5
ATTRIBUTE6	String	row5.ATTRIBUTE6
ATTRIBUTE7	String	row5.ATTRIBUTE7
ATTRIBUTE8	String	row5.ATTRIBUTE8
ATTRIBUTE9	String	row5.ATTRIBUTE9
ATTRIBUTE10	String	row5.ATTRIBUTE10

Constraint Table Entries(out5):

1				
	Name	Typo	Evarossion	isNullable
	Name	Туре	Expression	ISMUIIADIE

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

5(vai).
Values
Var
true
false
false
false
null

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMap

UNIQUE NAME	tMap_2	INPUT(S)	tDBInput_2
LABEL	UNIQUE_NAME	OUTPUT(S)	tDBOutput_2

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_2 (input):
Mapper table Properties(row6):

Properties	Values
Name	row6
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row6):

Name	Туре	Expression	isNullable
ID	Integer		true
ORDER_ID	Integer		true
CUSTOMER_EXT_KEY	String		true
TRANSACTION_NUMBER	String		true
TRANSACTION_DATE	String		true
HDR_TAG_LIST	String		true
LINE_ID	Integer		true

PRODUCT_CODE	String	true
BLOOD_TYPE	String	true
INVENTORY_TYPE	String	true
PRODUCT_PRICE	Integer	true
PROD_EXP_DATE	String	true
UNIT_NUMBER	String	true
CMV	String	true
HGB_S	String	true
ORD_VER_EXC_ID	Integer	true
LNE_TAG_LIST	String	true
ANTIGENS	String	true
CREATED_BY	Integer	true
CREATION_DATE	java.util.Date	true
LAST_UPDATED_BY	Integer	true
LAST_UPDATE_DATE	java.util.Date	true
LAST_UPDATE_LOGIN	Integer	true
ATTRIBUTE1	String	true

ATTRIBUTE2	String	true
ATTRIBUTE3	String	true
ATTRIBUTE4	String	true
ATTRIBUTE5	String	true
ATTRIBUTE6	String	true
ATTRIBUTE7	String	true
ATTRIBUTE8	String	true
ATTRIBUTE9	String	true
ATTRIBUTE10	String	true

Constraint Table Entries(row6):

Name Type Expression isNullable

Mapper table for tMap_2 (output): Mapper table Properties(out6):

Properties	Values
Name	out6
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out6):

motadata Table Entired o	0.10 /-		
Name	Туре	Expression	isNullable
ID	Integer	row6.ID	true
ORDER_ID	Integer	row6.ORDER_ID	true
CUSTOMER_EXT_KEY	String	row6.CUSTOMER_EXT_KEY	true
TRANSACTION_NUMBER	String	row6.TRANSACTION_NUMBER	true
TRANSACTION_DATE	String	row6.TRANSACTION_DATE	true
HDR_TAG_LIST	String	row6.HDR_TAG_LIST	true
LINE_ID	Integer	row6.LINE_ID	true

String	row6.PRODUCT_CODE	true
String	row6.BLOOD_TYPE	true
String	row6.INVENTORY_TYPE	true
Integer	row6.PRODUCT_PRICE	true
String	row6.PROD_EXP_DATE	true
String	row6.UNIT_NUMBER	true
String	row6.CMV	true
String	row6.HGB_S	true
Integer	row6.ORD_VER_EXC_ID	true
String	row6.LNE_TAG_LIST	true
String	row6.ANTIGENS	true
Integer	row6.CREATED_BY	true
java.util.Date	row6.CREATION_DATE	true
Integer	row6.LAST_UPDATED_BY	true
java.util.Date	row6.LAST_UPDATE_DATE	true
Integer	row6.LAST_UPDATE_LOGIN	true
String	row6.ATTRIBUTE1	true
	String String Integer String String String Integer String Integer Integer java.util.Date Integer java.util.Date	String row6.BLOOD_TYPE String row6.INVENTORY_TYPE Integer row6.PRODUCT_PRICE String row6.PROD_EXP_DATE String row6.UNIT_NUMBER String row6.CMV String row6.HGB_S Integer row6.ORD_VER_EXC_ID String row6.LNE_TAG_LIST String row6.ANTIGENS Integer row6.CREATED_BY java.util.Date row6.CREATION_DATE Integer row6.LAST_UPDATE_DATE Integer row6.LAST_UPDATE_DATE Integer row6.LAST_UPDATE_LOGIN

ATTRIBUTE2	String	row6.ATTRIBUTE2	true
ATTRIBUTE3	String	row6.ATTRIBUTE3	true
ATTRIBUTE4	String	row6.ATTRIBUTE4	true
ATTRIBUTE5	String	row6.ATTRIBUTE5	true
ATTRIBUTE6	String	row6.ATTRIBUTE6	true
ATTRIBUTE7	String	row6.ATTRIBUTE7	true
ATTRIBUTE8	String	row6.ATTRIBUTE8	true
ATTRIBUTE9	String	row6.ATTRIBUTE9	true
ATTRIBUTE10	String	row6.ATTRIBUTE10	true

Constraint Table Entries(out6):

Mapper table for tMap_2 (var):

Mapper table Properties (Var):

5(Vai).
Values
Var
true
false
false
false
null

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMap

~~~	UNIQUE NAME	tMap_3	INPUT(S)	tDBInput_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	tDBOutput_3

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_3 ( input ): Mapper table Properties( row7 ):

Properties	Values
Name	row7
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( row7 ):** 

Name		Expression	isNullable
ID	Integer		true
ORDER_ID	Integer		true
PRODUCT_NAME	String		true
BLOOD_TYPE	String		true
ORDERED_QTY	Integer		true
SHIPPED_QTY	Integer		true
TOTAL_SUB_UNITS	Integer		true

CREATED_BY	Integer	true
CREATION_DATE	java.util.Date	true
LAST_UPDATED_BY	Integer	true
LAST_UPDATE_DATE	java.util.Date	true
LAST_UPDATE_LOGIN	Integer	true
ATTRIBUTE1	String	true
ATTRIBUTE2	String	true
ATTRIBUTE3	String	true
ATTRIBUTE4	String	true
ATTRIBUTE5	String	true
ATTRIBUTE6	String	true
ATTRIBUTE7	String	true
ATTRIBUTE8	String	true
ATTRIBUTE9	String	true
ATTRIBUTE10	String	true

Constraint Table Entries( row7 ):

ame	Туре	Expression	isNullable
-----	------	------------	------------

## Mapper table for tMap_3 ( output ):

Mapper table Properties( out7 ):

mapper table i reportied cate ji			
Properties	Values		
Name	out7		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( out7 ):

Name	Туре	Expression	isNullable
ID	Integer	row7.ID	true
ORDER_ID	Integer	row7.ORDER_ID	true
BLOOD_TYPE	String	row7.BLOOD_TYPE	true

Constraint Table Entries( out7 ):

Name	Туре	Expression	isNullable
------	------	------------	------------

### Mapper table for tMap_3 ( var ):

**Mapper table Properties (Var):** 

mapper table Froperties (vai ).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable
----	------	------------	------------

**Constraint Table Entries(Var):** 

Name Type Expre	ssion isNullable
-----------------	------------------

#### Component tMap

 UNIQUE NAME	tMap_4	INPUT(S)	tDBInput_4
LABEL	UNIQUE_NAME	OUTPUT(S)	tDBOutput_4

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_4 ( input ):

Mapper table Properties (row8):

mapper table 1 repetitios (10 wo ).			
Properties	Values		
Name	row8		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( row8 ):

Name	Туре	Expression	isNullable
ID	Integer		true
TRACKING_NUMBER	String		true

**Constraint Table Entries( row8 ):** 

	Name	Туре	Expression	isNullable
--	------	------	------------	------------

### Mapper table for tMap_4 ( output ):

Mapper table Properties( out8 ):

mapper table i reportise ( cate ):			
Properties	Values		
Name	out8		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( out8 ):

Name	Туре	Expression	isNullable
ID	Integer	row8.ID	true
TRACKING_NUMBER	String	row8.TRACKING_NUMBER	true

**Constraint Table Entries( out8 ):** 

Name Type Expression isNullable
---------------------------------

#### Mapper table for tMap_4 ( var ):

**Mapper table Properties (Var):** 

inapportable i reporties ( vai ):			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable