



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN
SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



Tecnológico de Estudios Superiores de Villa Guerrero

Alumno: Hernández Alvira César Armando

Carrera: Ingeniería en Sistemas Computacionales

Nombre de la Materia: Sistemas Operativos

Practica_1: Explorando procesos con ps Linux

Grupo:3501

Docente: ISC Reynoso Elías Juan





GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



INTRODUCCION

En Linux, un proceso es cualquier programa o tarea en ejecución gestionada por el sistema. El comando ps es la herramienta fundamental para inspeccionar estos procesos en tiempo real. En esta práctica se explora el uso de ps para visualizar, filtrar y organizar la información de los procesos activos, identificando parámetros clave como el ID de proceso, el usuario propietario y el consumo de recursos.



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecwillaguerrero@yahoo.com.mx

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



```

root      294      2  0 17:25  00:00:00 [worker/R-nd]
root      295      2  0 17:25  00:00:00 [worker/R-nd]
root      300      2  0 17:25  00:00:00 [worker/rail2wq]
root      413      2  0 17:25  00:00:00 [worker/712-cgroup_free]
root      535      2  0 17:25  00:00:00 [worker/712-events]
root      567      2  0 17:25  00:00:00 [psimex]
root      581      1  0 17:25  00:00:00 /usr/lib/systemd/systemd-journald
root      629      1  0 17:25  00:00:00 /usr/lib/systemd/systemd-journal
root      634      2  0 17:25  00:00:00 [psimex]
root      634      2  0 17:25  00:00:00 [usr/lib96_mel]
root      680      2  0 17:25  00:00:00 [worker/R-3_m_perflu_wq]
root      680      2  0 17:25  00:00:00 [worker/R-cybl31]
root      719      2  0 17:25  00:00:00 [worker/R-crypt]
root      727      2  0 17:25  00:00:01 [r/712-swift:perflu_queue]
root      727      2  0 17:25  00:00:00 [r/712-swift:queue_2]
root      729      2  0 17:25  00:00:00 [r/714-swift:queue_3]
root      729      2  0 17:25  00:00:00 [r/715-swift:queue_4]
root      731      2  0 17:25  00:00:00 [r/716-swift:queue_5]
root      732      2  0 17:25  00:00:00 [r/717-swift:queue_6]
root      733      2  0 17:25  00:00:00 [r/718-swift:queue_7]
root      734      2  0 17:25  00:00:00 [r/719-swift:queue_8]
root      734      2  0 17:25  00:00:00 [r/788-swift:exception]
root      752      2  0 17:25  00:00:00 [worker/u22-B_events_unbound]
root      752      2  0 17:25  00:00:00 [worker/u32-B-1935]
root      776      2  0 17:25  00:00:00 [worker/u32-18_events_unbound]
root      776      2  0 17:25  00:00:00 [worker/u32-28_events_unbound]
root      852      2  0 17:25  00:00:00 [worker/u331-rb_allocator]
root      852      2  0 17:25  00:00:00 [worker/u332-rb_allocator]
root      856      2  0 17:25  00:00:00 [r/181-AudioDPP]
root      856      2  0 17:25  00:00:00 /usr/libexec/rcounts-daemon
root      1336     10  0 17:25  00:00:00 avahi-daemon running [debian.local]
root      1537     1  0 17:25  00:00:00 /usr/bin/bluetooth-systemd
root      1538     1  0 17:25  00:00:00 /usr/bin/crm
root      1540     1  0 17:25  00:00:01 /usr/bin/ibus-daemon --system --address-syntax= --fork --no-pidfile --system-activation --system-only
root      1541     1  0 17:25  00:00:00 /usr/bin/ibus-daemon --system
root      1542     1  0 17:25  00:00:00 /usr/bin/polkit-1/polkitd --no-debug --log-level=message
root      1543     1  0 17:25  00:00:00 /usr/bin/nwafsd
root      1544     1  0 17:25  00:00:00 /usr/libexec/rti-thermo-control
root      1545     1  0 17:25  00:00:00 /usr/lib/systemd/systemd-logind
root      1546     1  0 17:25  00:00:00 /usr/bin/rti-thermo-control
root      1547     1  0 17:25  00:00:00 /usr/bin/rti-thermo-control
root      1548     1  0 17:25  00:00:00 /usr/bin/rti-thermo-control
root      1549     1538  0 17:25  00:00:00 avahi-daemon: chrt helper
root      1550     1  0 17:25  00:00:00 /usr/libexec/pulse/pulseaudio
root      1551     1  0 17:25  00:00:00 [worker/6-2-1915-unordered]

```



[illegible]

3. Filtrar procesos.

COMANDO: ps -ef | grep Firefox

¿Qué hace? El carácter `|` envía la lista de todos los procesos generada por `ps -ef` al comando `grep`, el cual filtra y muestra únicamente las líneas que contengan la palabra buscada.

[illegible]

4. Ver procesos por ID de usuario.

COMANDO: ps -u nombre usuario

¿Qué hace? Lista todos los procesos pertenecientes de manera específica al usuario indicado.



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaquerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```

user@debian:~$ ps -o user
PID TTY          TIME CMD
1688 ?        00:00:00 systemd
1689 ?        00:00:00 (sd-pam)
1712 ?        00:00:00 dbus-daemon
1714 ?        00:00:00 pipewire
1716 ?        00:00:00 pipewire
1717 ?        00:00:00 pipewire
1718 ?        00:00:00 pipewire-pulse
1720 ?        00:00:00 gnome-keyring-d
1721 ?        00:00:00 mpris-proxy
1734 tty2      00:00:00 gdm-wayland-ses
1742 tty2      00:00:00 gnome-session-b
1782 ?        00:00:00 gcr-ssh-agent
1793 ?        00:00:00 gnome-session-c
1784 ?        00:00:00 ssh-agent
1884 ?        00:00:00 gvfsd
1812 ?        00:00:00 gvfsd-fuse
1813 ?        00:00:00 gnome-session-b
1848 ?        00:00:00 at-spi-bus-lan
1865 ?        00:00:00 dbus-daemon
1871 ?        00:00:00 gnome-shell
1893 ?        00:00:00 xdg-permission-
1919 ?        00:00:00 at-spi2-registr
1959 ?        00:00:00 gnome-shell-cal
1969 ?        00:00:00 evolution-sourc
1971 ?        00:00:00 gjs
1980 ?        00:00:00 dconf-service
1993 ?        00:00:00 ibus-daemon
1994 ?        00:00:00 gsd-ally-settin
1995 ?        00:00:00 gsd-color
1996 ?        00:00:00 gsd-datetime
2001 ?        00:00:00 gsd-housekeepin
2002 ?        00:00:00 gsd-keyboard
2003 ?        00:00:00 gsd-media-keys
2004 ?        00:00:00 gsd-power
2011 ?        00:00:00 gsd-print-notif
2012 ?        00:00:00 gsd-rfkill
2014 ?        00:00:00 gsd-screensaver
2015 ?        00:00:00 gsd-sharing
2016 ?        00:00:00 gsd-smartcard
2017 ?        00:00:00 gsd-sound
2018 ?        00:00:00 gsd-usb-protect

user@debian:~$ ps -o pid,comm
PID COMM
1 systemd
2 kthreadd
3 pool_workqueue_release
4 kworker/R-irqpoll/rcu_reclaim
5 kworker/R-rcu_gp
6 kworker/R-sysrq_wq
7 kworker/R-slab_flushwq
8 kworker/R-netns
9 kworker/R-0M-events_highpri
11 kworker/R-1-events
13 kworker/R-0M_percpu_wq
14 rcu_tasks_kthread
15 rcu_tasks_trace_kthread
16 rcu_tasks_trace_kthread
17 ksoftirqd/0
18 rcu_preempt
19 rcu_exp_gp_kthread_worker/0
20 rcu_exp_gp_kthread_worker
21 migration/0
22 idle_inject/0
23 cpup/0
24 cpup/1
25 idle_inject/1
26 migration/1
27 ksoftirqd/1
28 kworker/R-0M-events_highpri
29 cpup/2
31 idle_inject/2
32 migration/2
33 ksoftirqd/2
35 kworker/R-0M-events_highpri
36 cpup/3
37 idle_inject/3
38 migration/3
39 ksoftirqd/3
41 kworker/R-0M-events_highpri
42 cpup/4
43 idle_inject/4
44 migration/4
45 ksoftirqd/4
47 kworker/R-0M-events_highpri

```

5. Ver solo PID y comando.

COMANDO: ps -o pid,comm

¿Qué hace? La opción -o te permite personalizar qué columnas quieres visualizar. En este caso, solo solicitarás el PID y comm.

```

user@debian:~$ ps -o pid,comm
PID COMM
1 systemd
2 kthreadd
3 pool_workqueue_release
4 kworker/R-irqpoll/rcu_reclaim
5 kworker/R-rcu_gp
6 kworker/R-sysrq_wq
7 kworker/R-slab_flushwq
8 kworker/R-netns
9 kworker/R-0M-events_highpri
11 kworker/R-1-events
13 kworker/R-0M_percpu_wq
14 rcu_tasks_kthread
15 rcu_tasks_trace_kthread
16 rcu_tasks_trace_kthread
17 ksoftirqd/0
18 rcu_preempt
19 rcu_exp_gp_kthread_worker/0
20 rcu_exp_gp_kthread_worker
21 migration/0
22 idle_inject/0
23 cpup/0
24 cpup/1
25 idle_inject/1
26 migration/1
27 ksoftirqd/1
28 kworker/R-0M-events_highpri
29 cpup/2
31 idle_inject/2
32 migration/2
33 ksoftirqd/2
35 kworker/R-0M-events_highpri
36 cpup/3
37 idle_inject/3
38 migration/3
39 ksoftirqd/3
41 kworker/R-0M-events_highpri
42 cpup/4
43 idle_inject/4
44 migration/4
45 ksoftirqd/4
47 kworker/R-0M-events_highpri

```



Carretera Federal Toluca Ixtapán de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```
Oct 3 5:47 PM
user@debian:~$ cat /etc/passwd | grep -v ^$ | wc -l
48
48 cpubp/5
49 idie_inject/5
50 migration/5
51 ksoffload/5
53 kworker/5:04-events_highpri
54 cpubp/6
55 idie_inject/6
56 migration/6
57 ksoffload/6
59 kworker/6:04-events_highpri
60 cpubp/7
61 idie_inject/7
62 migration/7
63 ksoffload/7
65 kworker/7:04-events_highpri
70 kworker/u32:4-1915
74 kdevtmpfs
75 kworker/R-isoet_frag_wq
76 kmailld
77 khangacsd
78 com_reaper
79 kworker/R-writeback
80 kcompactd0
81 ksd
82 khappaged
83 kworker/R-kintegrityd
84 kworker/R-bkio
85 kworker/R-blkcg_pant_bio
86 irq/0-arc4
89 kworker/R-tpe_dev_wq
90 kworker/R-edac_poller
91 kworker/R-devfreq_wq
92 kworker/R-quota_events_unbound
93 kworker/R-30-bkio
94 ksm0d0
98 kworker/2:1-events
103 kworker/R-kthrotld
107 kworker/R-rcu_thermal_pm
108 kworker/1:1-mm_percpu_wq
109 hwrng
110 kworker/R-nld
111 kworker/R-lp0-addrconf
112 kworker/1:30-events_highpri
113 kworker/0-0-vm

Oct 3 5:47 PM
user@debian:~$ cat /etc/passwd | grep -v ^$ | wc -l
227
227 kworker/u32:0-1915_flip
287 kworker/3:30-events_highpri
288 kworker/3:2-nld
218 kworker/6:30-events_highpri
235 kworker/2:30-events_highpri
254 kworker/1:30-events_highpri
255 kworker/4:30-events_highpri
256 kworker/5:30-events_highpri
261 watchdogd
262 irq/142-VMAD000
263 kworker/R-ata_sff
264 kworker/R-nme-wq
265 kworker/R-nme-reset-wq
266 kworker/R-nme-delete-wq
267 kworker/R-nme-watch-wq
271 kworker/4:2-mm_percpu_wq
272 scsi_ah_0
273 kworker/R-scsi_tmf_0
274 scsi_ah_1
275 kworker/R-scsi_tmf_1
276 sg10
277 kworker/R-ttm
278 card0-crit0
279 card0-crit1
280 card0-crit2
281 card0-crit3
282 scsi_ah_2
283 kworker/R-scsi_tmf_2
284 usb-storage
285 kworker/R-uas
286 kworker/R-ed
295 kworker/R-ed bitnap
301 kworker/R-raids0q
567 pmon
581 systemd-journal
626 systemd-udev
634 pmon
687 irq/178-mei_me
690 kworker/7:3-events
712 kworker/R-cpuid011
719 kworker/R-cryptd
726 irq/171-iwlwifi.default_queue
727 irq/172-iwlwifi.queue_1

Oct 3 5:48 PM
user@debian:~$ cat /etc/passwd | grep -v ^$ | wc -l
728
728 irq/173-iwlwifi.queue_2
729 irq/174-iwlwifi.queue_3
730 irq/175-iwlwifi.queue_4
731 irq/176-iwlwifi.queue_5
732 irq/177-iwlwifi.queue_6
733 irq/178-iwlwifi.queue_7
734 irq/179-iwlwifi.queue_8
735 irq/180-iwlwifi.exception
736 kworker/u32:0-hwmon-rcu_reclaim
786 kworker/u32:20-events_unbound
853 kworker/u32:1-1915_flip
856 irq/181-AudioSP
1533 accounts-daemon
1536 avahi-daemon
1537 bluetoothd
1538 cron
1540 dbus-daemon
1541 low-memory-mon
1544 polkitd
1545 smartd
1546 switcheroo-cont
1548 systemd-logind
1549 avahi-daemon
1550 udiskd
1571 kworker/6:2-mm_percpu_wq
1592 NetworkManager
1593 udev-sysfsd
1600 pmon
1623 ModemManager
1641 krfcomm
1656 cupsd
1673 gdm
1688 gdm-session-wor
1689 systemd
1690 (sd-pam)
1712 dbus-daemon
1714 pipewire
1716 pipewire
1717 wireplumber
1718 pipewire-pulse
1720 gnome-keyring-d
1721 apris-proxy
1720 rtkit-daemon
```



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```

Oct 3 5:50 PM
user@debian:~$ ps -eo pid,comm,%cpu --sort=-%cpu
1734 gdm-wayland-ses
1742 gnome-session-b
1790 gcr-ssh-agent
1793 gnome-session-c
1794 ssh-agent
1804 gfsd
1812 gfsd-fuse
1815 gnome-session-b
1848 at-spi-bus-launch
1865 dbus-daemon
1871 gnome-shell
1893 xdg-permission
1919 at-spi2-registr
1920 colord
1929 cups-browsed
1939 gnome-shell-cal
1969 evolution-sourc
1971 gis
1980 dconf-service
1982 unword
1993 ibus-daemon
1994 gsd-ally-settin
1995 gsd-color
1996 gsd-datetime
2001 gsd-housekeepin
2002 gsd-keyboard
2003 gsd-media-keys
2004 gsd-power
2011 gsd-print-notif
2013 gsd-rfkill
2014 gsd-screensaver
2015 gsd-sharing
2016 gsd-snarfcard
2017 gsd-sound
2018 gsd-usb-protect
2019 gsd-wacom
2071 gis
2080 gsd-disk-utitit
2090 gnome-software
2093 evolution-alarm
2216 gsd-printer
2223 gvfs-udisks2-vo
2231 gvfs-mtp-volume
2232 gvfs-gphoto2-vo
2243 gvfs-goa-volume
2250 gsd-daemon
2258 gsd-identity-se
2261 gvfs-afc-volume
2272 xwayland
2273 evolution-calen
2236 xdg-desktop-por
2343 xdg-document-po
2349 fusermount3
2362 gfsd-metadata
2366 evolution-addre
2379 gsd-settings
2403 mutter-x11-fram
2446 ibus-dconf
2447 ibus-extension
2454 ibus-portal
2456 localsearch-3
2458 xdg-desktop-por
2460 ibus-engine-xin
2499 ibus-x11
2506 python3
2530 xdg-desktop-por
2545 fusermount3
2631 gnome-calendar
2698 gfsd-trash
2926 gdm-profiles
3608 firefox-esr
3616 crashhelper
3692 Socket Process
3723 Privileged Cont
3721 MPO Process
3779 WebExtensions
3826 Utility Process
3858 Isolated Web Co
4154 kworker/0:2-events
4170 kworker/0:0-events
4172 kworker/0:1-events
4244 Web Content
4340 Web Content
4388 gnome-terminal
4508 bash
4748 Web Content
4977 kworker/2:2-events, freezable, not efficient

4973 kworker/4:1-events, freezable
4979 kworker/7:1-1015-unordered
4989 kworker/3:1-events
4990 kworker/5:2-events, freezable, pwr efficient
5847 kworker/7:2-events
5273 kworker/0:1-1015-unordered
5275 kworker/0:0-events
5298 kworker/7:0-mm_percpu_wq
5320 kworker/2:0-events
5362 kworker/3:0-mm_percpu_wq
5363 kworker/5:0-mm_percpu_wq
5365 kworker/1:0
5410 kworker/4:0-events
5851 ps
user@debian:~$

```

6. Ver procesos ordenados por uso de CPU.

COMANDO: `ps -eo pid,comm,%cpu --sort=-%cpu`

¿Qué hace? `pid,comm,%cpu`: Muestra el PID, el nombre del comando y el porcentaje de consumo de CPU.

`--sort=-%cpu`: Ordena los resultados. El signo - indica orden descendente (de mayor a menor consumo de CPU).



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```
Oct 3 5:52 PM
user@debian: ~
```

```
user@debian:~$ ps -eo pid,comm,%cpu --sort=-%cpu
```

```
PID COMMAND %CPU
3858 Isolated Web Co 32.0
3608 firefox-esr 11.6
1871 gnome-shell 6.6
4580 gnome-terminal- 2.2
2090 gnome-software 1.4
262 irq/142-SYNA2BA 0.6
727 irq/172-iwlwifi 0.3
2506 python3 0.3
3715 Privileged Cont 0.2
1993 ibus-daemon 0.2
2549 fwupd 0.1
726 irq/171-iwlwifi 0.1
2447 ibus-extension- 0.1
5577 kworker/6:2-eve 0.1
1540 dbus-daemon 0.1
853 kworker/u33:2-i 0.1
4748 Web Content 0.0
4340 Web Content 0.0
4244 Web Content 0.0
119 kworker/u33:0-i 0.0
2456 localsearch-3 0.0
1 systemd 0.0
18 rcu_preempt 0.0
1592 NetworkManager 0.0
729 irq/174-iwlwifi 0.0
3779 WebExtensions 0.0
5273 kworker/6:1-eve 0.0
284 usb-storage 0.0
1717 wireplumber 0.0
2093 evolution-alarm 0.0
734 irq/179-iwlwifi 0.0
80 kcompactd0 0.0
1714 pipewire 0.0
1712 dbus-daemon 0.0
2272 Xwayland 0.0
1969 evolution-sourc 0.0
5362 kworker/3:0-mm 0.0
1718 pipewire-pulse 0.0
1544 polkitd 0.0
733 irq/178-iwlwifi 0.0
1688 systemd 0.0
82 khungpaged 0.0
```

```
Oct 3 5:54 PM
user@debian: ~
```

```
758 kworker/u32:10- 0.0
728 irq/173-iwlwifi 0.0
581 systemd-journal 0.0
2631 gnome-calendar 0.0
731 irq/176-iwlwifi 0.0
3826 Utility Process 0.0
2458 xdg-desktop-por 0.0
70 kworker/u32:4-e 0.0
1593 wpa_supplicant 0.0
108 kworker/1:1-eve 0.0
786 kworker/u32:20- 0.0
57 ksoftirqd/6 0.0
11 kworker/0:1-eve 0.0
732 irq/177-iwlwifi 0.0
5410 kworker/4:0-eve 0.0
4972 kworker/2:2-mm 0.0
2368 evolution-addre 0.0
2336 xdg-desktop-por 0.0
2003 gsd-media-keys 0.0
730 irq/175-iwlwifi 0.0
5505 kworker/0:2-eve 0.0
3721 RDD Process 0.0
1982 upowerd 0.0
1920 colord 0.0
94 kswapd0 0.0
5298 kworker/7:0-eve 0.0
1550 udisksd 0.0
626 systemd-udev 0.0
5724 kworker/7:2-mm 0.0
218 kworker/6:1H-ev 0.0
5363 kworker/5:0-191 0.0
2403 mutter-x11-fram 0.0
2379 gsd-xsettings 0.0
2333 evolution-calen 0.0
2004 gsd-power 0.0
2015 gsd-sharing 0.0
1536 avahi-daemon 0.0
856 irq/181-AudioDS 0.0
17 ksoftirqd/0 0.0
2019 gsd-wacom 0.0
1548 systemd-logind 0.0
5547 kworker/u32:0-a 0.0
1995 gsd-color 0.0
1620 kworker/0:0- 0.0
```



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```

Oct 3 5:54 PM
user@debian: ~
1625 ModemManager 0.0
2002 gsd-keyboard 0.0
1815 gnome-session-b 0.0
1720 gnome-keyring-d 0.0
1533 accounts-daemon 0.0
254 kworker/7:1H-ev 0.0
2530 xdg-desktop-por 0.0
2261 gvfs-afc-volume 0.0
1959 gnome-shell-cal 0.0
1742 gnome-session-b 0.0
51 ksoftirqd/5 0.0
63 ksoftirqd/7 0.0
27 ksoftirqd/1 0.0
32 migration/2 0.0
33 ksoftirqd/2 0.0
38 migration/3 0.0
4990 kworker/5:2-eve 0.0
4588 bash 0.0
2976 power-profiles- 0.0
2001 gsd-housekeepin 0.0
1545 smartd 0.0
255 kworker/4:1H-kb 0.0
207 kworker/3:1H-kb 0.0
112 kworker/1:1H-kb 0.0
44 migration/4 0.0
50 migration/5 0.0
56 migration/6 0.0
62 migration/7 0.0
26 migration/1 0.0
39 ksoftirqd/3 0.0
2071 gjs 0.0
1971 gjs 0.0
1537 bluetoothd 0.0
235 kworker/2:1H-kb 0.0
256 kworker/5:1H-ev 0.0
93 kworker/0:1H-ev 0.0
45 ksoftirqd/4 0.0
3692 Socket Process 0.0
2223 gvfs-udisks2-vo 0.0
1804 gvfsd 0.0
1730 rtkit-daemon 0.0
1656 cupsd 0.0
2468 ibus-engine-sim 0.0
7343 xdn-document-no 0.0

```

```

Oct 3 5:54 PM
user@debian: ~
2258 goa-identity-se 0.0
2250 goa-daemon 0.0
2016 gsd-smartcard 0.0
1929 cups-browsed 0.0
2454 ibus-portal 0.0
2017 gsd-sound 0.0
1721 mpris-proxy 0.0
1716 pipewire 0.0
1673 gdm3 0.0
1546 switcheroo-cont 0.0
1543 low-memory-moni 0.0
109 hwrng 0.0
86 irq/9-acpi 0.0
2239 gvfs-gphoto2-vo 0.0
2231 gvfs-mtp-volume 0.0
2216 gsd-printer 0.0
2082 gsd-disk-utitil 0.0
2018 gsd-usb-protect 0.0
2011 gsd-print-notif 0.0
2013 gsd-rfkill 0.0
1996 gsd-datetime 0.0
1980 dconf-service 0.0
1919 at-spi2-registr 0.0
1865 dbus-daemon 0.0
1794 ssh-agent 0.0
1680 gdm-session-wor 0.0
21 migration/0 0.0
2 kthreadd 0.0
3 pool_workqueue_ 0.0
4 kworker/R-kvfre 0.0
5 kworker/R-rcu_g 0.0
6 kworker/R-sync_ 0.0
7 kworker/R-slub_ 0.0
8 kworker/R-netns 0.0
10 kworker/0:0H-ev 0.0
13 kworker/R-nm_pe 0.0
14 rcu_tasks_kthre 0.0
15 rcu_tasks_rude 0.0
16 rcu_tasks_trace 0.0
19 rcu_exp_par_gp_ 0.0
20 rcu_exp_gp_kthr 0.0
22 idle_inject/0 0.0
23 cpuhp/0 0.0

```



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```

Oct 3 5:55 PM
user@debian: ~

24 cpunp/1 0.0
25 idle_inject/1 0.0
29 kworker/1:0H-ev 0.0
30 cpunp/2 0.0
31 idle_inject/2 0.0
35 kworker/2:0H-ev 0.0
36 cpunp/3 0.0
37 idle_inject/3 0.0
41 kworker/3:0H-ev 0.0
42 cpunp/4 0.0
43 idle_inject/4 0.0
47 kworker/4:0H-ev 0.0
48 cpunp/5 0.0
49 idle_inject/5 0.0
53 kworker/5:0H-ev 0.0
54 cpunp/6 0.0
55 idle_inject/6 0.0
59 kworker/6:0H-ev 0.0
60 cpunp/7 0.0
61 idle_inject/7 0.0
65 kworker/7:0H-ev 0.0
74 kdevtmpfs 0.0
75 kworker/R-inet_ 0.0
76 kauditd 0.0
77 khungtaskd 0.0
78 oom_reaper 0.0
79 kworker/R-write 0.0
81 ksm 0.0
83 kworker/R-kint 0.0
84 kworker/R-kbloc 0.0
85 kworker/R-blkcq 0.0
89 kworker/R-tpm_d 0.0
90 kworker/R-edac 0.0
91 kworker/R-devfr 0.0
92 kworker/R-quota 0.0
103 kworker/R-kthro 0.0
107 kworker/R-acpi_ 0.0
110 kworker/R-ml 0.0
111 kworker/R-ipv6 0.0
117 kworker/R-kstrp 0.0
261 watchdogd 0.0
263 kworker/R-ata_s 0.0
264 kworker/R-nvme- 0.0
265 kworker/R-nvme- 0.0

```

```

Oct 3 5:55 PM
user@debian: ~

266 kworker/R-nvme- 0.0
267 kworker/R-nvme- 0.0
272 scsi_eh_0 0.0
273 kworker/R-scsi_ 0.0
274 scsi_eh_1 0.0
275 kworker/R-scsi_ 0.0
276 spi0 0.0
277 kworker/R-ttm 0.0
278 card0-crtc0 0.0
279 card0-crtc1 0.0
280 card0-crtc2 0.0
281 card0-crtc3 0.0
282 scsi_eh_2 0.0
283 kworker/R-scsi_ 0.0
285 kworker/R-uas 0.0
294 kworker/R-md 0.0
295 kworker/R-md_b1 0.0
301 kworker/R-raid5 0.0
567 psimon 0.0
634 psimon 0.0
687 irq/170-me1_me 0.0
712 kworker/R-cfg80 0.0
719 kworker/R-crypt 0.0
735 irq/180-iwlwifi 0.0
1538 cron 0.0
1549 avahi-daemon 0.0
1600 psimon 0.0
1641 krfcomm 0.0
1690 (sd-pam) 0.0
1734 gdm-wayland-ses 0.0
1792 gcr-ssh-agent 0.0
1793 gnome-session-c 0.0
1812 gvfsd-fuse 0.0
1848 at-spi-bus-laun 0.0
1893 xdg-permission- 0.0
1994 gsd-ally-settin 0.0
2014 gsd-screensaver 0.0
2245 gvfs-goa-volume 0.0
2349 fusermount3 0.0
2362 gvfsd-metadata 0.0
2446 ibus-dconf 0.0
2499 ibus-x11 0.0
2690 gvfsd-trash 0.0
2616 crashkernel 0.0

```



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,

Tel.7141461465 y 7141461487, tecvillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



```
3616 crashhelper 0.0
4170 kworker/6:0-cgr 0.0
4973 kworker/4:1-191 0.0
4979 kworker/7:1-191 0.0
4989 kworker/3:1-eve 0.0
5320 kworker/2:0-191 0.0
5365 kworker/1:0 0.0
5609 kworker/3:2-mld 0.0
5618 kworker/1:2 0.0
5631 kworker/2:1 0.0
5797 kworker/0:0-eve 0.0
5800 kworker/4:2-eve 0.0
5808 kworker/5:1-mm_ 0.0
5814 ps 0.0
user@debian:~$
```



Carretera Federal Toluca Ixtapan de la Sal, km 64.5, La Finca Villa Guerrero, Estado de México, C.P.51763,
Tel.7141461465 y 7141461487, tecwillaguerrero@yahoo.com.mx



GOBIERNO DEL
ESTADO DE
MÉXICO



EDUCACIÓN

SECRETARÍA DE EDUCACIÓN, CIENCIA, TECNOLOGÍA E INNOVACIÓN



CONCLUSION

El comando ps es una herramienta indispensable para la administración de sistemas Linux. A través de sus opciones de filtrado (-ef, -u), personalización de columnas (-o) y ordenamiento (--sort), permite inspeccionar el estado del sistema y diagnosticar el uso de recursos de forma rápida y precisa.

