
Debido a que se utilizará Auth0 para autentificar a los usuarios (así lo requiere el socio formador), no es necesario implementar un RBAC. Auth0 es una plataforma de gestión de identidades para desarrolladores de aplicaciones que ayuda a las empresas a ofrecer experiencias digitales confiables y elegantes a sus clientes. Sin embargo, debemos de definir los roles en Auth0. Estos son los siguientes.



De igual forma, es necesario definir permisos/scopes:



NatGas API

Custom API Identifier http://localhost:5959

Quick Start Settings Permissions Machine to Machine Applications

Add a Permission (Scope)

Define the permissions (scopes) that this API uses.

 Permission (Scope) *
 Description *

 read:appointments
 Read your appointments

List of Permissions (Scopes)

These are all the permissions (scopes) that this API uses.

	Permission	Description		
	view:profiles	View all profiles.		⑪
	view:blogs	View all blogs		⑪
	view:ownProfile	View own profile information		Ш
re	ject:ngb	Reject a natgas block	Ŵ	
re	ject:vacations	Reject a vacation solicitude	Ŵ	
cr	eate:ngb	Create a solicitude for a NGB	⑪	

view:overview	View the main webpage	Ш
edit:profile	Edit a users profile	Ш
edit:blog	Edit a blogpost	⑪
edit:news	Edit the main news in overview	⑪
edit:vacations	Edit vacation intervals	⑪
view:vacations	View vacation requests	⑪
view:ngb	View natgas blocks requests	⑪
delete:blog	Delete a blog post	⑪
delete:news	Delete a post from the banner	⑪
delete:vacations	Delete a vacacions interval	Ш
create:vacations	Create a vacation interval	Ш
create:blog	Create a block post	Û