```xml
<?xml version="1.0" encoding="UTF-8"?>
<jmeterTestPlan version="1.2" properties="2.4" jmeter="5.5">
<hashTree>
<TestPlan guiclass="TestPlanGui" testclass="TestPlan"
testname="TESTE-N_FUNC-19032025" enabled="true">
<stringProp name="TestPlan.comments">This test plan was created by the BlazeMeter
converter v.${project.version}. Please contact support@blazemeter.com for further
support.</stringProp>
<boolProp name="TestPlan.functional_mode">false</boolProp>
<boolProp name="TestPlan.serialize_threadgroups">false</boolProp>
<elementProp name="TestPlan.user_defined_variables" elementType="Arguments">
<collectionProp name="Arguments.arguments"/>
</elementProp>
<stringProp name="TestPlan.user_define_classpath"></stringProp>
</TestPlan>
<hashTree>
<HeaderManager guiclass="HeaderPanel" testclass="HeaderManager" testname="HTTP
Header manager">
<collectionProp name="HeaderManager.headers">
<elementProp name="sec-ch-ua" elementType="Header">
<stringProp name="Header.name">sec-ch-ua</stringProp>
<stringProp name="Header.value">"Chromium";v="134", "Not:A-Brand";v="24", "Google
Chrome";v="134"</stringProp>
</elementProp>
<elementProp name="sec-ch-ua-mobile" elementType="Header">
<stringProp name="Header.name">sec-ch-ua-mobile</stringProp>
<stringProp name="Header.value">?0</stringProp>
</elementProp>
<elementProp name="Accept" elementType="Header">
<stringProp name="Header.name">Accept</stringProp>
<stringProp
name="Header.value">text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,imag
e/webp,image/apng,/;q=0.8,application/signed-exchange;v=b3;q=0.7</stringProp>
</elementProp>
<elementProp name="Upgrade-Insecure-Requests" elementType="Header">
<stringProp name="Header.name">Upgrade-Insecure-Requests</stringProp>
<stringProp name="Header.value">1</stringProp>
</elementProp>
<elementProp name="sec-ch-ua-platform" elementType="Header">
<stringProp name="Header.name">sec-ch-ua-platform</stringProp>
<stringProp name="Header.value">"Windows"</stringProp>
</elementProp>
<elementProp name="User-Agent" elementType="Header">
<stringProp name="Header.name">User-Agent</stringProp>
<stringProp name="Header.value">Mozilla/5.0 (Windows NT 10.0; Win64; x64)
AppleWebKit/537.36 (KHTML, like Gecko) Chrome/134.0.0.0 Safari/537.36</stringProp>
</elementProp>
</collectionProp>
```

```xml
</HeaderManager>
<hashTree/>
<Arguments guiclass="ArgumentsPanel" testclass="Arguments" testname="User Defined
Variables" enabled="true">
<collectionProp name="Arguments.arguments">
<elementProp name="BASE_URL_1" elementType="Argument">
<stringProp name="Argument.name">BASE_URL_1</stringProp>
<stringProp name="Argument.value">KaBuM! | Maior E-commerce de Tecnologia e Games
da América Latina </stringProp>
</elementProp>
</collectionProp>
</Arguments>
<hashTree/>
<ConfigTestElement guiclass="HttpDefaultsGui" testclass="ConfigTestElement"
testname="HTTP Request Defaults" enabled="true">
<elementProp name="HTTPsampler.Arguments" elementType="Arguments">
<collectionProp name="Arguments.arguments"/>
</elementProp>
</ConfigTestElement>
<hashTree/>
<DNSCacheManager guiclass="DNSCachePanel" testclass="DNSCacheManager"
testname="DNS Cache Manager" enabled="true">
<collectionProp name="DNSCacheManager.servers"/>
<boolProp name="DNSCacheManager.clearEachIteration">true</boolProp>
</DNSCacheManager>
<hashTree/>
<AuthManager guiclass="AuthPanel" testclass="AuthManager" testname="HTTP
Authorization Manager">
<collectionProp name="AuthManager.auth_list"/>
</AuthManager>
<hashTree/>
<CookieManager guiclass="CookiePanel" testclass="CookieManager" testname="HTTP
Cookie Manager" enabled="true">
<collectionProp name="CookieManager.cookies"/>
<boolProp name="CookieManager.clearEachIteration">true</boolProp>
</CookieManager>
<hashTree/>
<CacheManager guiclass="CacheManagerGui" testclass="CacheManager"
testname="HTTP Cache Manager">
<boolProp name="clearEachIteration">true</boolProp>
<boolProp name="useExpires">false</boolProp>
</CacheManager>
<hashTree/>
<ThreadGroup guiclass="ThreadGroupGui" testclass="ThreadGroup" testname="Thread
Group" enabled="true">
<stringProp name="ThreadGroup.on_sample_error">continue</stringProp>
<elementProp name="ThreadGroup.main_controller" elementType="LoopController">
<boolProp name="LoopController.continue_forever">false</boolProp>
```

```xml
<stringProp name="LoopController.loops">1</stringProp>
</elementProp>
<intProp name="ThreadGroup.num_threads">1</intProp>
<intProp name="ThreadGroup.ramp_time">1</intProp>
<boolProp name="ThreadGroup.scheduler">false</boolProp>
<longProp name="ThreadGroup.duration">0</longProp>
<longProp name="ThreadGroup.delay">0</longProp>
</ThreadGroup>
<hashTree>
<TransactionController guiclass="TransactionControllerGui" testname="Test"
enabled="true">
<boolProp name="TransactionController.includeTimers">false</boolProp>
</TransactionController>
<hashTree>
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="O melhor do hardware para montar seu setup no KaBuM! " enabled="true">
<elementProp name="HTTPsampler.Arguments" elementType="Arguments">
<collectionProp name="Arguments.arguments"/>
</elementProp>
<boolProp name="HTTPSampler.follow_redirects">true</boolProp>
<boolProp name="HTTPSampler.use_keepalive">true</boolProp>
<stringProp name="HTTPSampler.protocol">https</stringProp>
<stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>
<intProp name="HTTPSampler.port">0</intProp>
<stringProp name="HTTPSampler.path">promocao/HARDWAREKABUM</stringProp>
<stringProp name="HTTPSampler.method">GET</stringProp>
</HTTPSamplerProxy>
<hashTree>
<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer"
testname="Constant Timer" enabled="true">
<stringProp name="ConstantTimer.delay">0</stringProp>
</ConstantTimer>
<hashTree/>
</hashTree>
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="Placa de Vídeo RTX 3060 1-Click OC Galax NVIDIA GeForce, 12GB GDDR6,
LHR, DLSS, Ray Tracing - 36NOL7MD1VOC " enabled="true">
<elementProp name="HTTPsampler.Arguments" elementType="Arguments">
<collectionProp name="Arguments.arguments"/>
</elementProp>
<boolProp name="HTTPSampler.follow_redirects">true</boolProp>
<boolProp name="HTTPSampler.use_keepalive">true</boolProp>
<stringProp name="HTTPSampler.protocol">https</stringProp>
<stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>
<intProp name="HTTPSampler.port">0</intProp>
<stringProp
name="HTTPSampler.path">produto/150657/placa-de-video-rtx-3060-1-click-oc-galax-nvidia
-geforce-12gb-gddr6-lhr-dlss-ray-tracing-36nol7md1voc</stringProp>
```

```xml
<stringProp name="HTTPSampler.method">GET</stringProp>
</HTTPSamplerProxy>
<hashTree>
<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer"
testname="Constant Timer" enabled="true">
<stringProp name="ConstantTimer.delay">4002</stringProp>
</ConstantTimer>
<hashTree/>
</hashTree>
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="Pré Carrinho - KaBuM! " enabled="true">
<elementProp name="HTTPsampler.Arguments" elementType="Arguments">
<collectionProp name="Arguments.arguments"/>
</elementProp>
<boolProp name="HTTPSampler.follow_redirects">true</boolProp>
<boolProp name="HTTPSampler.use_keepalive">true</boolProp>
<stringProp name="HTTPSampler.protocol">https</stringProp>
<stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>
<intProp name="HTTPSampler.port">0</intProp>
<stringProp name="HTTPSampler.path">precarrinho/150657/0</stringProp>
<stringProp name="HTTPSampler.method">GET</stringProp>
</HTTPSamplerProxy>
<hashTree>
<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer"
testname="Constant Timer" enabled="true">
<stringProp name="ConstantTimer.delay">2368</stringProp>
</ConstantTimer>
<hashTree/>
</hashTree>
<HTTPSamplerProxy guiclass="HttpTestSampleGui" testclass="HTTPSamplerProxy"
testname="Carrinho de Compras - KaBuM! " enabled="true">
<elementProp name="HTTPsampler.Arguments" elementType="Arguments">
<collectionProp name="Arguments.arguments"/>
</elementProp>
<boolProp name="HTTPSampler.follow_redirects">true</boolProp>
<boolProp name="HTTPSampler.use_keepalive">true</boolProp>
<stringProp name="HTTPSampler.protocol">https</stringProp>
<stringProp name="HTTPSampler.domain">${BASE_URL_1}</stringProp>
<intProp name="HTTPSampler.port">0</intProp>
<stringProp name="HTTPSampler.path">carrinho</stringProp>
<stringProp name="HTTPSampler.method">GET</stringProp>
</HTTPSamplerProxy>
<hashTree>
<ConstantTimer guiclass="ConstantTimerGui" testclass="ConstantTimer"
testname="Constant Timer" enabled="true">
<stringProp name="ConstantTimer.delay">3947</stringProp>
</ConstantTimer>
<hashTree/>
```

```
</hashTree>
</hashTree>
</hashTree>
</hashTree>
</hashTree>
</jmeterTestPlan>
```