

Migriamo da C a PHP

da App Locali a Web Dinamico

PHP?


PHP inizialmente acronimo di Personal Home Page è ora l'acronimo di Hypertext Preprocessor. Nasce nel 1994 grazie all'opera del danese Rasmus Lerdorf e dopo 32 anni siamo alla versione 8. E' un linguaggio server-side tra i più diffusi al mondo.

Storia di PHP: [Fonte Wikipedia](#)

I punti cardine del linguaggio si riassumono in:

Server-Side Scripting

PHP is executed on the server, which means it runs on the web server to generate dynamic content, such as web pages, before sending it to the user's browser.



Embedded in HTML

PHP can be embedded directly into HTML code, making it convenient to add dynamic behavior to web pages.

```
<!-- file: pagina.php -->
<html>
  <head>
  <body>
    <h1>Titolo della pagina</h1>
    <?php
      echo('Hello World');
    ?>
  </body>
</html>
```

Cross-Platform

PHP works on various operating systems including Linux, Windows, and macOS, and it supports most web servers such as Apache and Nginx.

Integration with Databases

PHP has built-in support for numerous databases like MySQL, PostgreSQL, Oracle, and SQLite, which makes it ideal for creating data-driven websites.

Extensive Library Support

PHP has a wide range of built-in functions and libraries for tasks like string manipulation, file handling, session management, and interacting with APIs.

Community and Frameworks

There is a large community of developers and frameworks like Laravel, Symfony, and CodeIgniter, which help streamline development and promote best practices.

Gli usi consolidati

- **Dynamic Website Content:** Generate content based on user input or database queries.
- **Forms Handling:** Collect and process data submitted via web forms.
- **Session Management:** Track user sessions for login systems or shopping carts.
- **Content Management Systems (CMS):** Platforms like WordPress, Joomla, and Drupal are built with PHP.
- **APIs and Web Services:** Create and consume APIs to enable frontend-backend communication.